

**ILMARI PYYKKÖ, MD.**

**11 Jan 2022**

**DEPARTMENT OF OTOLARYNGOLOGY,  
TAMPERE UNIVERSITY HOSPITAL, TAMPERE**

**LIST OF SCIENTIFIC ARTICLES**

**PUBLISHED IN INTERNATIONAL JOURNALS**

1. Pyykkö, I., Hyvärinen, J. 1973. The physiological basis of the traumatic vasospastic disease (TVD): A sympathetic vasoconstrictor reflex triggered by high frequency vibration. *Work environm hlth* 10: 36-47.
2. Hyvärinen, J., Pyykkö, I., Sundberg, S. 1973. Vibration frequencies and amplitudes in the aetiology of traumatic vasospastic disease (TVD). *Lancet* 1: 791-794.
3. Pyykkö, I. 1974. The prevalence and symptoms of traumatic vasospastic disease among lumberjacks in Finland: A field study. *Work environm hlth* 11: 118-131.
4. Pyykkö, I. 1974. A physiological study of the vasoconstrictor reflex in traumatic vasospastic disease. *Work environm hlth* 11: 170-186.
5. Pyykkö, I. 1974. Den traumatiska vasospastiska sjukdomen bland finska skogsarbetare. Symptomen, förekomsten och den fysiologiska uppkomstmekanismen. *Publikationer av Institutet för Arbetshygien*, nr 88. Helsingfors. 64 s. Gradual avhandling.
6. Pyykkö, I., Färkkilä, M., Toivanen, J., Korhonen, O., Hyvärinen, J. 1976. Transmission of vibration in the hand-arm system with special reference to changes in compression force and acceleration. *Scand j work environm hlth* 2: 87-95.
7. Pyykkö, I., Hyvärinen, J. 1976. Vibration induced changes of sympathetic vasomotor tone. *Acta chir scand, suppl* 465: 23-26.
8. Pyykkö, I., Sairanen, E., Korhonen, O., Färkkilä, M., Ojala, J.P., Ruokonen, E. 1976. Vibrationssjukdom bland skogsarbetarna. *Finska läkartidning* 36: 2791-2797.
9. Pyykkö, I., Sairanen, E., Korhonen, O., Färkkilä, M., Hyvärinen, J. 1978. A decrease in the prevalence and severity of vibration-induced white fingers among lumberjacks in Finland. *Scand j work environm hlth* 4: 246-254.
10. Färkkilä, M., Pyykkö, I., Korhonen, O., Starck, J. 1979. Hand grip forces during chain saw operation and vibration white finger in lumberjacks. *Brit j ind med* 36: 336-342.
11. Färkkilä, M., Pyykkö, I. 1979. Blood flow in the contralateral hand during vibration and hand grip contractions of lumberjacks. *Scand j work environm hlth* 5: 368-37
12. Färkkilä, M., Hyvärinen, J., Pyykkö, I. 1980. Tärinänsairauden mekanismi ja esiintyminen suomalaisilla työntekijöillä. *Duodecim* 96: 1003-1014.
13. Färkkilä, M., Pyykkö, I., Korhonen, O., Starck, J. 1980. Vibration induced decrease in the muscle force in lumberjacks. *Europ j appl physiol* 43: 1-9.
14. Pyykkö, I., Wennmo, C. 1980. Dissociation of eye motor function in brain stem lesions. *Practical otolaryng (Kyoto)* 73: 858-863.
15. Pyykkö, I., Henriksson, N.G., Wennmo, C., Hinoki, M. 1980. Interpretation of nystagmogram. I. Slow and fast phases. *Practical otolaryng (Kyoto)* 73: 1621-1630.
16. Pyykkö, I., Hamid, M., Matsuoka, I., Schalén, L. 1980. Interpretation of nystagmogram. II. Saccades and smooth pursuit eye movements. *Practical otolaryng (Kyoto)* 73: 2045-2053.
17. Henriksson, N.G., Pyykkö, I., Schalén, L., Wennmo, C. 1980. Velocity patterns of rapid eye movements. *Acta otolaryngol (Stockh)* 89: 504-512.
18. Dahlen, A.I., Fex, S., Henriksson, N.G., Pyykkö, I., Wennmo, C. 1980. Dyspraxia of speech and of eye motility. *Acta otolaryngol (Stockh)* 89: 144-151.
19. Pyykkö, I., Henriksson, N.G., Wennmo, C., Schalén, L. 1981. Velocity of rapid eye movements and vertigo of central origin. *Ann otol rhinol laryngol* 90: 164-168.
20. Henriksson, N.G., Hindfelt, B., Pyykkö, I., Schalén, L. 1981. Rapid eye movements reflecting neurological disorders. *Clinical otolaryngol* 6: 111-119.
21. Pyykkö, I., Färkkilä, M., Korhonen, O., Starck, J., Hoikkala, M., Nurminen, M. 1981. Hand-arm vibration in the etiology of noise induced permanent hearing loss in lumberjacks. *Brit j ind med* 38: 281-289.
22. Pyykkö, I., Matsuoka, I., Ito, S., Hinoki, M. 1982. Enhancement of eye motor response and electrical brain activity during noise and vibration in rabbits. *Otolaryngol head & neck surg* 90: 130-138.

23. Wennmo, C., Henriksson, N.G., Pyykkö, I., Schalén, L. 1982. Eye velocity programming in brain stem disorders. *N.Y. acad sci* 374: 774-783.
24. Schalén, L., Henriksson, N.G., Pyykkö, I. 1982. Quantification of tracking eye movements in patients with neurological disorders. *Acta otolaryngol (Stockh)* 93: 387-395.
25. Pyykkö, I., Magnusson M., Matsuoka, I., Ito, s., Hinoki, M. 1982. Effect of pure-tone sound, impulse noise and vibration on visual orientation. *Am j otolaryngol* 3: 104-111.
26. Pyykkö, I., Starck, J. 1982. Vibration syndrome in the etiology of occupational hearing loss. *Acta otolaryngol (Stockh.) suppl.* 386: 296-300.
27. Pyykkö, I., Magnusson, M., Matsuoka, I., Ito, S., Hinoki, M. 1982. On the optokinetic mechanism of peripheral retinal type. *Acta otolaryngol (Stockh.) suppl* 386: 235-239.
28. Schalén, L., Pyykkö, I., Henriksson, N.G., Wennmo, C. 1982. Slow eye movements in patients with neurological disorders. *Acta otolaryngol (Stockh) suppl* 386: 231-234.
29. Wennmo, C., Pyykkö, I. 1982. Vestibular neuronitis. A clinical and electro-oculographic analysis. *Acta otolaryngol (Stockh)* 94: 507-515.
30. Pyykkö, I., Matsuoka, I., Ito, S., Hinoki, M. 1982. The effect of alertness and hemilabyrinthectomy on optokinetic nystagmus in rabbit. *Agressol.* 24, 187-188.
31. Pyykkö, I., Färkkilä, M. 1982. Clonidine in the treatment of vibration induced white finger. *Scand j work environm hlth.* 8, 294-299.
32. Futatsuka, M., Pyykkö, I., Färkkilä, M., Korhonen, O., Starck, J. 1983. Blood pressure, flow and peripheral resistance of digital arteries in vibration syndrome. *Brit j ind med.* 40, 434-441.
33. Starck, J., Aatola, S., Färkkilä, M., Pyykkö, I., Korhonen, O. 1983. Vibration syndrome and vibration in pedestal grinding. *Brit j ind med.* 40, 426-433.
34. Pyykkö, I. 1983. The hand-arm vibration syndrome: definitions and assessment of symptoms. *J. low frequency sound and vibration.* 1, 6-18.
35. Pyykkö, I. 1983. Sensory integration of vibratory stimulus. *J. low frequency sound and vibration.* 1, 69-73.
36. Korhonen, O., Soinen, H., Färkkilä, Pyykkö, I. 1983. Kuormituskoe metsätyömiesten määräraikaistarkastuksessa. *Suom. lääkärilehti.* 38, 2628-2631.
37. Pyykkö, I. 1983. Vibration-induced dysfunction of the autonomic nervous system: does it exist? - A review, with special emphasis on the Japanese literature. *J. low frequency sound and vibration* 1, 123-128.
38. Pyykkö, I., Schalén, L., Wennmo, C. 1983. Single unit activity in flocculus of alert cat during vestibular, visual and proprioceptive stimulation. *Agressol.* 24, 215-216.
39. Schalén, L., Pyykkö, I., Henriksson, N.G., Jäntti, V., Wennmo, C. 1982. Does the spontaneous nystagmus interfere with eye tracking? *Advances in Oto-Rhino-Laryngology.* 30, 201-204.
40. Jäntti, V., Aantaa, E., Lang, H., Schalén, L., Pyykkö, I. 1982. The saccade spike. *Advances in Oto-Rhino-Laryngology.* 30, 71-75.
41. Pyykkö, I., Matsuoka, I., Ito, S., Hinoki, M. 1982. Decrease of integration of optokinetic nystagmus of peripheral retinal type after hemilabyrinthectomy. *Advances in Oto-Rhino-Laryngology.* 30, 88-93.
42. Wennmo, C., Henriksson, N.G., Hindfelt, B., Pyykkö, I., Magnusson, M. 1982. Visually evoked slow eye movements, visual-vestibular interaction and infratentorial lesion. *Otolaryng, head & nec surg.* 91, 76-80.
43. Schalen, L., Pyykkö, I., Juhola, M., Magnusson, M., Jäntti, V., Henriksson, N. 1984. Intra-individual variation in oculomotor performance in man. *Acta Otolaryngol (Stockh.) suppl.* 406, 212-217.
44. Pyykkö, I., Dahlen, A.I., Henriksson, N.G., Juhola, M. 1984. Clinical evaluation of dysrhythmia of postrotatory nystagmus. *Acta otolaryngol (Stockh.)* 98, 279-286.
45. Pyykkö, I., Dahlen, A.I., Schalen, L. and Hindfelt, B. 1984. Eye movements in patients with speech dyspraxia. *Acta otolaryngol (Stockh.)* 98, 481-489.
46. Jäntti, V., Pyykkö, I., Juhola, M., Ignatius, J., Hansson, G.-Å., Henriksson, N.G. 1984. Effect of filtering in the computer analysis of saccades. *Acta otolaryngol (Stockh.) suppl.* 406, 231-234.
47. Scholtz, H.J., Pyykkö, I. Henriksson, N.G. 1983. Electro-oculography of vertical saccades. *Advances in oto-rhino-laryngology* 30, 76-79.
48. Pyykkö, I., Schalen, L., Jäntti, V., Magnusson, M. 1984. A reduction of vestibulo-visual integration during transdermally administered scopolamine and dimenhydrinate. A presentation of gain control theory in motion sickness. *Acta otolaryngol (Stockh.) suppl.* 406, 167-173.
49. Wennmo, C., Hindfelt, B., Pyykkö, I. 1983. Eye movements in cerebellar and combined cerebello-brainstem diseases. *Ann. otol., rhinol., laryngol.* 92, 165-171.
50. Henriksson, N.G., Pyykkö, I., Schalen, L., Magnusson, M., Wennmo, C. 1984. Interpreting eye movements - an eye motor model. *Acta otolaryngol (Stockh.) suppl.* 412, 55-57.
51. Henriksson, N.G., Wennmo, C., Pyykkö, I., Schalen, L. 1984. A model of visuo-vestibular interaction in cerebellar disorders. *J. otorhinolaryngol. relat. spec.* 46, 302-309.
52. Pyykkö, I., Starck, J. 1985. Combined effects of noise, vibration and visual field stimulation on electrical brain activity and optomotor responses. *Int. arch. occup. environ. health.* 56, 147-159.

53. Pyykkö, I., Schalen, L., Jäntti, V. 1985. Transdermally administered scopolamine vs. dimenhydrinate. I. Effect on nausea and vertigo. *Acta otolaryngol (Stockh.)* 99, 588-596.
54. Pyykkö, I., Schalen L., Matsuoka I. 1985. Transdermally administered scopolamine vs. dimenhydrinate. II. Effect on different qualities on nystagmus. *Acta otolaryngol (Stockh.)* 99, 597-605.
55. Pyykkö, I., Dahlen, A.I. 1985. Intrabeat relationship of postrotatory nystagmus in normal subjects. *Acta otolaryngol (Stockh.)* 99, 74-82.
56. Pyykkö, I., Dahlen, A.I. 1985. Intrabeat relationship of postrotatory nystagmus in patients with neurological disorders. *Acta otolaryngol (Stockh.)* 99, 113-121.
57. Pyykkö, I., Padoan, S., Schalen, L., Lyttkens, L., Magnusson, M., Henriksson, N.G. 1985. The effects of TTS-scopolamine, Dimenhydrinate, Lidocaine and Tocainide on Motion Sickness, vertigo and nystagmus. *Aviat. space environm. med.* 56, 777-782.
58. Juhola, M., Jäntti, V., Pyykkö, I. 1985. Effect of sampling frequencies on computation of the maximum velocity of saccadic eye movements. *Biological cybernetics*, 53, 67-72.
59. Juhola, M., Jäntti, V., Pyykkö, I., Magnusson, M., Schalen, L., Åkesson, M. 1985. Detection of saccadic eye movements using non-recursive adaptive filter. *Computer methods and programs in biomedicine*, 21, 81-88.
60. Magnusson, M., Pyykkö, I. and Jäntti, V. 1985. Effect of alertness and visual attention on optokinetic nystagmus in humans. *Am. j. otolaryngol* 6, 419-425.
61. Färkkilä, M., Aatola, S., Starck, J., Pyykkö, I., Korhonen, O. 1985. Vibration-induced neuropathy among forestry workers. *Acta neurol. scand.* 71, 221-225.
62. Pyykkö, I., Korhonen, O., Färkkilä, M., Starck, J., Aatola, S., Jäntti, V. 1986. Vibration syndrome among forest Finnish workers. A follow-up from 1972 to 1983. *Scand j work environ. health*, 12, 307-312.
63. Pyykkö, I., Färkkilä, M., Korhonen, O., Starck, J., Jäntti, V. 1986. Cold provocation test in evaluation of vibration-induced white finger. *Scand j work environm health*. 12, 254-258.
64. Pyykkö, I., Gemne G., Kolari, P., Starck, J., Ilmarinen, R., Aalto, H., 1986. Vasomotor oscillation in vibration-induced white finger. *Scand j work environm health* 12, 389-394.
65. Pyykkö, I., Kolari, P., Färkkilä, M., Starck, J., Korhonen, O. Jäntti, V. 1986. Finger peripheral resistance during local cold provocation in vasospastic disease. *Scand j work environm health*. 12, 395-399.
66. Gemne, G., Pyykkö, I., Starck J, Ilmarinen, R., 1986. Circulatory reaction to heat and cold in vibration-induced white finger with and without sympathetic blockade. - An experimental study. *Scand j work environm health* 12, 371-377.
67. Pyykkö, I. 1986. Clinical aspects of vibration Hand-arm syndrome: A review *Scand j work environm health*. 12, 439-447.
68. Starck, J., Pyykkö, I. 1986. Impulsiveness of vibration as an additional factor in the hazards associated with hand-arm vibration. *Scand j work environm health* 12, 327-326.
69. Lundborg, G., Solleman, C., Lie-Stenström, A.-K., Pyykkö, I. 1985. Digital vibro-gram - a new diagnostic tool for sensory testing in compression neuropathy. *J hand surgery*. 11, 693-699.
70. Pyykkö, I., Starck, J. 1986. Pathophysiological and hygienic aspects of hand-arm vibration. *Scand j work environm health*, 12, 237-241.
71. Färkkilä, M., Aatola, S., Starck, J., Korhonen, O., Pyykkö, I. 1986. Hand-grip force in lumberjacks: two-year follow-up. *Int. arch. occup. environ. health*. 58, 203-208.
72. Lundborg, G., Dahlin, L.B., Danielsen E., Hansson, H.A., Neckling L.E., Pyykkö, I. 1986. Intraneural edema following exposure to vibration. *Scand. j. work environ. health*. 13, 326-329.
73. Magnusson, M., Pyykkö, I., Norrwing, B. 1986. The relationship of optokinetic nystagmus to pursuit eye movements vestibular nystagmus and saccades in humans. *Acta otolaryngol (Stockh)*. 101, 361-370.
74. Magnusson, M., Pyykkö, I. 1986. Velocity and asymmetry of optokinetic nystagmus in the evaluation of vestibular lesions. *Acta otolaryngol (Stockh)*. 102, 65-74.
75. Pyykkö, I., Starck, J., Pekkarinen J. 1986. Further evidence of a relation between noise-induced permanent threshold shift and vibration-induced digital vasospasms. *Am j otol.* 7, 391-398.
76. Juhola, M., Pyykkö, I. 1987. Effect of sampling frequencies on the velocity of slow and fast phases of nystagmus. *Int. j. biomed. computing*. 20, 253-263.
77. Pyykkö, I., Magnusson, M., 1987. Neural activity, alertness and visual orientation in intact and unilaterally labyrinthectomized rabbits. *J. otorhinolaryngol. relat. spec.* 49, 26-34.
78. Pyykkö, I., Pekkarinen, J., Starck J. 1987. Sensory-neural hearing loss during combined noise and vibration exposure. An analysis of risk factor. *Int. arch. occup. environ. health*. 59, 439-454.
79. Juhola M., Jäntti V., Pyykkö I., Schalen L., Åkesson M., Magnusson M. 1987. An identification technique for the spike artefacts of saccadic eye movements. *Biol. cybern.* 57, 415-420.
80. Korpi, E.R., Lindroos, F., Pyykkö, I., Malminen, O., Kaheinen, P., Ignatius, J., Mäntysalo, S. 1987. Ethanol-induced modulation of hippocampal EEG and cerebral 2-deoxyglucose accumulation in rat lines with different alcohol sensitivities. *Alcohol alcohol. Suppl* 1. 713-717.

81. Magnusson M., Pyykkö I., Schalen L., Henriksson N.G., 1987. Evaluation of optokinetic nystagmus in differentiating between peripheral vestibular and infratentorial lesions. *Am. j. otolaryngol.* 8, 507-510.
82. Brammer, A.J., Pyykkö, I. 1987. Vibration-induced neuropathy: Detection by nerve conduction measurements. *Scand. j. work. environ. health.* 13, 317-322.
83. Pyykkö, I. Gemne G. 1987. Pathophysiological aspects of peripheral circulatory disorders in vibration syndrome. *Scand. j. work environ. health.* 13,313-316.
84. Gemme, G., Pyykkö, I., Taylor, W., Pelmeur, P. 1987. The Stockholm workshop scale for the classification of cold-induced Raynaud's phenomenon in the hand-arm vibration syndrome (Revision of the Taylor-Pelmeur scale). *Scand. j. work. health.* 13, 275-278.
85. Smolander, J., Ilmarinen, R., Korhonen, O., Pyykkö, I. 1987. Circulatory and thermal responses to prolonged physical work in dry and humid heat in men with different training status. *Scand. j. work environ. health.* 13, 37-46.
86. Lundborg, G., Solleman, C., Strömberg, T., Pyykkö, I. 1987. A new principle for assessment of vibrotactile sense in vibration-induced neuropathy. *Scand. j. work environ. health.* 13, 375-379.
87. Pyykkö, I. 1987. The hand-arm vibration syndrome. Pathophysiological and diagnostic aspects. *Norsk bedriftskebetjeneste hygienisk tj.* 8, 185-196.
88. Bovenzi M., Pyykkö I. 1987. Valutazione di un adattore per la misura delle vibrazioni mano-braccio. *Giornale Italiano degli igienisti industriali.* 12, 65-79.
89. Heinonen E, Färkkilä M, Forström J, Antila K, Jalonen J, Korhonen O, Pyykkö I. 1987. Autonomic neuropathy and vibration exposure in forestry workers. *Br. j. ind. med.* 44, 412-416.
90. Färkkilä, M., Pyykkö, I., Jäntti, V., Aatola, S., Starck, J., Korhonen, O. 1988. Forestry workers exposed to vibration: a neurological study. *Brit. j. ind. med.* 45, 188-192.
91. Pyykkö I., Schalen L., Magnusson M., Enbom H. 1988. Pharmacological treatment of vertigo. *Acta otolaryngol. (Stockh), Suppl.* 455, 77-81.
92. Enbom H., Pyykkö I., Magnusson M., Schalen L. 1988. Presentation of a posturographic test with loading of the proprioceptive system. *Acta otolaryngol. (Stockh), Suppl.* 455, 58-61.
93. Magnusson M., Pyykkö I, Schalen L., Enbom H. 1988. Clinical considerations concerning horizontal optokinetic nystagmus. *Acta otolaryngol. (Stockh), Suppl.* 455, 54-57.
94. Schalen L., Pyykkö I., Magnusson M., Enbom H. 1988. Clinical aspects of eye tracking test. *Acta otolaryngol. (Stockh), Suppl.* 455, 28-32.
95. Starck J., Pekkarinen J., Pyykkö I. 1988. Impulse noise and hand-arm vibration in relation to sensory neural hearing loss. *Scand. j. work environm. health.* 14, 265-271.
96. Palva T. Johnsson L.G., Jauhiainen T., Pyykkö I., Saarnivaara L. 1988. The otorhinolaryngology department of Helsinki: Organization and otologic research. *ORL*, 50, 110-118.
97. Kaheinen P., Korpi E., Pyykkö I., Mäntysalo S. 1988. Hippocampal rhythmic slow activity in rat lines selected for differences in ethanol-induced motor impairment. *Pharmacol. biochem. behav.* 30, 177-181.
98. Aalto H., Pyykkö I., Starck J. 1988. Computerized posturography. A development of measuring system. *Acta otolaryngol. (Stockh). Suppl.* 449, 71-76.
99. Pyykkö I., Koskimies K., Starck J. Pekkarinen J. Inaba R. 1988. Evaluation of factors affecting sensory neural hearing loss. *Acta otolaryngol. (Stockh). Suppl.* 449, 155-160.
100. Pyykkö I., Koskimies K., Starck J., Pekkarinen J., Inaba R., Färkkilä M., 1989. Risk factors in the genesis of sensory neural hearing loss in Finnish forestry workers. *Br.j. ind. med.* 46, 439-446.
101. Aalto H., Juhola M., Pyykkö I. 1989. A visual stimulator using laser beam for eye movement studies. *Med. biol. eng. comp.* 27, 332-335.
102. Magnusson M., Brantberg K., Pyykkö I., Schalen L. 1989. Reduction of the time constant in the VOR as a protective mechanism in acute vestibular lesion. *Acta otolaryngol. (Stockh.) Suppl.* 468, 329-332.
103. Pyykkö I., Aalto H., Ylikoski J. 1989. Does impulse noise induce vestibular disturbance. *Acta otolaryngol. (Stockh.) Suppl.* 468, 211-216.
104. Pyykkö I., Aalto H., Seidel H. Starck J. 1989. Hierarchy of different muscles in postural control. *Acta otolaryngol. (Stockh.) Suppl.* 468, 175-180.
105. Hytönen M., Pyykkö I., Aalto H., Juhola M., Ramsay H. 1989. Vestibulo-ocular and vestibulo-spinal reflexes in evaluation of vestibular lesions. *Acta otolaryngol. (Stockh.) Suppl.* 468, 231-234.
106. Schalen L., Korttila K., Magnusson M., Padoan S., Pyykkö I. 1989. Effects of intravenous diazepam and thiopental on the vestibulo-ocular reflex in man. *Acta otolaryngol. (Stockh.) Suppl.* 468, 165-170.
107. Juhola M, Pyykkö I, Aalto H. 1989. A microcomputer system for clinical signal analysis of vestibular laboratory. *J. med. sys.* 13, 215-223.
108. Juhola M. Pyykkö I. 1989. On computer recognition of nystagmus signal contaminated by EMG noise. *Acta otolaryngol. (Stockh.) Suppl.* 468, 217-219.
109. Starck J., Pekkarinen J., Pyykkö I. 1989. Physical characteristics of vibration in relation to vibration-induced white finger. *Am. ind. hyg. assoc. j.* Accepted for publication.

110. Koskimies K., Färkkilä M., Pyykkö I., Jäntti V., Aatola S., Starck J., Inaba R. Carpal tunnel syndrome in vibration disease. *Brit. j. ind. med.* 1990, 47, 411-416.
111. Aatola S., Färkkilä M., Pyykkö I., Korhonen O., Starck J. 1990. Measuring method for vibration perception and its application to vibration exposed workers. *Int. arch. occup. environ. health.* 62, 239-242.
112. Aatola S, Färkkilä M, Pyykkö I, Korhonen O, Starck J. 1990. Vibration perception threshold during temporary obstructed blood circulation. *Int. arch. occup. environ. health.* 62, 451-453.
113. Färkkilä M, Pyykkö I, Heinonen E. Vibration stress and the autonomic nervous system. 1990. *Kurume medical journal*, 37, Supplement, 53-60.
114. Färkkilä M, Pyykkö I. 1990. Treatment of vibration syndrome in Finland. *Kurume medical journal*, 37, Supplement, 53-60.
115. Koskimies K., Färkkilä M., Pyykkö I., Jäntti V., Aatola S., Starck J., Inaba R. Carpal tunnel syndrome in vibration disease. *Brit. j. ind. med.* 1990, 47, 411-416.
116. Pyykkö I., Jäntti P., Aalto H. 1990. Postural control in the elderly subjects. *Age, ageing.* 19, 215-221.
117. Ishizaki H, Pyykkö I, Aalto H, Starck J. 1991. The Tullio phenomenon in patients with Meniere's disease as evaluated in posturography. *Acta Otolaryngol (Stockh.) Suppl.* 481, 593-595.
118. Ishizaki H, Pyykkö I, Aalto H, Starck J. 1991. Repeatability and effect of instruction of body sway. *Acta Otolaryngol (Stokh.) Suppl.* 481, 584-592.
119. Pyykkö I, Aalto H, Starck J, Ishizaki H. 1991. Postural stability on moving platform oscillating at high frequencies. Effect of vestibular lesion. *Acta Otolaryngol. (Stockh.), Suppl* 481, 572-575.
120. Magnusson M, Enbom H, Pyykkö I. 1991. Postural compensation of congenital or early acquired vestibular loss in hearing disabled children. *Acta Otolaryngol. (Stockh.) Suppl.* 481, 434-435.
121. Pyykkö I, Vesikivi M, Ishizaki H, Magnusson M, Juhola M. 1991. Postural control in blinds and in Usher's syndrome. *Acta Otolaryngol. (Stokh.) Suppl.* 481, 603-606.
122. Juhola M, Pyykkö I, Aalto H. 1991. Computer analysis of sinusoidal eye movements using pattern recognition. *Acta Otolaryngol. (Stockh.) Suppl.* 481, 466-467.
123. Aalto H., Pyykkö I., Ilmarinen R., Kähkönen E., Starck J. Postural stability in shooters. *Otolaryngology, relat. spec.* 1990, 52, 232-238.
124. Magnusson M, Enbom H, Johansson R, Pyykkö I. 1990. Significance of pressor information from the human feet in anterior-posterior postural control. The effect of hypothermia on vibration-induced body sway. *Acta otolaryngol. (Stockh.),* 110, 182-188
125. Padoan S, Korttila K, Magnusson M, Pyykkö I, Schalen L. 1990. Reduction of gain and time constant of vestibulo-ocular reflex in man induced by diazepam and thiopental. *J. vestibular research* 1, 97-104.
126. Jääskeläinen J, Pyykkö I, Blomstedt G, Porras M, Palva T, Troupp H. 1990. Functional results of facial nerve suture after removal of acoustic neurinoma: Analysis of 25 cases. *J. neurosurg.* 27, 408-411.
127. Enbom H., Magnusson M., Pyykkö I. Postural compensation in children with congenital or early acquired bilateral vestibular loss. *Ann. otol., rhinol., laryngol.* 1991, 100, 472-478.
128. Koskimies K, Pyykkö I, Starck J. 1991. Follow-up study on vibration syndrome among Finnish forest workers. *Scand j. work environm. health.* Submitted for publication.
129. Inaba R, Koskimies K, Aatola S, Färkkilä M, Starck J, Pyykkö I. 1991. Muscle fatigue among forest workers as revealed by maximal voluntary cointraction of hand grip. *B. j. ind med.* submitted for publication.
130. Grönfors T, Pyykkö I, Aalto H, Juhola M, Ishizaki H. 1991. A microcomputer system for assessment of peripheral blood flow. An example of nasal blood flow. *Medical progress through technology.* 17, 119-128.
131. Ishizaki H, Nozue M, Pyykkö I. 1991. Postural testing in very old persons. *Equilibrium research,* 50, 255-262.
132. Starck J, Pekkarinen J, Pyykkö I, Aalto H, Toppila E. 1991. Transmission of vibration from support surface to human body in the evaluation of postural stability. *J. low frequency noise and vibration,* 10, 1-7.
133. Pyykkö I, Enbom H, Magnusson M, Schalen L. 1991. Effect of proprioceptor stimulation on postural stability in patients with peripheral or central vestibular lesion. *Acta otolaryngol. (Stockh.)* 111, 27-35.
134. Ishizaki H., Pyykkö I., Aalto H., Starck J. 1991. Tullio phenomenon and postural stability. An experimental study in normal subjects and in patients with vertigo. *Ann otol rhinol laryngol.* 100, 976-983.
135. Juhola M, Pyykkö I. 1992. On identification of saccades from sinusoidal eye movement signals. *Bio-medical computing.* 30, 89-102.
136. Ishizaki H, Nozue M, Pyykkö I. 1992. Postural Receptor strategy in children. *Equil.res.* 60, 45-50, 1992.
137. Pyykkö I, Ishizaki H, Aalto H, Starck J. 1992. Relevance of the Tullio phenomenon in assessing perilymphatic leak in vertiginous patients. *Am. j. otol.* 13, 339-242.
138. Padoan S, Korttila K, Magnusson M, Pyykkö I, Schalen L. 1992. Effect of intravenous diazepam and thiopental on voluntary saccades and pursuits. *Acta otolaryngol. (Stockh.)* 112, 579-588.
139. Hiller A. Pyykkö I, Saarnivaara L. 1993. Evaluation of postural stability by computed posturography following outpatient paediatric anesthesia. Comparison of propofol/alfetani/N2O anesthesia with thiopentone/halothane/N2O. *Acta anesthesiol. Scand.* 37, 556-561.

140. Pekkarinen J, Iki M, Starck J, Pyykkö I. 1993. Hearing loss risk from exposure to shooting impulses in workers exposed to occupational noise. *Brit. j. audiol.* 27, 175-182.
141. Hytönen M, Pyykkö I, Aalto H, Starck J. 1993. Postural control and age. *Acta Otolaryngol. (Stockh.)* 113, 119-122.
142. Starck J, Pyykkö I, Aalto H, Pekkarinen J. 1993. Measurement of postural stability; Development of force platform and some excitation systems. *Medical progr. through technol.* 18, 209-215.
143. Rimpiläinen I, Pyykkö I, Blomstedt G, Kuurne T, Karma P. 1993. The site of impulse generation in transcranial magnetic stimulation of the facial nerve. *Acta otolaryngol. (Stockh.)* 113, 339-344.
144. Yli-Hankala A, Lindgren L, Pyykkö I, Jäntti V. 1993. Vibration stimulus induces EEG bursts in isoflurane anesthesia. *Electroencephal. clin. neurophysiol.* 87, 215-220.
145. Jäntti P, Pyykkö I, Hervonen A. 1993. Falls in the elderly nursing home residents. *Public health* 107, 89-96.
146. Aalto H, Juhola M, Pyykkö I. 1993. A measurement system for the vestibulo-ocular reflex. *Medical progr. through technol.* 19, 153-157.
147. Pyykkö I, Vesanen M, Asikainen K, Koskiniemi ML, Vaheri A. 1993. Human spumaretrovirus in the etiology of sudden hearing loss. *Acta otolaryngol. (Stockh.)* 113, 109-112.
148. Ishizaki H, Pyykkö I, Nozue M. 1993. Neuroborreliosis in the etiology of vestibular neuritis. *Acta otolaryngol. (Stockh.) Suppl.* 503, 67-69.
149. Pyykkö I., Aalto H., Starck J., Ishizaki H. 1993. Postural stabilization on a moving platform oscillating at high frequencies. *Aviat. space environm. med.* 64, 300-305.
150. Auramo Y, Juhola M, Pyykkö I. 1993. An expert system for the computer-aided diagnosis of Dizziness and vertigo. *Medical informatics.* 18, 293-305.
151. Yli-Hankala, A., Jäntti, V., Pyykkö, I., Lindgren, L. 1993. Vibration stimulus induced EEG bursts in isoflurane anaesthesia. *Electroencephalogr Clin Neurophysiol.* 87, 215-220
152. Jääskeläinen J, Paetau A, Pyykkö I, Blomstedt G, Palva T, Troupp H. 1994. Interface between the facial nerve and large acoustic neurinomas. Immunohistochemical study of the cleavage plane in NF2 and non-NF2 cases. *J Neurosurg.* 80:541-547.
153. Pyykkö I, Färkkilä M, Inaba, R, Starck J, Pekkarinen J. 1994. Effect of hand-arm vibration on inner ear and cardiac functions in man. *Nagoya j. med. sci.* 57, 113-119, 1994.
154. Pyykkö I, Vesanen M, Asikainen K, Koskiniemi M, Airaksinen L, Vaheri A. 1994. Human spumaretrovirus in the etiology of sudden hearing loss [letter]. *Acta Otolaryngol. (Stockh.)* 114, 224
155. Starck J, Pyykkö I, Koskimies K, Pekkarinen J. 1994. Vibration exposure and prevention in Finland. *Nagoya j. med. sci.* 57, 203-210, 1994.
156. Iki M, Ishizaki H, Pyykkö I, Aalto H, Starck J. 1994. Smoking habit and postural stability. *Am. j. otolaryngol.* 15: 124-128.
157. Blomstedt GC, Jääskeläinen J, Pyykkö I, Ishizaki H, Troupp H, Palva T. 1994. Recovery of the sutured facial nerve after removal of acoustic neurinoma in patients with Neurofibromatosis-2. *Neurosurg.* 35;3, 364-369.
158. Pyykkö I, Ishizaki H, Kaasinen S, Aalto H. 1994. Intratympanic gentamicin in bilateral Meniere's disease. *Otolaryngol, head neck surg. Otolaryngol, head neck surg.* 110, 162-167.
159. Jäntti P, Pyykkö I, Laippala P. 1995. Prognosis of falls among elderly nursing home residents. *Aging* 7; 23-27.
160. Sainio M, Straham T, Blomstedt G, Salonen O, Setälä K, Palotie A, Palo J, Pyykkö I, Peltonen L, Jääskeläinen J. 1995. Presymptomatic DNA and MRI diagnosis of Neurofibromatosis 2 (NF2) with mild clinical course in an extended pedigree. *Neurol.* 45; 1314-1322.
161. Vasama JP, Mäkelä JP, Pyykkö I, Hari R. 1995. Abrupt unilateral deafness modifies function of human auditory pathways. *Neuroreport* 9, 961-964
162. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1995. Database for vertigo. *Otolaryngol Head Neck Surg.* 112; 383-390.
163. Kaasinen S, Pyykkö I, Ishizaki H, Aalto H. 1995. Effect of intratympanically administered gentamicin on hearing and tinnitus in Meniere's disease. *Acta otolaryngol. (Stockh.) Suppl.* 520. 184-185.
164. Kaasinen S, Pyykkö I, Koskiniemi ML, Vaheri A. 1995. Culturing methods of acoustic neurinoma - methodological aspects. *Acta otolaryngol. (Stockh.) Suppl.* 520, 25-26.
165. Isotalo E, Pyykkö I, Juhola M, Aalto H. 1995. Pseudo random smooth pursuit test in patients with acoustic neurinoma. *Acta otolaryngol. (Stockh.) Suppl.* 520. 295-297.
166. Isotalo E, Pyykkö I, Juhola M, Aalto H. 1995. Predictable and pseudorandom saccades in patients with acoustic neurinoma. *Acta otolaryngol. (Stockh.) Suppl.* 520, 22-24.
167. Pyykkö I, Aalto H, Grönfors T, Starck J, Ishizaki H. 1995. Vestibular evoked responses in man. Methodological aspects. *Acta otolaryngol. (Stockh.) Suppl.* 520. 117-119.
168. Kentala E, Auramo Y, Juhola M, Pyykkö I. 1995. Computer assisted data collection in vestibular disorders. *Acta otolaryngol. (Stockh.) Suppl.* 520. 205-206.

169. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1995. Reasoning process in expert system one for vertigo work-up. *Acta otolaryngol. (Stockh.) Suppl.* 520. 207-208.
170. Pyykkö I, Selmani Z, Ramsay H. 1995. Middle ear imaging in neurotological work-up. *Acta otolaryngol. (Stockh.) Suppl.* 520-273-276.
171. Juhola M, Pyykkö I, Aalto H. 1995. Using magnetic coil signals with EOG signals in computer analysis of vestibulo-ocular reflex. *Acta otolaryngol. (Stockh.) Suppl.* 520 279-281.
172. Hirvonen T, Pyykkö I, Aalto H, Juhola M. 1995. High-frequency deficit of vestibular system after acoustic neurinoma surgery. *Acta otolaryngol. (Stockh.) Suppl.* 520, 16-19.
173. Pyykkö I, Aalto H, Starck J. 1995. Postural control in Meniere's disease and acoustic neurinoma when studied on linearly oscillating platform. *Acta otolaryngol. (Stockh.) Suppl.* 520, 16-19.
174. Pyykkö I, Airaksinen L, Ishizaki H. 1995. Human spumaretrovirus-like antigen in the etiology of sudden hearing loss and vertigo. *Otolaryngol. head neck surg.* Submitted for publication.
175. Juhola M, Pyykkö I, Aalto H, Hirvonen T. 1995. Effects of digital filtering on the parameters of vestibulo-ocular reflex signals. *Medical informatics.* Submitted for publication.
176. Hirvonen T, Aalto H, Juhola M, Pyykkö I. 1995. A comparison of static and dynamic calibration techniques for the vestibulo-ocular reflex signal. *Int. j. clin. monit. comp.* 12; 97-102.
177. Juhola M, Auramo Y, Kentala E, Pyykkö I. 1995. An essay on power of expert systems versus human expertise. *Med. inform.* 20; 133-138.
178. Ishizaki H, Pyykkö I. 1995. Postural control in elderly persons-effect of vision on accidental falls. *Equilibrium res.* 54; 409-415.
179. Johnsson LG, Pyykkö I, Pollack A, Gleeson M, Felix H. 1995. Cochlear vascular pathology and hydrops in otosclerosis. *Acta otolaryngol. (Stockh.)* 115; 255-259.
180. Auramo Y, Juhola M, Pyykkö I, Nieminen O. 1995. Graphical user interface for the analysis of noise induced hearing loss. *J. Med. Syst.* 19, 323-32
181. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1996. Otoloneurological expert system. *Ann Otol Rhinol Laryngol.* 105,954-658.
182. Blomstedt GC, Katila H, Henriksson M, Ekholm A, Jääskeläinen JE, Pyykkö I. 1996. Depression after surgery of acoustic neuroma. *J. neurol, neurosurg, psychiatr.* 61; 403-406.
183. Starck J, Pyykkö I, Toppila E, Pekkarinen J. 1996. Do the models assess noise-induced hearing loss correctly? *Archives Complex Environmental Studies,* 7, 21-6.
184. Starck J, Rimpiläinen I, Pyykkö I, Toppila E. 1996. The noise level in magnetic stimulation. *Scand Audiol.* 4, 223-6.
185. Pyykkö I, Jäntti P. 1996 Vanhusten kaatuminen ja tasapainoon vaikuttavat tekijät. *Suomen lääkirilehti.* 51; 415-418.
186. Honkavaara P, Pyykkö I, Rutanen E-M. 1996. Increased incidence of retching and vomiting during periovulatory phase after middle ear surgery. *Can j anaesth.* 43; 1108-1114.
187. Juhola M, aalto H, Hirvonen T, Pyykkö I. 1996. Some aspects in signal analysis of vestibulo-ocular reflex eye movements. *Medical & biological engineering & computing.* 34, Supplement 1, 205-206.
188. Luoto S, Taimela S, Hurri H, aalto H, Pyykkö I, Alaranta H. 1996. Psychomotor speed and postural control in chronic low back pain patients. A controlled follow-up study. *Spine* 21; 2621-2627.
189. Juhola M, Hirvonen T, Aalto H, Pyykkö I. 1997. Computational problems in the analysis of eye movement signals in the determination of vestibulo-ocular reflex. *Computers and biomedical research.* 30; 49-60.
190. Pyykkö I, Levo H, Blomstedt G, Rosenhall U. 1997. Sympathetic cochleolabyrinthitis. An occult disease. *J. audiological medicine.* 6, 24-35.
191. Hirvonen TP, Pyykkö I, Aalto H, Juhola M. 1997. Vestibulo-ocular reflex as measured with head autorotation test. *Acta otolaryngol. (Stockh.)*, 117,657-662
192. Pitkäranta A, Hovi T, Peltomaa M, Pyykkö I, Julkunen I. 1977. Impaired interferon production by leukocytes from patients with Bell palsy and lack of findings suggestive for a systemic viral involvement. *Am j otol.* 18, 243-248.
193. Isotalo E, Niemelä M, Pyykkö I, Summanen P. 1997. Hemangioblastoma and oculomotor pathology. *Acta otolaryngol. (Stockh.) Supplement* 529. 119-122.
194. Levo H, Pyykkö I, Blomstedt G. 1997. Non-surgical treatment of vestibular schwannoma patients. *Acta otolaryngol. (Stockh.) Supplement* 529. 56-58.
195. Isotalo E, Pyykkö I. 1997. Oculomotor pathology in Meniere's disease. *Acta otolaryngol. (Stockh.) Supplement* 529. 123-126.
196. Pyykkö I, Ishozaki H, Peltomaa M. 1997. Azathioprine and cortisone in the treatment of bilateral Meniere's disease. *Acta otolaryngol. (Stockh.) Supplement* 529. 83-85.
197. Koskimies K, Sutinen P, aalto H, Starck J, Toppila E, Hirvonen T, Kaksonen R, Ishizaki H, Alaranta H, Pyykkö I. 1997. Postural stability, neck proprioception and tension neck. *Acta otolaryngol. (Stockh.) Supplement* 529. 95-97.

198. Hirvonen T, Aalto H, Pyykkö I, Juhola M, Jäntti P. 1997. Changes in vestibulo-ocular reflex among elderly people. *Acta otolaryngol. (Stockh.) Supplement* 529. 108-110.
199. Kentala E, Pyykkö I. 1997. Benign recurrent vertigo-true disease or artificial trash can? *Acta otolaryngol. (Stockh.) Supplement* 529. 98-100.
200. Hirvonen T, aalto H, Pyykkö I. 1997. Stability limits for visual feedback posturography on vestibular rehabilitation. *Acta otolaryngol. (Stockh.) Supplement* 529. 104-107.
201. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1997. Neural networks in neurotologic expert systems. *Acta otolaryngol. (Stockh.) Supplement* 529. 127-129.
202. Hirvonen T, AaltoH, Pyykkö I, Juhola M. 1997. Phase difference of vestibulo-ocular reflex in head autorotation test. *Acta otolaryngol. (Stockh.) Supplement* 529. 98-100.
203. Peltomaa M, Saxen H, Pyykkö I. 1997. Pediatric facial nerve paresis- a spirocetal infection with good prognosis? *Acta otolaryngol. (Stockh.) Supplement* 529. 116-118.
204. Kentala E, Auramo Y, Juhola M, Pyykkö I. 1998. Comparison between diagnoses of human experts and a neurotologic expert system. *Annals otol rhinol laryngol.* 107,135-140.
205. Juhola M, Pyykkö I, Aalto H, Hirvonen H. 1998. Effects of digital filtering on the parameters of vestibulo-ocular reflex signals. *Automedica*, 16, 205-216.
206. Hirvonen T, Aalto H, Pyykkö I, Juhola M. 1998. Changes in the vestibulo-ocular reflex of elderly people. *Clin otolaryngol.*23, 42-47.
207. Kaasinen S, PyykköI, Ishizaki H, Aalto H. 1998. Intratympanic gentamicin in Meniere's disease. *Acta otolaryngol (Stockh.)* 118, 294-298.
208. Honkavaara P, Pyykkö I. 1998. Surgeon's experience as a factor for emetic sequelae after middle ear surgery. *Acta anesthesiol. Scand.* 42, 1033-1037.
209. Hirvonen T, Pyykkö I, Aalto H. 1998. A head autorotation test for patients with Meniere's disease. *Auris, nasus larynx.*25, 111-119.
210. Luoto S, Aalto H, Taimela S, Hurri H, Pyykkö I, Alaranta H. 1998. One-footed and externally disturbed two-footed postural control in chronic low-back pain patients and healthy controls: A controlled study with follow up. *Spine.* 19, 2081-2089.
211. Peltomaa M, Pyykkö I, Seppälä I, Viljanen M. 1998. Lyme borreliosis - an unusual cause of vertigo. *Auris, nasus larynx.* 25, 233-242.
212. Peltomaa M, Saxen H, Seppälä I, Viljanen M, Pyykkö I. 1998. Pediatric facial paralysis caused by Lyme borreliosis: a prospective and retrospective analysis. *Scand j inf. dis.* 30, 269-275.
213. Pyykkö I, Eklund S, Ishizaki H, Aalto H. 1999. Postural compensation after gentamicin treatment of Meniere's disease. *J. vest. res.*9, 19-26.
214. Pyykkö I, Eklund S, Aalto H, Ishizaki H, Vasama JP. 1999. Effect of intratympanic gentamicin on hearing and tinnitus in Meniere's disease. *Am. J. otol.* 20, 350-356.
215. Honkavaara P, Pyykkö I. 1999. Effects of atropine and scopolamine on bradycardia and emetic symptoms in otoplasty. *Laryngoscope.* 109, 108-112.
216. Starck J, Toppila E, Pyykkö I. 1999. Smoking as risk factor in sensory neural hearing loss among workers exposed to occupational noise. *Acta otolaryngol.* 119, 302-305.
217. Hirvonen T, Aalto H, Pyykkö I, and Juhola M 1999. Comparison of two head autorotation tests. *J. vest res.* 9, 119-125.
218. Starck J, Toppila E, Pyykkö I. 1999. Management of sophisticated hearing conservation program. *Am. J. ind. Med. Suppl* 1, 47-50.
219. Kentala E, Laurikkala J, PyykköI, Juhola M. 1999. Discovering diagnostic rules from neurotologic database with genetic algorithm. *Ann otol rhinol laryngol,* 108, 948-952.
220. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1999. Otoneurologic expert system for vertigo. *Acta otolaryngol. (Stockh.).* 119, 517-521
221. Viikki K, Isotalo E, Juhola M, Pyykkö I. 1999. Modelling oculomotor data with decision tree induction. *Stud health technol inform.* 68, 660-663.
222. Laurikkala J, Kentala E, Juhola M, Pyykkö I. 1999. Treatment of missing values with imputation for the analysis of otologic data. *Stud health technol inform.* 68, 428-431.
223. Hirvonen T, Aalto H, Pyykkö I. 2000. Decreased vestibulo-ocular reflex gain of vestibular schwannoma patients. *Auris, nasus larynx,* 27, 23-26.
224. Kentala E, Laurikkala J, PyykköI, Juhola M.2000. Production of diagnostic rules from neurotologic database with decision trees. *Ann otol rhinol laryngol,* 108, 948-954
225. Pyykkö I, Toppila E, Starck J, Juhola M. Auramo Y. 2000. Data Base for hearing conservation program. *Scand audiol.* 29, 52-58.
226. Viikki K, Kentala E, Juhola M, Pyykkö I. 2000. Decision tree induction in the diagnosis of otoneurological diseases. *Med. Inform internet med.* 24, 277-289.
227. Duan NL, Ulfendahl M, Ahlberg A, Pyykkö I, Borg E. 2000. Gene therapy and stem cell implantat are possible new therapautic alternatives. *Läkartidningen,* 97, 1106-1112.(In swedish).



228. Pyykkö I, Ishizaki H. 2000. Laser-assisted myringoplasty: technical aspects. *Acta otolaryngol. (Stockh.) Suppl.* 543, 135-138.
229. Kentala E, Pyykkö I. 2000. Vestibular schwannoma mimicking Meniere's disease. *Acta otolaryngol. (Stockh.) Suppl.* 543, 17-19.
230. Kentala E, Pyykkö I. 2000. Vertigo in patients with benign paroxysmal positional vertigo. *Acta otolaryngol. (Stockh.) Suppl.* 543, 20-22.
231. Levo H, Blomstedt G, Pyykkö I. 2000. Is hearing preservation worthwhile in vestibular schwannoma surgery? *Acta otolaryngol. (Stockh.) Suppl.* 543, 26-27.
232. Levo H, Blomstedt G, Pyykkö I. 2000. Vestibular schwannoma surgery and headache. *Acta otolaryngol. (Stockh.) Suppl.* 543, 23-25.
233. Levo H, Blomstedt G, Pyykkö I. 2000. Tinnitus and vestibular schwannoma surgery. *Acta otolaryngol. (Stockh.) Suppl.* 543, 28-29.
234. Ishizaki H, Westermark, van Setten G, Pyykkö I. 2000. Basic fibroblast growth factor (bFGF) in saliva: physiological and clinical implications. *Acta otolaryngol. (Stockh.) Suppl.* 543, 193-195.
235. Kaksonen R, Pyykkö I, Kere J, Starck J, Toppila E. 2000. Hereditary hearing loss-the role of environmental factors. *Acta otolaryngol. (Stockh.) Suppl.* 543, 70-72.
236. Laurikainen E, Miller JF, Pyykkö I. Betahistidine effects on cochlear blood flow: From the laboratory to the clinic. *Acta otolaryngol. (Stockh.) Suppl.* 544, 5-7.
237. Laurikka J, Kentala E, Juhola M, Pyykkö I, Lammi S. 2000. Usefulness of imputation for the analysis of incomplete otoneurologic data. *Int j med inf.* 58-59, 235-242.
238. Poe D, Pyykkö I, Valtonen H, Silvola J. 2000. Analysis of Eustachian tube function by video endoscopy. *Am. J. otol.* 21, 602-607.
239. Pyykkö I, Toppila E, Aalto H, Ishizaki H, Kentala E, Hirvonen T, Honkavaara P. 2000. Determination of parameters for computing postural stability. *Automedica*, 19, 39-62.
240. Toppila E, Pyykkö I. 2000. Chaotic model of postural stability-a position and velocity dependent system. *Automedica*. 19, 115-134.
241. Hirvonen T, Aalto H, Pyykkö I, Juhola M. Computing vestibulo-ocular reflex gain (Comparison between two methods). *Automedica*, 19, 101-113.
242. Aalto H, Hirvonen T, Juhola M, Pyykkö I. 2000. Retinal image velocity, simple model and practical results. *Automedica*. 19, 63-80.
243. Pyykkö I, Juhola M, Ishizaki H, Kentala E, Hirvonen T, Honkavaara P. 2000. Computing variability of caloric nystagmus in man. *Automedica*. 19, 81-99.
244. Toppila E, Pyykkö I, Starck J, Kaksonen R, Ishizaki H. 2000. Individual risk factors in the development of noise-induced hearing loss. *Noise and Health*. 8, 59-70.
245. Peltomaa M, Pyykkö I, Seppälä I, Viljanen M. 2000. Lyme borreliosis as the etiological factor of sensorineural hearing loss. *Eur arch otol rhinol laryngol*, 257, 317-322.
246. Levo H, Pyykkö I, Blomstedt G. 2000. Postoperative headache after surgery of vestibular schwannoma. *Ann. Otol. Rhinol. Laryngol.* 109, 853-858.
247. Hirvonen T, Aalto H, Pyykkö I, Juhola M. 2000. Increased retinal image velocity after vestibular lesion. *Otolaryngol. Head neck Surg.* 123, 766-769.
248. Kentala E, Pyykkö I. 2001. Clinical picture of vestibular schwannoma. *Auris Nasus Larynx* 28, 15-22.
249. Juhola M, Laurikkala J, Viikki K, Kentala E, Pyykkö I. 2001. Neural network classification of otoneurological vertigo diseases. *Medical informatics*. Accepted for publication.
250. Suvorov G, Denisov E, Antipin V, Kharitonov V, Starck J, Pyykkö I, Toppila E. 2001. Effects of peak levels and number of impulses to hearing among forge hammering workers. *Am industr hyg arch.* 16, 816-822
251. Norlander T, Westermark A, van Setten G, Valtonen H, Ishizaki H, Pyykkö I. 2001. Fibroblast growth factor basic in nasal polyps and inferior turbinate mucosa. *Rhinology.* 39, 88-92.
252. Zou J, Bretlau P, Pyykkö I, Starck J, Toppila E. 2001. Sensorineural hearing loss after vibration. An animal model for evaluating prevention and treatment of inner ear hearing loss. *Acta otolaryngol. (Stockh.)* 212, 143-148.
253. Kaksonen R, Widen E, Toppila E, Starck J, Pyykkö I, Kere J. 2001. Autosomal dominant midfrequency hearing impairment. *Scand audiol.* 30, 52, 85-87
254. Juhola M, Viikki K, Laurikkala J, Auramo Y, Kentala E, Pyykkö I. 2001. Application of artificial intelligence in audiology. *Scand audiol.* 30, 97-99.
255. Viikki K, Isotalo E, Juhola M, Pyykkö I. 2001. Using decision tree induction to model oculomotor data. *Scand audiol.* 30, 103-105.
256. Kentala E, Laurikkala J, Viikki K, Auramo Y, Juhola M, Pyykkö I. 2001. Experiences of otoneurological expert system for vertigo. *Scand audiol.* 30, 90-91.
257. Levo H, Pyykkö I, Blomstedt G. 2001. Causes of postoperative headache after surgery of vestibular schwannoma. *Clin otolaryngol.* 26, 401-406.

258. Kentala E, Havia M, Pyykkö I. 2001. Short lasting drop attacks in Meniere's disease. *Otolaryngol - Head and Neck Surgery*. 124, 526-530.
259. Selmani Z, Ishizaki H, Pyykkö I. 2001. Cochlear blood flow in patients with Meniere's disease and some other diseases in man. *Acta otolaryngol. (Stockh.) Suppl* 545, 10-13.
260. Tossavainen T, Juhola M, Aalto H, Toppila E, Pyykkö I, Honkavaara P, Laurikkala J, Laakso J. 2001. Postural control as assessed with virtual reality. *Acta otolaryngol Suppl* 545:53-6.
261. Tossavainen T, Juhola M, Pyykkö I, Toppila E, Aalto H, Honkavaara P. 2001. Towards virtual reality stimulation in force platform posturography. *Medinfo* 10, 854-7
262. Juhola M, Viikki K, Laurikkala J, Pyykkö I, Kentala E. 2001. On classification capability of neural networks: a case study with otoneurological data. *Medinfo* 2001;10(Pt 1):474-8
263. Viikki K, Juhola M, Pyykkö I, Honkavaara P. 2001. Evaluating of training data suitability for decision tree induction. *Computers in medicine. J medical system* 25, 133-144.
264. Juhola M, Laurikkala J, Viikki K, Kentala E, Pyykkö I. 2001. Classification of patients on the basis of otoneurological data by using Kohonen networks. *Acta otolaryngol. Suppl* 545, 50-52
265. Toppila E, Pyykkö I, Starck J. 2001. Age and noise-induced hearing loss. *Scand j. audiol.* 30, 236-244.
266. Shinohara T, Bredberg G, Ulfendahl M, Pyykkö I, Olivius NP, Kaksonen R, Lindström B, Altschuler R, Miller JM. 2002. Neurotrophic factor intervention restores auditory function in deafened animals. *Proc Natl Acad Sci.* 2002, 99:1657-60
267. Selmani Z, Pyykkö I, Ishizaki H, Marttila T. 2002 Use of electrocochleography for assessing endolymphatic hydrops in patients with Lyme disease and Meniere's disease. *Acta Otolaryngol.* 2002;122:173-8.
268. Mäkitie A, Pirvola U, Pyykkö I, Sakakibara H, Riihimäki V, Ylikoski J. 2002. Functional and morphological effects of styrene on the auditory system of the rat. *Arch Toxicol.* 2002; 76: 40-47.
269. Havia , Kentala E, Pyykkö I. 2002. Hearing loss and tinnitus in Meniere's disease. *Auris Nasus Larynx.* 2002;29:115-9.
270. Peltomaa M, Pyykkö I, Seppälä I, Viljanen M. 2002. Lyme borreliosis and facial paralysis - a prospective analysis of risk factors and outcome. *Ann otol Rhinol laryngol.* 2002;23:125-132.
271. Pyykkö I, Levo H, Blomstedt G. 2002. Postural stability after vestibular schwannoma surgery. *Ann. Otol rhinol. Laryngol.* 2002;111: 392-6.
272. Viikki K, Kerntala E, Juhola M, Pyykkö I, Honkavaara P. 2002. Generating decision trees from otoneurological data with a variable grouping method. *J Med Syst.* 2002, 26, 415-425.
273. Westermark, A, Pyykkö I, Magnusson M, Ishizaki H, Jantti P, van Setten G. 2002. Basic fibroblast growth factor in human saliva decreases with aging. *Laryngoscope.* 2002, 112, 887-889.
274. Duan ML, Ulfendahl M, Laurell G, Counter AS, Pyykkö I, Borg E, Rosenhall U. 2002. Protection and treatment of sensorineural hearing disorders caused by exogenous factors: experimental findings and potential clinical application. *Hear Res.* 2002 Jul;169(1-2):169-78.
275. Selmani Z., Pyykkö I, Ishizaki H, Marttila T. 2002. Role of transtympanic endoscopy of the middle ear in the diagnosis of perilymphatic fistula in patients with sensorineural hearing loss or vertigo. *ORL J Otorhinolaryngol Relat Spec.* 2002; 64:301-306.
276. Levo H, Pyykkö I, Blomstedt G. 2002. Is hearing preservation useful in vestibular schwannoma surgery. *Ann otol rhinol laryngol. Ann Otol Rhinol Laryngol.* 2002; 111:392-6.
277. Suvorov G, Denisov E, Antipin V, Kharitonov V, Starck J, Pyykkö I, Toppila E Effects of peak levels and number of noise impulses on hearing among forge hammering workers. *Med Tr Prom Ekol.* 2002;(12):12-6.
278. Viikki K, Tapani M, Juhola M, Pyykkö I. 2002. Nearest neighbour classification of otoneurological data. *Medical informatics Europe. IOAS Press,* 450-454.
279. Tossavainen T, Juhola M, Pyykkö I, Aalto H, Toppila E. 2002. Virtual reality stimuli for force platform posturography. *Stud Health Technol Inform.* 2002;90:78-82.
280. Zou J, Bretlau P, Pyykkö I, Toppila E, Olivius P, Stephanson N, Beck O, Miller J. 2003. Comparison of the protective efficacy of neurotrophins and antioxidants for vibration-induced trauma. *ORL.* 65; 155-161.
281. Starck J, Toppila E, Pyykkö I, 2003. The role of risk factors in noise-induced hearing loss and the management of sophisticated hearing conservation program, *Archives of Complex Environmental Studies*, 14, 1-10
282. Tossavainen T, Juhola M, Pyykkö I, Aalto H, Topila E. 2003. Development of virtual reality stimuli for force platform posturography. *Int. j. med.inform.* 70:277-283.
283. Zou J, Pyykkö I, Counter A, Klasson T, Bretlau P, Bjelke B. 2003. . *In vivo* observation of dynamic perilymph formation using 4.7 T MRI with gadolinium as a tracer. *Acta Otolaryngol (Stockholm)* 2003; 123 910-915.
284. Mäkitie A, Pirvola U, Pyykkö I, Sakakibara H, Riihimäki V, Ylikoski J. 2003. The ototoxic interaction of styrene and noise. 2003. *Hear Res.* 179:9-20.

285. Starck J, Toppila E, Pyykkö I. Impulse noise and risk criteria. *Noise Health*. 2003 Jul-Sep;5:63-73
286. Tossavainen T, Juhola M, Pyykko I, Aalto H, Toppila E. Development of virtual reality stimuli for force platform posturography. *Int J Med Inf*. 2003;70:277-83.
287. Zou J, Bretlau P, Pyykkö I, Klason T, Bjelke B. 2003. In-vivo visualization of endolymphatic hydrops in guinea pigs.: magnetic resonance imaging evaluation at 4.7 Tesla.. *Annals otol. Rhinol. Laryngol*. 112, 1059-1065.
288. Selmani Z, Ishizaki H, Pyykko I.2004.Can low frequency sound stimulation during posturography help diagnosing possible perilymphatic fistula in patients with sensorineural hearing loss and/or vertigo? *Eur Arch Otorhinolaryngol*. 261, 2004, 129-32.
289. Haeggstrom E, Forsman P, Wallin A, Toppila E, Pyykko I. Evaluating sleepiness using force platform posturography requires less than 30 seconds of measurement time. *Conf Proc IEEE Eng Med Biol Soc*. 2004;3:2267-70.
290. Yamagata T, Miller JM, Ulfendahl M, Olivius NP, Altschuler RA, Pyykko I I, Bredberg G. Delayed neurotrophic treatment preserves nerve survival and electrophysiological responsiveness in neomycin-deafened guinea pigs. *J Neurosci Res*. 78, 2004, 75-86
291. Magnusson M, Pyykko I I, Van Setten G, Norlander T, Natri A, Westermark A. Basic fibroblast growth factor (bFGF) in saliva and oral mucosa in patients with oral lichen planus: Preliminary observations. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 98, 2004, 324-326
292. Havia M, Kentala E, Pyykko I. Postural instability in Meniere's disease. *J Vestib Res*. 14, 2004; 37-46.
293. Levo H, Pyykkö I, , Blomstedt G. Postural stability after vestibular schwannoma removal. *Ann otol rhinol laryngol*. 113, 2004, 994-949.
294. Bretlau P, Zou J, Pyykkö I, Toppila E, Olivius P, Stephanson N, Beck O, Mille J. Vibration induced hearing loss: comparison of protective efficacy of antioxidants and neurotrophins. *Audiological medicine* 2004; 5, 169-173
295. Selmani Z, Marttila T, Pyykko I I.Incidence of virus infection as a cause of Meniere's disease or endolymphatic hydrops assessed by electrocochleography. *Eur Arch Otorhinolaryngol*. 2005 Apr;262(4):331-4.
296. Zou J, Pyykkö I, Bjelke B. 2005. Communication between the perilymphatic scalae and spiral ligament visualized by in vivo MRI. *Audiol Neurotol* 10, 2005, 145-152
297. Zou J, Pyykko I, Bjelke B. Preliminary study on in vivo visualization of keyhole limpet hemocyanin middle ear immunization induced endolymphatic hydrops by MRI. *Chinese Journal of Otology* 2005;3:200-203. Chinese.
298. Toppila E, Pyykko I, Starck J. The use of hearing protectors among forest, shipyard and paper mill workers in Finland--a longitudinal study. *Noise Health*. 2005 Jan-Mar;7(26):3-9.
299. Zou J, Pyykkö I, Sutinen P, Toppila E, 2005. Vibration Induced Hearing Loss in Guinea Pig Cochlea: Expression of TNF-  $\alpha$  and VEGF. *Hearing res. Hear Res*. 2005 Apr;202(1-2):13-20.
300. Jacobs HT, Hutchin TP, Kappi T, Gillies G, Minkkinen K, Walker J, Thompson K, Rovio AT, Carella M, Melchionda S, Zelante L, Gasparini P, Pyykko I, Shah ZH, Zeviani M, Mueller RF. 2005. Mitochondrial DNA mutations in patients with postlingual, nonsyndromic hearing impairment. *Eur J Hum Genet*. 2005 Jan;13(1):26-33.
301. Havia M, Kentala E, Pyykko I.. Prevalence of Meniere's disease in general population of Southern Finland. *Otolaryngol Head Neck Surg*. 2005 Nov;133(5):762-8.
302. Zou J, Pyykko I, Bjelke B, Counter SA. MRI evidence of exogenous vascular endothelial growth factor-enhanced transport across inner ear barriers in guinea pigs] *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*. 2005 Apr;40(4):266-70.
303. Zou J, Pyykko I, Sutinen P, Toppila E. MRI presentation of the blood-labyrinth barrier change after cochlea vibration trauma. *Chinese Journal of Otology* 2006;4:61-64. Chinese.
304. Niemensivu R, Pyykko I, Wiener-Vacher SR, Kentala E.. Vertigo and balance problems in children- An epidemiologic study in Finland. *Int J Pediatr Otorhinolaryngol*. 2006 Feb;70(2):259-65.
305. Niemensivu R, Pyykko I, Valanne L, Kentala E. Value of imaging studies in vertiginous children. *Int J Pediatr Otorhinolaryngol*. 2006 Sep;70(9):1639-44
306. Sutinen P, Toppila E, Starck J, Brammer A, Zou J, Pyykko I. Hand-arm vibration syndrome with use of anti-vibration chain saws: 19-year follow-up study of forestry workers. *Int Arch Occup Environ Health*. 2006 Sep;79(8):665-71.
307. Tossavainen T, Toppila E, Pyykko I, Forsman PM, Juhola M, Starck J. Virtual reality in posturography. *IEEE Trans Inf Technol Biomed*. 2006 Apr;10(2):282-92.
308. Toppila E, Forsman P, Pyykko I, Starck J, Tossavainen T, Uitti J, Oksa P. Effect of styrene on postural stability among reinforced plastic boat plant workers in Finland. *J Occup Environ Med*. 2006 Feb;48(2):175-80.

309. Zou J, Zhang Y, Pyykkö I, Wu H. 2006. An animal model for sudden onset sensorineural hearing loss with vestibular function disturbances induced by mitochondrial toxins. *J. otology (Chinese)* 1, 86-93.
310. Siermala M, Juhola M, Laurikkala J, Iltanen K, Kentala E, Pyykkö I. 2007. Evaluation and classification of otoneurological data with new data analysis methods based on machine learning. *Information Sciences* 177, 2007.
311. Rosenhall U, Pyykkö I, Rasmussen F, Muhr P. 2006. Hearing loss in young men: Possible aetiological factors. *Noise Health*. 2006 Jan-Mar;8(30):40-4.
312. Viljanen A, Era P, Kaprio J, Pyykkö I, Koskenvuo M, Rantanen T. Genetic and environmental influences on hearing in older women. *J Gerontol: Med. Sci.* 2007, 62, 447-452.
313. Sutinen P, Zou J, Hunter LL, Toppila E, Pyykkö I. 2007. Vibration-induced hearing loss: mechanical and physiological aspects. *Otol Neurotol*. 28, 71-77.
314. Brammer AJ, Piercy JE, Pyykkö I, Toppila E, Starck J. 2007. Method for detecting small changes in vibrotactile perception threshold related to tactile acuity. *J Acoust Soc Am*. 121, 1238-47.
315. Rasku J, Juhola M, Toppila E, Pyykkö I. 2007. Recognition of balance signals between healthy subjects and otoneurological patients with hidden Markov models. *Biomedical Signal Processing and Control*. *Biomedical Signal Processing and Control* 2; 1-8.
316. Bergstrom I, Landgren BM, Pyykkö I. 2007. Training or EPT in perimenopause on balance and flushes. *Acta Obstet Gynecol Scand*. 2007;86(4):467-72.
317. Koskinen WJ, Brondbo K, Mellin Dahlstrand H, Luostarinen T, Hakulinen T, Leivo I, Molijn A, Quint WG, Roysland T, Munck-Wikland E, Makitie AA, Pyykkö I, Dillner J, Vaheri A, Aaltonen LM. 2007. Alcohol, smoking and human papillomavirus in laryngeal carcinoma: a Nordic prospective multicenter study. *J Cancer Res Clin Oncol*. 2007 Sep;133(9):673-8.
318. Niemensivu R, Kentala E, Wiener-Vacher S, Pyykkö I. 2007. Evaluation of vertiginous children. *Eur Arch Otorhinolaryngol*. 2007 Oct;264(10):1129-35
319. Els Van Eyken, Lut Van Laer, Erik Fransen, Vedat Topsakal, Jan-Jaap Hendrickx, Kelly Demeester, Paul Van de Heyning, Elina Mäki-Torkko, Samuli Hannula, Martti Sorri, Mona Jensen, Agnete Parving, Michael Bille, Manuela Baur, Markus Pfister, Amanda Bonaconsa, Manuela Mazzoli, Eva Orzan, LAngeles Espeso, Dafydd Stephens, Katia Verbruggen, Joke Huyghe, Ingeborg Dhooge, Patrick Huygen, Hannie Kremer, Cor Cremers, Sylvia Kunst, Mina Manninen, Ilmari Pyykkö, Elzbieta Rajkowska, Malgorzata Pawelczyk, Mariola Sliwinska-Kowalska, Michael Steffens, Thomas Wienker, and Guy Van Camp. 2007. The Contribution of GJB2 (Connexin 26) 35delG to Age-Related Hearing Impairment and Noise-Induced Hearing Loss *Otology & Neurotology* 28:970-975.
320. Van Eyken E, Van Laer L, Fransen E, Topsakal V, Hendrickx J-J, Demeester K, Van de Heyning P, Mäki-Torkko E, Hannula S, Sorri M, Jensen M, Parving A, Bille M, Baur M, Pfister M, Bonaconsa A, Mazzoli M, Orzan E, Espeso A, Stephens D, Verbruggen K, Huyghe J, Dhooge I, Huygen P, Kremer H, Cremers C, Kunst S, Manninen M, Pyykkö I, Rajkowska E, Pawelczyk M, Sliwinska-Kowalska M, Steffens M, Wienker T, Van Camp G. 2007. Contribution of the N-acetyltransferase 2 polymorphism NAT2\*6A is a causative factor for Age Related Hearing Impairment. *J. Medical genetics*. 2007 Sep;44(9):570-8.
321. Stephens D, Kentala E, Varpa K, Pyykkö I. Positive Experiences Associated With Meniere's Disorder. *Otol Neurotol*. 2007 Oct;28(7):982-7.
322. Forsman P, Haeggstrom E, Wallin A, Toppila E, Pyykkö I. Daytime changes in postural stability and repeatability of posturographic measurements. *J Occup Environ Med*. 2007 Jun;49(6):591-6.
323. Zou J, Pyykkö I, Bjelke B, Toppila E. 2007. In vivo MRI visualization of endolymphatic hydrops induced by keyhole limpet hemocyanin round window immunization. *Audiol. Medicine*. 2007; 5, 182-187.
324. Viljanen A, Kaprio J, Pyykkö I, Sorri, Kauppinen M. 2007, Genetic and environmental influences on hearing at different Frequencies separately for the better and worse hearing ear in older women. *Int. J audiol*. 2007; 46:772-779
325. Van Eyken E, Van Laer L, Fransen E, Topsakal V, Hendrickx J-J, Demeester K, Van de Heyning P, Mäki-Torkko E, Hannula S, Sorri M, Jensen M, Parving A, Bille M, Baur M, Pfister M, Bonaconsa A, Mazzoli M, Orzan E, Espeso A, Stephens D, Verbruggen K, Huyghe J, Dhooge I, Huygen P, Kremer H, Cremers C, Kunst S, Manninen M, Pyykkö I, Rajkowska E, Pawelczyk M, Sliwinska-Kowalska M, Steffens M, Wienker T, Van Camp G. 2007. The contribution of GJB2 (CX26) 35delG to Age Related Hearing Impairment and Noise Induced Hearing Loss. *Otol Neurotol*. 2007 Oct;28(7):970-5.
326. Brammer AJ, Sutinen P, Diva UA, Pyykkö I, Toppila E, Starck J. Application of metrics constructed from vibrotactile thresholds to the assessment of tactile sensory changes in the hands. *J Acoust Soc Am*. 2007 Dec;122(6):3732-42.
327. Pyykkö I, Toppila E, Zou J, Kentala E. 2007. Individual susceptibility to noise-induced hearing loss. *Audiological Medicine*, Volume 5, Issue 1, 2007, Pages 41 – 53

328. Erik Fransen, Jan-Jaap Hendrickx, Vedat Topsakal, Lut Van Laer, Els Van Eyken, Samuli Hannula, Elena Mäki-Torkko, Mona Jensen, Kelly Demeester, Manuela Bauer, Amanda Bonaconsa, Manuela Mazzoli, Angeles Espeso, Katia Verbruggen, Joke Huyghe, Patrick Huygen, Sylvia Kunst, Minna Manninen, Amalia Diaz-Lacava, Michael Steffens, Thomas Wienker, Ilmari Pyykkö, Cor W.R.J. Cremers, Hannie Kremer, Ingeborg Dhooge, Daffydd Stephens, Eva Orzan, Markus Pfister, Michael Bille, Agnete Parving, Martti Sorri, Paul Van de Heyning, and Guy Van Camp. 2008. A European multicenter study into age-related hearing impairment: Occupational noise, smoking and high BMI are risk factors and moderate alcohol consumption is protective. *JARO*, 9: 264-276.
329. Lut Van Laer\*, Els Van Eyken\*, Erik Fransen, Jeroen J. Huyghe, Vedat Topsakal, Samuli Hannula, Elina Mäki-Torkko, Jan-Jaap Hendrickx, Mona Jensen, Kelly Demeester, Manuela Bauer, Amanda Bonaconsa, Manuela Mazzoli, Angeles Espeso, Katia Verbruggen, Joke Huyghe, Patrick Huygen, Sylvia Kunst, Minna Manninen, Amalia Lacava, Michael Steffens, Thomas Wienker, Ilmari Pyykkö, Cor W.R.J. Cremers, Hannie Kremer, Ingeborg Dhooge, Dafydd Stephens, Eva Orzan, Markus Pfister, Michael Bille, Agnete Parving, Martti Sorri, Paul Van de Heyning, and Guy Van Camp. 2007. The grainyhead like 2 gene (*GRHL2*), alias *TFCP2L3*, is associated with age-related hearing impairment. *Human mol. Genetics*. 2008 Jan 15;17(2):159-69. Epub 2007 Oct 6.
330. Zou J, Minasyan A, Keisala T, Zhang Y, Wang J-H, Lou J-H, Kalueff A, Pyykkö I and Tuohimaa P. 2008. Progressive hearing loss in mice with a mutated vitamin D receptor gene. *Audiol Neurotol* 2008;13:219-230
331. Kentala E, Wilson C, Pyykkö I, Varpa K, Stephens D. Positive experiences associated with tinnitus and balance problems. *Audiological Medicine* 2008; 6: 55-61.
332. Zou, J, Saulnier P, Perrier T, Zhang Y, Manninen T, Toppila E, Pyykkö I. 2008. Distribution of lipid nanocapsules in different cochlear cell populations after round window membrane permeation. *J. Biomed. Mat Res*. 2008 Oct;87(1):10-8.
333. Pyykkö I, Zou J. Do viruses cause inner ear disturbances? *ORL J Otorhinolaryngol Relat Spec*. 2008;70(1):32-40; discussion 40-1
334. Hendrickx J-J, Huyghe JR, Demeester K, Topsakal V, Van Eyken E, Fransen E, Mäki-Torkko E, Hannula S, Jensen M, Tropitzsch A, Bonaconsa A, Mazzoli M, Espeso A, Verbruggen K, Huyghe J, Huygen PLM, Kremer H, Kunst S, Manninen M, Diaz-Lacava M, Steffens M, Parving A, Pyykkö I, Dhooge I, Stephens D, Orzan E, Pfister MHF, Bille M, Sorri M, Cremers CVRJ, Van Laer L, Van Camp G, Wienker TM, Van de Heyning PH. 2008 Familial aggregation of tinnitus, in a European multicentre study. *B-ENT, Suppl* 7:51-60.
335. Pyykkö I, Zou J, Kentala E, Stephens DJG. 2008. Tinnitus treatment – are drugs effective? *Audiological Medicine*, Volume 6, Issue 1, 2008, Pages 25 – 39
336. Rasku, J., Juhola, M., Tossavainen, T., Pyykkö, I., Toppila, E. (2008) 'Modelling stabilograms with hidden Markov models', *Journal of Medical Engineering & Technology*, 32:4, 273 — 283
337. Zou J, Asukas J, Inha T, Laine A, Topilla E, Kellomäki M, Pyykkö I, 2008. Biocompatibility of different biopolymers after being implanted into the rat cochlea. *Otol Neurotol*. 2008 Aug;29(5):714-9.
338. Fransen Erik, Jan-Jaap Hendrickx, Vedat Topsakal, Lut Van Laer, Els Van Eyken, Samuli Hannula, Elena Mäki-Torkko, Mona Jensen, Kelly Demeester, Manuela Bauer, Amanda Bonaconsa, Manuela Mazzoli, Angeles Espeso, Katia Verbruggen, Joke Huyghe, Patrick Huygen, Sylvia Kunst, Minna Manninen, Amalia Diaz-Lacava, Michael Steffens, Thomas Wienker, Ilmari Pyykkö, Cor W.R.J. Cremers, Hannie Kremer, Ingeborg Dhooge, Daffydd Stephens, Eva Orzan, Markus Pfister, Michael Bille, Agnete Parving, Martti Sorri, Paul Van de Heyning, and Guy Van Camp A 2008. European multicenter study into age-related hearing impairment: Occupational noise, smoking and high BMI are risk factors and moderate alcohol consumption is protective. *J Assoc Res Otolaryngol*. 2008 Sep;9(3):264-76.
339. Huyghe JR, Van Laer L, Hendrickx JJ, Fransen E, Demeester K, Topsakal V, Kunst S, Manninen M, Jensen M, Bonaconsa A, Mazzoli M, Baur M, Hannula S, Mäki-Torkko E, Espeso A, Van Eyken E, Flaquer A, Becker C, Stephens D, Sorri M, Orzan E, Bille M, Parving A, Pyykkö I, Cremers CW, Kremer H, Van de Heyning PH, Wienker TF, Nürnberg P, Pfister M, Van Camp G. Genome-wide SNP-based linkage scan identifies a locus on 8q24 for an age-related hearing impairment trait. *Am J Hum Genet*. 2008 Sep;83(3):401-7. Epub 2008 Aug 28.
340. Isotalo E, Aalto H, Pyykkö I. 2009. Oculomotor findings mimicking a cerebellar disorder and problems of postural control in severe Meniere's disease. *Auris Nasus, Larynx*, 36; 36-41.
341. Friedman R, Van Laer L, Huentelman MJ, Sheth SS, Van Eyken E, Corneveaux JJ, Tembe WD, Halperin RF, Thorburn AO, Bonneux S, Fransen E, Huyghe J, Pyykkö I, Cremers CWRJ, Kremer H, Dhooge I, Stephens D, Orzan E, Pfister M, Bille B, Parving A, Sorri M, Van de Heyning P, Makmura L, Linthicum Jr F, Fayad JN, Pearson JN, Craig DW, Stephan DA, and Van Camp G. 2008. GRM7 variants confer susceptibility to age-related hearing impairment. *Hum Mol Genet* 2009 Feb 15;18(4):785-96. Epub 2008 Dec 1

342. Sauni R, Pääkkönen R, Virtema P, Jäntti, Kähönen M, Toppila E, Pyykkö I, Uitti J. 2008. Vibration-induced white finger syndrome and carpal tunnel syndrome among Finnish metal workers. *Internat Archives Occup Environm Hlth*. 2008 Int Arch Occup Environ Health. 2009 Mar;82(4):445-53.].
343. Zou J, Poe D, Bjelke B, Pyykkö I. 2009. Visualisation of inner ear disorders with MRI in vivo: from animal models to human application. *Actoa Otolayngol (Suppl)*. Feb;(560):22-31.
344. Nakashima T, Naganawa S, Pyykkö I, Gibson WR, Sone M, Seiichi Nakata S, Teranishi S. 2009. Grading of endolymphatic hydrops using magnetic resonance imaging. *Acta Otolaryngol (Suppl)*. Feb;(560):5-8.
345. Viljanen A, Kaprio J, Pyykkö I, Sorri M, Pajala S, Kauppinen M, Koskenvuo M, Rantanen T. 2009. Hearing as a predictor of falls and postural balance in older female twins. *J Gerontol A Biol Sci Med Sci*. 2009 Feb;64(2):312-7.
346. Minasyan A, Keisala T, Zou J, Zhang Y, Toppila E, Syväälä H, Ya-Ru L, Kalueff A, Pyykkö I and Tuohimaa P. Balance deficits in vitamin D receptor mutant mice" *J Steroid Biochem Mol Biol*. 2009 Apr;114(3-5):161-6. Epub 2009 Feb 6.
347. Sauni R, Virtema P, Pääkkönen R, Toppila E, Pyykkö I, Uitti J. Quality of life (EQ-5D) and hand-arm vibration syndrome. *Int Arch Occup Environ Health*. 2009 Jul 11. [Epub ahead of print]
348. Toppila E, Pyykkö I, Pääkkönen R. Evaluation of the increased accident risk from workplace noise. *Int J Occup Saf Ergon*. 2009;15(2):155-62.
349. Keisala T, Minasyan A, Lou YR, Zou J, Kalueff AV, Pyykkö I, Tuohimaa P. Premature aging in vitamin D receptor mutant mice. *J Steroid Biochem Mol Biol*. 2009 Jul;115(3-5):91-7. Epub 2009 Mar 31.
350. Brammer A, Sutinen P, Das S, Pyykko I, Toppila E, and Starck J. 2009. Quantitative test for sensory hand symptoms based on mechanoreceptor-specific vibrotactile thresholds. *JASA*. Acceptor for publication
351. Zou J, Zhang W, Poe D, Zhang Y, Ramadan UA, Pyykkö I. Differential passage of gadolinium through the mouse inner ear barriers evaluated with 4.7 T MRI. *Hear Res*. 2009 Oct 6. [Epub ahead of print.
352. Zou J, Zhang Ya, Yin S, Wu H, Pyykkö I. Mitochondrial dysfunction disrupts trafficking of Kir4.1 in spiral ganglion satellite cells and causes hearing loss. *Neurosci Res*. 2009 Jan;87(1):141-9
353. Rasku J, Juhola M, Pyykkö I, Toppila E, Varpa K. The effect of removing the force feedback during the quiet stance. *Stud Health Technol Inform*. 2009;150:620-4.
354. Poe P, Zou J, Zhang W, Qin J, Abo Ramadan U, Fornara A, Muhammed M, Pyykkö I. 2009. MRI of the Cochlea with Superparamagnetic Iron Oxide Nanoparticles Compared to Gadolinium Chelate Contrast Agents in a Rat Model. *Europ. J. nanomed*. 2009, 2. 29-36.
355. Zou J, Zhang Y, Zhang W, Sanjeev R, Sood R, Mikhailov A, Kinnunen P, Pyykkö I. Internalization of liposome nanoparticles functionalized with TrkB ligand in rat cochlear cell population. *Europ. J. nanomed*. 2009, 2. 9-14.
356. Stephens D, Pyykkö I, Varpa K, Kentala E. 2010. Self-reported effects of Menière's Disorder on the individual's life: A qualitative analysis. *Otol neurotol*. 2010 Feb;31(2):335-8.
357. Stephens D, Pyykko I, Kentala E, Levo H. Positive experiences reported by people with Ménière's disorder: a quantitative study. *Acta Otolaryngol*. 2010 Sep;130(9):1013-8.
358. Zou J, Ramadan UA, Pyykkö I. Gadolinium Uptake in the Rat Inner Ear Perilymph Evaluated With 4.7 T MRI: A Comparison Between Transtympanic Injection and Gelatin Sponge-Based Diffusion Through the Round Window Membrane. *Otol Neurotol*. 2010 Jun;31(4):637-41.
359. Brammer AJ, Sutinen P, Das S, Pyykkö I, Toppila E, Starck J. Quantitative test for sensory hand symptoms based on mechanoreceptor-specific vibrotactile thresholds. *J Acoust Soc Am*. 2010 Feb;127(2):1146-55.
360. Viljanen A, Kaprio J, Pyykkö I, Sorri M, Koskenvuo M, Rantanen T. Hearing acuity as a predictor of walking difficulties in older women. *J Am Geriatr Soc*. 2009 Dec;57(12):2282-6. Epub 2009 Oct 26.
361. Zou J, Zhang W, Poe D, Zhang Y, Ramadan UA, Pyykkö I. Differential passage of gadolinium through the mouse inner ear barriers evaluated with 4.7T MRI. *Hear Res*. 2010 Jan;259(1-2):36-43. Epub 2009 Oct 7.
362. Zou J, Zhang W, Poe D, Qin J, Fornara A, Zhang Y, Ramadan UA, Muhammed M, Pyykkö I. MRI manifestation of novel superparamagnetic iron oxide nanoparticles in the rat inner ear. *Nanomedicine (Lond)*. 2010 Jul;5(5):739-54.
363. Zou J, Saulnier P, Perrier T, Zhang Y, Manninen T, Toppila E, Pyykkö I. Distribution of lipid nanocapsules in different cochlear cell populations after round window membrane permeation. 2010. *Journal of Biomedical Materials Research: Part B - Applied Biomaterials*.

364. Zhang Y, Zhang W, Johnston AH, Newman TA, Pyykkö I, Zou J . Improving the visualization of fluorescently tagged nanoparticles and fluorophore-labeled molecular probes by treatment with CuSO<sub>4</sub> to quench autofluorescence in the rat inner ear. *Hear Res.* 2010 Oct 1;269(1-2):1-11. Epub 2010 Jul 24.
365. Forsmann P., Häggström A, Wallin A, Toppila E, Pyykkö I. 2010 Principal component analysis detects sleepiness-related changes in balance control. *Gait Posture.* 2010 Jul;32(3):419-21. Epub 2010 Jul 14.
366. Levo H, Stephens D, Poe D, Kentala E, Pyykkö I. Use of ICF in assessing the effects of Meniere's disorder on life. *Ann Otol Rhinol Laryngol.* 2010 Sep;119(9):583-9.
367. Pyykkö I, Zou J, Poe D, Nakashima T, Naganawa S. Magnetic resonance imaging of the inner ear in Meniere's disease. *Otolaryngol Clin North Am.* 2010 Oct;43(5):1059-80. doi: 10.1016/j.otc.2010.06.001. Review. PMID: 20713245
368. Zou J, Sood R, Ranjan S, Poe D, Ramadan UA, Kinnunen PK, Pyykkö I. Manufacturing and in vivo inner ear visualization of MRI traceable liposome nanoparticles encapsulating gadolinium. *J Nanobiotechnology.* 2010 Dec 18;8:32.
369. Ahlgrén-Rimpiläinen A, Lauerma H, Kähkönen S, Aalto H, Pyykkö I, Palmgren K, Rimpiläinen I. Effect of visual information on postural control in patients with schizophrenia. *J Nerv Ment Dis.* 2010 Aug;198(8):601-3.
370. Stephens D, Pyykkö I, Levo H, Poe D, Kentala E, Auramo Y. 2010. Positive experiences and quality of life in Ménière's disorder. *International Journal of Audiology* 49, 839-843.
371. Toppila E, Koskinen H, Pyykkö I. Hearing loss among classical-orchestra musicians. *Noise & Health, January-February 2011, 13:50,45-50*
372. Zhang W, Zhang Y, Löbner M, Schmitz KP, Ahmad A, Pyykkö I, Zou J. Nuclear entry of hyperbranched polylysine nanoparticles into cochlear cells. *Int J Nanomedicine.* 2011;6:535-46. Epub 2011 Mar 14
373. Zhang Y, Zhang W, Löbner M, Schmitz KP, Saulnier P, Perrier T, Pyykkö I, Zou J. Inner ear biocompatibility of lipid nanocapsules after round window membrane application. *Int J Pharm.* 2011 Feb 14;404(1-2):211-9.
374. Poe DS, Silvola J, Pyykkö I. Balloon dilation of the cartilaginous eustachian tube. *Otolaryngol Head Neck Surg.* 2011 Apr;144(4):563-9. Epub 2011 Mar 4.
375. Poe DS, Pyykkö I. Measurements of Eustachian tube dilation by video endoscopy. *Otol Neurotol.* 2011 Jul;32(5):794-8
376. Poe DS, Pyykkö I. 2011. Nanotechnology and the treatment of inner ear diseases. *Wiley Interdiscip Rev Nanomed Nanobiotechnol.* 2011 Mar;3(2):212-21. doi: 10.1002/wnan.125. Epub 2011 Feb 4
377. Kim A, Pyykkö I. Size matters: versatile use of PiggyBac transposons as a genetic manipulation tool. *Mol Cell Biochem.* 2011 Aug;354(1-2):301-9. Epub 2011 Apr 23
378. Pyykkö I, Zou J, Zhang W, Zhang Y. Nanoparticle-based delivery for the treatment of inner ear disorders. *Curr Opin Otolaryngol Head Neck Surg.* 2011 19 (5), 388-96.
379. Zou J, Yoshida T, Ramadan UA, Pyykkö I. Dynamic Enhancement of the Rat Inner Ear after Ultra-Small-Volume Administration of Gd-DOTA to the Medial Wall of the Middle Ear Cavity. *ORL J Otorhinolaryngol Relat Spec.* 2011 Aug 26;73(5):275-281. [Epub ahead of print]
380. Yoshida T, Stephens D, Kentala E, Levo H, Auramo Y, Poe D, Pyykkö I. Tinnitus complaint behavior in Menière's disorder: quality of life and association with cardinal symptoms. *Clin otolaryngol.* 2011 Oct;36(5):461-7. doi: 10.1111/j.1749-4486.2011.02381
381. Bäck LJ, Koivunen P, Pyykkö I, Stene BK, Mäkitie AA. The impact of pretreatment assessment of oropharynx on interstitial soft palate radiofrequency surgery outcome-a multi-center study in patients with habitual snoring. *Sleep Breath.* 2011 Feb 12. [Epub ahead of print]
382. Stephens D. Pyykkö I. How useful are ' add-on ' questions in questionnaires? *Audiological Medicine,* 2011; 00: 1–2
383. Zhang W, Zhang Y, Sood R, Ranjan S, Surovtseva E, Ahmad A, Kinnunen P, Pyykkö I, Zou J. Visualization of intracellular trafficking of Math1 protein in different cell types with a newly constructed non-viral gene delivery plasmid. *J Gene Med.* 2010 Dec 9. doi: 10.1002/jgm.1537. [Epub ahead of print]
384. Rasku J, Joutsijoki H, Pyykkö I, Juhola M. Prediction of a state of a subject on the basis of a stabilogram signal and video oculography test. *Comput Methods Programs Biomed.* 2012 Nov;108(2):580-8. doi: 10.1016/j.cmpb.2011.08.011.
385. Stephens D, Pyykkö I, Yoshida T, Kentala E, Levo H, Poe D. 2012. The consequences of tinnitus in chronic Ménière's disorder. *Auris, nansus, larynx.* 2012 Oct;39(5):469-74. Epub 2011 Nov 16.
386. Tuunainen E, Poe D, Jääntti P, Varpa K, Rasku J, Toppila E, Pyykkö I. Presbyequilibrium in the oldest olds, a combination of vestibular, oculomotor and postural deficits. *Aging Clin Exp Res.* 2011 Oct-Dec;23(5-6):364-71 Mar 29.. Epub 2012 Feb 23
387. Levo H, Stephens D, Kentala E, Poe D, Pyykkö I, 2012. EuroQol 5D quality of life in Ménière's disorder can be explained with symptoms and disabilities. *Int J Rehabil Res.* 2012 Sep;35(3):197-202.

388. Pyykkö I, Selmani Z, Zou J. 2012. Low-Frequency Sound Pressure and Transtympanic Endoscopy of the Middle Ear in Assessment of “Spontaneous” Perilymphatic Fistula. *ISRN Otolaryngology* (open Access). Article ID 137623, 6 pages, doi:10.5402/2012/137623
389. Ranjan R, Sood R, Dudas J, Glueckert R, Schrott-Fischer A, Roy S, Pyykkö I, Kinnunen PKJ. Peptide-mediated targeting of liposomes to TrkB receptor-expressing cells. *Int J Nanomedicine*. 2012; 7: 3475–3485.
390. Zhang Y, Zhang W, Johnston AH, Newman TA, Pyykkö I, Zou J. Targeted delivery of Tet1 peptide functionalized polymersomes to the rat cochlear nerve. *Int J Nanomedicine*. 2012; 7: 1015–1022.
391. Zou J, Sood R, Ranjan S, Poe D, Ramadan UA, Pyykkö I, Kinnunen PK. Size-dependent passage of liposome nanocarriers with preserved posttransport integrity across the middle-inner ear barriers in rats. *Otol Neurotol*. 2012 Jun;33(4):666-73.
392. Surovtseva EV, Johnston AH, Zhang W, Zhang Y, Kim A, Murakoshi M, Wada H, Newman TA, Zou J, Pyykkö I. Prestin binding peptides as ligands for targeted polymersome mediated drug delivery to outer hair cells in the inner ear. *Int J Pharm*. 2012 Mar 15;424(1-2):121-7. Epub 2011 Dec 30
393. Zou J, Zhang Y, Zhang W, Poe D, Zhai S, Yang A, Pyykkö I. Mitochondria toxin-induced acute cochlear cell death indicates cellular activity correlated energy consumption. *Eur Arch Otorhinolaryngol* (2013) 270:2403-15.
394. Pyykkö I, Nakashima T, Yoshida Y, Zou J, Naganawa S. Meniere's disease: a reappraisal supported by a variable latency of symptoms and the MRI visualisation of endolymphatic hydrops. *BMJ Open*. 2013 Feb 14;3(2).
395. Rasku J, Pyykkö I, Juhola M, Garcia M, Harris T, Launer L, Eiriksdottir G, Siggeirsdottir K, Jonsson P, Hoffman H, Petersen H, Rasmussen C, Caserotti P, Toppila E, Pajala S, Gudnason V. . Evaluation of the postural stability of elderly persons using time domain signal analysis. *J vestib. Res*. 2012;22(5-6):243-52. doi: 10.3233/VES-120465.
396. Zou J, Pyykkö I. Endolymphatic hydrops in Meniere's disease secondary to otitis media and visualized by gadolinium enhanced magnetic resonance imaging. *World J Otorhinolaryngol* 2013; 3(1): 22-25
397. Hendrickx JJ, Huyghe JR, Topsakal V, Demeester K, Wienker TF, Laer LV, Eyken EV, Fransen E, Mäki-Torkko E, Hannula S, Parving A, Jensen M, Tropitzsch A, Bonaconsa A, Mazzoli M, Espeso A, Verbruggen K, Huyghe J, Huygen PL, Kremer H, Kunst SJ, Diaz-Lacava AN, Steffens M, Pyykkö I, Dhooze I, Stephens D, Orzan E, Pfister MH, Bille M, Sorri M, Cremers CW, Camp GV, de Heyning PV. Familial Aggregation of Pure Tone Hearing Thresholds in an Aging European Population. *Otol Neurotol*. 2013 Jun 4. [Epub ahead of print]
398. Kentala E, Levo H, Pyykkö I. How one hundred and eighty three people with Ménière's disorder relieve their symptoms: a random cohort questionnaire study. *Clin Otolaryngol*. 2013 Apr;38(2):170-4. doi: 10.1111/coa.12071. No abstract available
399. Stephens D, Pyykkö I, Kentala E, Levo H, Rasku J. The effects of Ménière's disorder on the patient's significant others. *Int J Audiol*. 2012 Dec;51(12):858-63. doi: 10.3109/14992027.2012.723141. Epub 2012 Oct 16.
400. Iltanen K, Kiviharju S, Ao L, Juhola M, Pyykkö I. 2013. Clustering and summarising association rules mined from phenotype, genotype and environmental data concerning age-related hearing impairment. *Stud Health Technol Inform*. 2013;192:452-6
401. Levo H, Kentala E, Rasku J and Pyykkö I. 2013. Fatigue in Meniere's Disorder. *Hearing Balance and communication*. Dec 2013, Vol. 11, No. 4, Pages 191-197:
402. Ahlgrén-Rimpiläinen A, Hannu Lauerma H, Kähkönen S, Aalto H, Katinka Tuisku K, Holi M, Pyykkö I, Rimpiläinen I Postural Control in Restless Legs Syndrome with Medication Intervention Using Pramipexole. *Neurol Sci*. 2013 Jun 21. [Epub ahead of print]
403. Tuunainen E, Rasku J, Jäntti P, Pyykkö I. 2013. Risk factors of falls in community dwelling active elderly. *Auris Nasus Larynx*. 41 (2014), pp. 10-16, DOI information: 10.1016/j.anl.2013.05.002.
404. Tuunainen E, Rasku J, Jäntti P, Moisio-Vilenius P, Mäkinen E, Toppila E, Pyykkö I. 2013. Postural stability and quality of life after guided and self-training among older adults residing in an institutional setting. *Clinical Interventions in Aging*. 2013;8 1237–1246
405. Tuunainen E, Jäntti P, Rasku J, Pyykkö I, Moisio-Vilenius P, Mäkinen E, Toppila E. 2013. Intervention to prevent falls in elderly adults living in a residential home. *J Am Geriatr Soc*. 2013 Aug;61(8):1426-7. doi: 10.1111/jgs.12395
406. Zhen M, Zheng J, Wang Y, Shu C, Gao F, Zou J, Pyykkö I, Wang C. Multifunctional Nanoprobe for MRI/Optical Dual-Modality Imaging and Radical Scavenging. *Chem. Eur. J*. 2013, 19, 14675 – 14681. doi: 10.1002/chem.201301601.



407. Manchaiah V, Pyykkö I, Kentala E, Levo H, Stephens D. 2013. Positive experiences on significant others as well as on patients with Ménière's disorder. *Clinical Otolaryngol.* 2013 Oct 18. doi: 10.1111/coa.12190. [Epub ahead of print]
408. Forsman P, Pyykkö I, Toppila E, Hægström E. Feasibility of force platform based roadside drowsiness screening – A pilot study. *Accident Analysis & Prevention* Volume 62, January 2014, Pages 186–190.
409. Pyykkö I, Zou J, Zhang Y, Zhang W, Feng H, Kinnunen P. Nanoparticle based inner ear therapy. *World J Otorhinolaryngol* 2013; 2(1): 00-00 Available from: URL: <http://www.wjgnet.com/2218-6247/full/v2/i1/00.htm> DOI: <http://dx.doi.org/10.5319/wjo.v2.i1.00>.
410. Pyykkö I, Manchaiah VKC, Levo H, Kentala E, Rasku J. 2014. Adaptation of significant others of patients with Ménière's disorder. *Int j audiol.* April 2014, Vol. 53, No. 4, Pages 285-286 (doi:10.3109/14992027.2013.869840)
411. Zou J, Sood R, Zhang Y, Kinnunen P, Pyykkö I. Pathway and morphological transformation of liposome nanocarriers after release from a novel sustained inner-ear delivery system. *Nanomedicine (Lond)*. 2014 Jan 28. Doi: 10.2217/NNM.13.181.
412. Pyykkö I, Manchaiah VK, Kentala E, Levo H. Significant others of patients with hearing and balance disorders report positive experiences. *Int J Audiol.* 2014 Apr;53(4):285-6. doi: 10.3109/14992027.2013.869840.
413. Ketola S, Kentala E, Stephens D, Varpa K, Pyykkö I. The sense of coherence in patients with Ménière's disorder. *Auris, Nasus Larynx.* 2014 Feb 20. pii: S0385-8146(14)00003-0. doi: 10.1016/j.anl.2013.12.008.
414. Levo H, Kentala E, Rasku J, Pyykkö I. 2014. Aural fullness in Ménière's Disease. *Audiol. & neurotol.* 2014 Dec 11;19(6):395-399. PMID: 25500936
415. Zou J, Pyykkö I. 2014. Outcomes of endolymphatic shunt surgery in Ménière's disease indicate potential contribution of shear stress instead of relieving the endolymphatic hydrops. *Otolaryngology.* 2014, 4:3. <http://dx.doi.org/10.4172/2161-119X.1000171>.
416. Nakada T, Yoshida T, Suga S, Kato K, Otake, H, Kato K, Teranishi M, Sone M, Sugiura S, Kuno K, Pyykkö I, Naganawa S, Watanabe H, Sobue G, Nakashima T. 2014. Endolymphatic space size in patients with vestibular migraine and Ménière's disease. *J Neurol.* 2014 Aug 7. [Epub ahead of print].
417. Pyykkö I, Jääntti P, Tuunainen E. 2014. Ikähuimauksen hoitoon tarvitaan yksilöllistä kuntoutusta. *Best practice. Psykiatria/Neurologia.* 2014, 7, 10-12.
418. Pyykkö I. 2014. Huimaus ja tasapainovaikeudet – labyrinthin aiheuttamat ongelmat! *Pääkirjoitus. Suomen lääkärilehti.* 2014, 7, 4
419. Zou J, Feng H, Mannerström M, Heinonen H and Pyykkö I. 2014 Toxicity of silver nanoparticle in rat ear and BALB/c 3T3 cell line. *J. Nanobiotechnology,* 2014 Dec 3;12(1):52. PMID: 25467963, [Epub ahead of print]
420. Zou J, Koivisto J, Lahelma J, Aarnisalo A, Wolff J, Pyykkö I. 2014. Imaging Optimization of Temporal Bones with Cochlear Implant using a High- Resolution Cone Beam CT and the Corresponding Effective Dose. *Annals Otol., Rhinol. & Laryngol.* 2014 Dec 22. pii: 0003489414565004. [Epub ahead of print]
421. Ahmad A, Ranjan S, Zhang W, Zou J, Pyykkö I, Kinnunen PKJ. 2015 Novel Endosomal Peptides for Enhancing Gene Delivery in Nanoparticles. *Biochim Biophys Acta.* 2014 Nov 15;1848(2):544-553. doi: 10.1016/j.bbame.2014.11.008. [Epub ahead of print]
422. Zou J, Pyykkö I. 2013. Enhanced oval window and blocked round window passages for middle-inner ear transportation of gadolinium in guinea pigs with a perforated round window membrane. *Eur. Arch. Oto-Rhino-Laryngol. Head & Neck.* 2015 Feb;272(2):303-9. doi: 10.1007/s00405-013-2856-7. Epub 2013 Dec 11.
423. Rasku J, Pyykkö I, Levo H, Kentala E, Vinaya M. Disease Profiling for Computerized Peer Support of Ménière's Disease. *JMIR Rehabil Assist Technol* 2015;2(2):e9 doi:10.2196/rehab.4109
424. Manchaiah V, Baguley D, Pyykkö I, Kentala E, Levo H. 2015. Positive experiences associated with acquired hearing loss, Ménière's disorders and tinnitus: A review. *Int. j. audiol.* 2015 Jan;54(1):1-10. doi: 10.3109/14992027.2014.953217. Epub 2014 Oct 9.
425. Feng H, Pyykkö I, Zou J. 2015. Hyaluronan up-regulation is linked to renal dysfunction and hearing loss induced by silver nanoparticles. *Eur Arch Otorhinolaryngol.* 2015 Oct;272(10):2629-42. doi: 10.1007/s00405-014-3213-1. PMID: 25082176
426. Zou J, Lahelma J, Dhanasingh A, Jolly C, Aarnisalo A, Wolff J, Pyykkö I. 2015. Imaging cochlear implantation with round window insertion in human temporal bones and cochlear morphological

- variation using high-dimensional cone beam CT. *Acta Oto-Laryngol.* (Stockh.). 2015 May;135(5):466-72. doi: 10.3109/00016489.2014.993090. Epub 2015 Feb 13.
427. Pyykkö I, Manchaiah VKC, Levo H, Kentala E, Rasku J. 2015. Attitudes of significant others of people with Ménière's disease vary from coping to victimization. *Int J Audiol.* 2015 Apr;53(4):285-6. doi: 10.3109/14992027.2013.869840.
428. Zou J, Hannula M, Misra S, Feng H, Hanoi Labrador R, Aula AS, Hyttinen J, Pyykkö I. 2015. Micro CT visualization of silver nanoparticles in the middle and inner ear of rat and transportation pathway after transtympanic injection. *J. Nanobiotechnol.* 2015, 13:5, DOI: 10.1186/s12951-015-0065-9
432. Zou, J, Pyykkö I, Yoshida T, Gürkov R, Shi H, Li Y, Zheng G, Peng R, Zheng H, Yin Y, Hyttinen J, Nakashima T, Naganawa S. 2015. A milestone research in Meniere's disease by visualizing endolymphatic hydrops using gadolinium-enhanced inner ear MRI and the challenges in clinical application. 2015. *Austin J Radiol - Volume 2 Issue 6*, 1-7
433. Zou J, Pyykkö I. Endolymphatic hydrops of Meniere's disease secondary to otitis media shown by gadolinium enhanced MRI. 2015. *Austin J Radiol - Volume 2 Issue 6*
434. Zou J, Hao F, Pyykkö I. 2015. TLR Signaling Pathway Regulation in Association with Autophagy in the Diseased Inner Ear. *J J Mol Transl Med.* 2015, 1(1): 008.
435. Zou, Ostrovsky S, Israel LL, Lellouche JP and Pyykkö I. 2015. Targeted Delivery of Contrast Agents to the Tympanic Medial Wall at Minimum Amount and the Efficient Uptake in the Inner Ear through Oval and Round Windows. *Austin J Radiol - 2015 Volume 2 Issue 6*
436. Pyykkö I, Manchaiah V, Levo H, Kentala E. 2016. Impact evaluation and association with EuroQol 5D health-related utility values in Ménière's disease. *SpringerPlus.* Nov 24;4:717. eCollection 2015
437. Zou J., Pyykkö I. 2016. Calcium Metabolism Profile in Rat Inner Ear Indicated by MRI after Tympanic Medial Wall Administration of Manganese Chloride. *Annals of Otolology, Rhinology & Laryngology.* Jan;125(1):53-62. doi: 10.1177/0003489415597916. Epub 2015 Jul 29.
438. Gürkov R., Pyykö I., Zou J., Kentala E.. 2016. What is Ménière's disease? – a contemporary re-evaluation of endolymphatic hydrops. *J Neurol* (2016) 263 (Suppl 1):S71–S811 DOI 10.1007/s00415-015-7930-1
439. Feng H, Pyykkö I, Zou J. 2016. Involvement of ubiquitin-editing protein A20 in modulating inflammation in rat cochlea associated with silver nanoparticles-induced CD68 up-regulation and TLR4 activation. *Nanoscale res. Letters.* 11:240 DOI 10.1186/s11671-016-1430-9.
440. Zou J, Ostrovsky S, Israel LL, Feng H, Kettunen MI, Lellouche J-P, Pyykkö I. 2016. Efficient Penetration of Ceric Ammonium Nitrate Oxidant-stabilized Gamma-maghemite Nanoparticles through the Oval and Round Windows into Rat Inner Ear Demonstrated by MRI. *J Biomed Mater Res B Appl Biomater.* 2016 May 30. doi: 10.1002/jbm.b.33719. [Epub ahead of print.
441. Nakashima T, Pyykkö I, Arroll MA, Casselbrant M, Foster C, Manzoor N, Megerian C, Naganawa S, Young Y. 2015. Meniere's disease. *Nature Reviews Disease Primers.* 2016 May 12;2:16028. doi: 10.1038/nrdp.2016.28. PMID. 27170253
442. Pyykkö I, Zou J, Schrott-Fischer A, Glueckert R, Kinnunen P. An Overview of Nanoparticle Based Delivery for Treatment of Inner Ear Disorders. *Methods Mol Biol.* 2016;1427:363-415. doi: 10.1007/978-1-4939-3615-1\_21.
443. Bondarenko OM, Heinlaan M, Sihtmäe M, Ivask A, Kurvet I, Joonas E, Jemec A, Mannerström M, Heinonen T, Rekulapelly R, Singh S, Zou J, Pyykkö I, Drobne D, Kahru A. Multilaboratory evaluation of 15 bioassays for (eco) toxicity screening and hazard ranking of engineered nanomaterials: FP7 project NANOVALID. *Nanotoxicology.* 2016 Jun 28;1-14. [Epub ahead of print] PMID:27259032.
444. Zou J, Pyykkö I. Calcium Metabolism Profile in Rat Inner Ear Indicated by MRI After Tympanic Medial Wall Administration of Manganese Chloride. *Ann Otol Rhinol Laryngol.* 2016 Jan;125(1):53-62. doi: 10.1177/0003489415597916. PMID:2622901
445. Zou J, Isomäki A, Hirvonen T, Arnisalo A, Jero J, Pyykkö I. 2016. Label-free visualization of cholesteatoma in the mastoid and tympanic membrane using CARS microscopy. *Journal of Otology* 11 (2016) (3) 127-133
446. Zou J, Pyykkö I, Hyttinen J. Inner ear barriers to nanomedicine-augmented drug delivery and imaging. *Journal of Otology.* 2016;11(4):165-77.
447. Mannerström M, Zou J, Toimela T, Pyykkö I, Heinonen T. The applicability of conventional cytotoxicity assays to predict safety/toxicity of mesoporous silica nanoparticles, silver and gold nanoparticles and multi-walled carbon nanotubes, *Toxicology in Vitro* Volume 37, December 2016, Pages 113–120. .doi.org/10.1016/j.tiv.2016.09.012.
448. Pyykkö I, Manchaiah V, Levo H, Kentala E, Juhola M. Internet-based peer support for Ménière's disease: a summary of web-based data collection, impact evaluation, and user evaluation. *Int J Audiol.* 2017 Jul;56(7):453-463. doi: 10.1080/14992027.2017.1282631. Epub 2017 Feb 9. PMID: 28635496
449. Zou J, Lähelmä J, Arnisalo A, Pyykkö I. Clinically relevant human temporal bone measurements using novel high-resolution cone-beam CT. *Journal of Otology.* 2017;12(1):9-17.

450. Pyykkö I, Manchaiah V, Levo H, Kentala E, Juhola M. 2017. Internet-based self help for Ménière's disease: Details and outcome of a single-group open trial. *Am J Audiol.* 2017 Oct 10:1-11. doi: 10.1044/2017\_AJA-16-0068. [Epub ahead of print] PMID:29049634
451. Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E. Do patients with Ménière's disease have attacks of syncope? *J Neurol.* 2017 Mar 20. doi: 10.1007/s00415-017-8452-9.
452. Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E. 2017. Vestibular syncope: A disorder associated with drop attack in Ménière's disease. *Auris Nasus Larynx.* 2017 May 3. pii: S0385-8146(17)30088-3. doi: 10.1016/j.anl.2017.03.023.
453. Zou J, Feng H, Sood R, Kinnunen PKJ, Pyykko I. Biocompatibility of Liposome Nanocarriers in the Rat Inner Ear After Intratympanic Administration. *Nanoscale Res Lett.* 2017 Dec;12(1):372. doi: 10.1186/s11671-017-2142-5. Epub 2017 May 25. PMID: 28549377
454. Zou J, Mannerström M, Leite PE, Feng H, Ribeiro AR, Granjeiro JM, Pyykkö I, Heinonen T. 2017. Different responses of rat alveolar and human monocyte-derived macrophages to engineered metal and semimetal nanomaterials with secretion of polarization-related cytokines. *In vitro toxicol.* Submitted for publication.
455. Manchaiah V, Pyykkö I, Zou J, Levo H, Kentala E, Juhola M.. 2017. Patient-reported benefits from patient organization magazines and Internet-based peer support in Ménière's disease. *Patient Prefer Adherence.* 2017 Oct 26;11:1851-1857. doi: 10.2147/PPA.S142257. eCollection 2017
456. Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E, Relational quality, illness interference and partner support in Ménière's disease. *Int J Audiol.* 2017. 2017 Aug 24:1-7. doi: 10.1080/14992027.2017.1367847. [Epub ahead of print] PMID: 28835146.
457. Senn P, Roccio M, Hahnewald S, Frick C, Kwiatkowska M, Ishikawa M, Bako P, Li H, Edin F, Liu W, Rask-Andersen H, Pyykkö I, Zou J, Mannerström M, Keppner H, Homsy A, Laux E, Llera M, Lellouche JP, Ostrovsky S, Banin E, Gedanken A, Perkash N, Wank U, Wiesmüller KH, Mistrík P, Benav H, Garnham C, Jolly C, Gander F, Ulrich P, Müller M, Löwenheim H. NANOCI-Nanotechnology Based Cochlear Implant With Gapless Interface to Auditory Neurons. *Otol Neurotol.* 2017 Sep;38(8):e224-e231. doi: 10.1097/MAO.0000000000001439. PMID: 28806330.
458. Manchaiah V, Pyykkö I, Levo H, Kentala E. Impact of Ménière's Disease on Significant Others' Health and Lives. *J Am Acad Audiol.* 2018 Jan;29(1):63-72. doi: 10.3766/jaaa.16166. PMID:29309024
459. Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E. 2017. Impact of Tumarkin attacks on complaints and work ability in Ménière's disease. *J Vestib Res.* 2018 May 22. doi: 10.3233/VES-180634. [Epub ahead of print] PMID:29843293
460. Huppert D, Straumann D, Magnusson M, Pyykkö I, Brandt T. Dizziness in Europe: from licensed fitness to drive to licence without fitness to drive. *J Neurol.* 2018 Oct;265(Suppl 1):9-17. doi: 10.1007/s00415-018-8806-y. Epub 2018 Mar 13. PMID: 29536178
461. Manchaiah V, Felipe L, Pyykkö I. 2018. Questionnaire based assessment of vestibular disorders . In Isha monograph. Evaluation and management of vestibular dysfunction. A publication of the Indian Speech and Hearing Organization, 35-48, ISSN-0974-214X.
462. Pyykkö I, Zou J, Gürkov R, Naganawa S, Nakashima T. 2019. Imaging of temporal bone. *Advances in Oto-Rhino-Laryngology, Karger, vol 82, pp 12-31.* doi: 10.1159/000490268.
463. Pyykkö I, Manchaiah V, Färkkilä M, Kentala E, Zou J. 2019. Association between Ménière's disease and Vestibular Migraine. *Auris Nasus Larynx.* 2019 May 1. pii: S0385-8146(18)30812-5. doi: 10.1016/j.anl.2019.02.002. [Epub ahead of print].
464. Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E. Association between syncope and Tumarkin attacks in Ménière's disease. 2019. *J Int Adv Otol.* 2019 Apr;15(1):135-140. doi: 10.5152/iao.2019.6094..
465. Joutsijoki H, Rasku J, Pyykkö I, Juhola J. 2019. Classification of patients and normals based on Stabilogram signal data. *Intelligent Data Analysis. Intelligent Data Analysis journal.* Accepted for publication.
466. Zhang G, Zheng H, Pyykkö I, Zou J, 2019. The TLR-4/NF-κB signaling pathway is activated in rats with cochlea inflammation caused by acoustic trauma. *Hearing res. Hear Res.* 2019 Aug;379:59-68. doi: 10.1016/j.heares.2019.04.012. Epub 2019 May 3.
467. Pyykkö I, Manchaiah V, Zou J, Levo H, Kentala E. 2019. Driving habits and risk for traffic accidents among people with Ménière's disease in Finland.. *J Int Adv Otol.* 2019 Aug;15(2):289-295. doi: 10.5152/iao.2019.5915. PMID:31287436.

468. Manchaiah V, Pyykkö I, Pyykkö N. Internet and social media use by people with Ménière's disease: An exploratory survey on Finnish Ménière Federation members. *J Int Adv Otol.* Apr;16(1):13-17. doi: 10.5152/iao.2020.7563. PMID: 32401200
469. Pyykkö I, Pyykkö N, Manchaiah V. Vestibular drop attacks in Ménière's disease and its association with migraine. *Eur Arch Otorhinolaryngol.* 2020 Mar 17. doi: 10.1007/s00405-020-05890-3. [Epub ahead of print]
470. Manchaiah V, Bellon-Harn ML, Kelly-Cambell RJ, Beukes EW, Bailey A, Pyykkö I. 2020. Media use by older adults with hearing loss: An exploratory survey. *American Journal of Audiology.* 1–8, <https://doi.org/10.23641/asha.12170397>
471. Pyykkö I, Pyykkö N, Manchaiah V. Vestibular drop attacks in Meniere's disease. *J vestib. Res.* 2021 Feb 26. doi: 10.3233/VES-201502. Epub ahead of print. PMID: 33646189.
472. Pyykkö I, Pyykkö N, Zou J, Manchaiah V. Characterization of Balance Problems and Rehabilitation Needs of Patients with Ménière's Disease *Audiol Res.* 2022 Feb; 12(1): 22–32. Published online 2022 Jan 5. doi: 10.3390/audiolres12010003 PMCID: PMC8788294
473. Pyykkö I, Pyykkö N, Zou J, Manchaiah V. Does the Self-training in Ménière's Disease Fit the Disease Characteristics and Help Alleviate the Balance Problems? *J Int Adv Otol.* 2022 Jan; 18(1): 25–31. Published online 2022 Jan 1. doi: 10.5152/iao.2022.21205 PMCID: PMC9449710
474. Ahmad A, Rilla K, Zou J, Zhang W, Pyykkö I, Kinnunen P, Ranjan S. 2021. Enhanced gene expression by a novel designed leucine zipper endosomolytic peptide *Int J Pharm.* 2021 May 15;601:120556. doi: 10.1016/j.ijpharm.2021.120556. Epub 2021 Mar 30. PMID: 33798688.
475. Kutlubaev M, Pyykkö I, Hardy TA Gürkov R. 2020. Ménière's disease: what neurologists need to know. *Practical Neurology.* 2020 Nov 28; practneurol-2020-002734. doi: 10.1136/practneurol-2020-002734. Online ahead of print. PMID: 33249404.
476. Kutlubaev MA, Xu Y, Manchaiah V, Zou J, Pyykkö I. Vestibular drop attacks in Ménière's disease: A systematic review and meta-analysis of frequency, correlates and consequences. *J Vestib Res.* 2021 Apr 28. doi: 10.3233/VES-201514. Epub ahead of print. PMID: 33935127
477. Zou J, Chen L, Li H, Zhang G, Pyykkö I, Lu J. High-quality imaging of endolymphatic hydrops acquired in 7 minutes using sensitive hT2W-3D-FLAIR reconstructed with magnitude and zero-filled interpolation. *Eur Arch Otorhinolaryngol.* 2021 Jun 18. doi: 10.1007/s00405-021-06912-4. Epub ahead of print. PMID: 34145490.
478. Zou J, MD, Zhao Z, Li H, Zhang G, Lu J, Pyykkö I, 2022. Dexamethasone does not affect endolymphatic hydrops (EH) in patients with Meniere's disease within 24 h, and intratympanic administration of gadolinium plus dexamethasone simplifies high-quality imaging of EH using a novel protocol of 7 minutes *J Otol.* 2022 Jul;17(3):164-174. doi: 10.1016/j.joto.2022.02.002. Epub 2022 Mar 4.
479. Shuna L, Pyykkö I, Zhang Q, Yang J, Duan M. 2022. Consensus on Intratympanic Drug Delivery For Ménière's Disease *European Archives of Oto-Rhino-Laryngology.* <https://doi.org/10.1007/s00405-022-07374-y>.
480. Liu Y, Pyykkö I, Guerkov R, Naganawa S, Yang J, Duan M. 2022. Consensus on MR Imaging of Endolymphatic Hydrops in Meniere's Disease Patients. *Frontiers of Surgery.* [s://doi.org/10.1007/s00405-022-07374-y](https://doi.org/10.1007/s00405-022-07374-y).
481. Zou J, Zhao Z, Song X, Zhang G, Li H, Zhang Q, Pyykkö I. Elevated G-CSF, IL8, and HGF in patients with definite Meniere's disease may indicate the role of NET formation in triggering autoimmunity and autoinflammation. *Sci Rep.* 2022 Sep 29;12(1):16309. doi: 10.1038/s41598-022-20774-8. PMID: 36175465; PMCID: PMC9522806.
482. Beukes E, Manchaiah V, Pyykkö N, Pyykkö I. 2022. COVID-19 vaccination effects in Finnish patients with Ménière's disease: a cross-sectional study. *F1000Research - article113143* <https://doi.org/10.6084/m9.figshare.1951980>.
483. Zou J, Zhao Z, Zhang G, Zhang Q, Pyykkö I. MEFV, IRF8, ADA, PEPD, and NBAS gene variants and elevated serum cytokines in a patient with unilateral sporadic Meniere's disease and vascular congestion over the endolymphatic sac- *J Otol.* 2022 Jul; 17(3): 175–181. Published online 2022 Mar 15. doi: 10.1016/j.joto.2022.03.001 PMCID: PMC9270563
484. Pyykkö I, Pyykkö N, Zou J, Manchaiah V. 2022. Characterization of Balance Problems in Patients with Ménière's Disease. *Audiol Res.* 2022 Jan 5;12(1):22-32. doi: 10.3390/audiolres12010003. PMID: 35076449
485. Pyykkö I, Pyykkö N, Zou J, Manchaiah V. 2022. Vestibular drop attacks in Ménière's disease: A

- systematic review and meta-analysis of frequency, correlates and consequences.. J Int Adv Otol. 2022 Jan;18(1):25-31. doi: 10.5152/iao.2022.21205.PMID: 35193842.
486. Li S, Pyykkö I, Zhang Q, Yang J, Duan M. Consensus on intratympanic drug delivery for Menière's disease. Eur Arch Otorhinolaryngol. 2022 Aug;279(8):3795-3799. doi: 10.1007/s00405-022-07374-y. Epub 2022 Apr 26. PMID: 35469039; PMCID: PMC9249695.
487. Zou J, Chen L, Li H, Zhang G, Pyykkö I, Lu J. High-quality imaging of endolymphatic hydrops acquired in 7 minutes using sensitive hT2W-3D-FLAIR reconstructed with magnitude and zero-filled interpolation. Eur Arch Otorhinolaryngol. 2022 May;279(5):2279-2290. doi: 10.1007/s00405-021-06912-4. Epub 2021 Jun 18. Erratum in: Eur Arch Otorhinolaryngol. 2021 Dec 18;: PMID: 34145490; PMCID: PMC8986670.
488. Zou J, Chen L, Li H, Zhang G, Pyykkö I, Lu J. Correction to: High-quality imaging of endolymphatic hydrops acquired in 7 minutes using sensitive hT2W-3D-FLAIR reconstructed with magnitude and zero-filled interpolation. Eur Arch Otorhinolaryngol. 2022 May;279(5):2291. doi: 10.1007/s00405-021-07216-3. PMID: 34921613
489. Zhang G, Zhao Z, Pyykkö I, Zou J. 2023.Low-Molecular-Weight Hyaluronic Acid Contributes to Noise-Induced Cochlear Inflammation. Audiology and Neurotology. Audiol Neurootol. 2023;28(5):380-393. doi: 10.1159/000530280. Epub 2023 May 9. PMID: 37231777.
490. Zou J, Zhang G, Li H, Zhao Z, Zhang Q, Pyykkö I, Mäkitie A. 2023. Multiple genetic variants involved in both autoimmunity and autoinflammation detected in Chinese patients with sporadic Meniere's disease: a preliminary study. Front Neurol. 2023 May 18;14:1159658. doi: 10.3389/fneur.2023.1159658. eCollection 2023. PMID: 37273692
491. Pyykkö I, Pyykkö N, Manchaiah V. Associations Among Medical Therapy, SelfAdministered Exercise, and Characteristics of Ménière's Disease. J Int Adv Otol. 2023 Jul;19(4):323-332. doi: 10.5152/iao.2023.21559. PMID: 37528598; PMCID: PMC10544177.
492. Gürkov R, Barath K, de Foer B, Fukushima M, Gluth M, Hornibrook J, Perez-Fernandez N, Pyykkö I, Sone M, Usami SI, Wang W, Zou J, Naganawa S. A plea for systematic literature analysis and conclusive study design, comment on: "Systematic review of magnetic resonance imaging for diagnosis of Meniere disease". J Vestib Res. 2023;33(2):151-157. doi: 10.3233/VES-190662. PMID: 31658075.
493. Pyykkö, I.; V.; Vetkas, A.; Zou, J.; Manchaiah, V. Association of Head Injury, Neck Injury or Acoustic Trauma on Phenotype of Ménière's Disease. Audiol. Res. 2024, 14, 204–216. <https://doi.org/10.3390/audiolres14010019>
494. Pyykkö I, Zou J and Manchaiah V. 2022. Constant dizziness versus episodic vertigo in Ménière's disease: Health-related quality of life, cognitive dissonance, and postural problems. Submitted for publication.
495. Pyykkö I, Zou J, Vetkas A, Manchaiah V. 2022. Diverse phenotype of Ménière's disease associated with family history, thyroid disorder and migraine. Submitted for publication.
496. Pyykkö I, Zou J. 2024. Long-term course of Meniere's disease. In manuscript.
497. Zhao Z, Peng R, Zheng G, Zheng H, Pyykkö I, Zou J. Low-frequency vibration promoted vestibular rehabilitation by restoring MAPK phosphorylation in the inner ear and vestibular nuclei of rats exposed to mitochondrial toxin. Neural Plasticity. Hearing Loss: Reestablish the Neural Plasticity in Regenerated Spiral Ganglion Neurons and Sensory Hair Cells. Submitted.
498. Zou J, Zhang Y, Wu H, Pyykkö I, Zheng H. Early disruption in stria transportation and delayed AQP-1 reduction in guinea pig cochlea with mitochondrial toxin-induced cochleovestibular dysfunction. Journal of Cellular and Molecular Medicine. Submitted for publication.
499. Zou J, Peng B, Ostrovsky S, Li B, Li C, Kettunen MI, Lellouche J-P, Pyykkö I, 2018. Biological effect tetra-branched anti-TNF-peptide and coating ratio-dependent penetration of the peptide-conjugated Cerium<sup>3/4+</sup> Cation-stabilized gamma-maghemite nanoparticles into rat inner ear after transtympanic injection visualized by MRI. Acta Otolaryngol (Stockh). Submitted for publication.

500. **II. BOOKS, REWIEVS AND PROCEEDINGS**
501. Pyykkö, I., Färkkilä, M., Toivonen, J., Korhonen, O. 1975. Vibrationens dämpande i övre armen. Publikationer av Institutet för Arbetshygien, nr. 41. Helsingfors. 37 s. (På finska.)
502. Pyykkö, I. 1976. Vibration syndrome: A review. In *Vibration and Work*. O. Korhonen (ed.). Proceedings of the Finnish-Soviet Scandinavian Vibration Symposium in Helsinki, March 10-13, 1975. Institute of Occupational Health.
503. Pyykkö, I. 1976. Mikrobiologiaa lääke-esittelijöille. Helsinki 1976. 93 s.
504. Korhonen, O., Pyykkö, I., Starck, J., Toivonen, J. 1977. Lokal vibration. Medicinska och mätmetodiska problemmer samt olika normer. Institutet för arbetshygien, Helsingfors. 83 s.
505. Korhonen, O., Pyykkö, I., Starck, J., Toivanen, J. 1978. Käsiin kohdistuva tärinä: tärinätauti, tärinänormit ja mittausmenetelmät. Työterveyslaitoksen katsauksia 24. Työterveyslaitos, Helsinki. 69 s.
506. Hyvärinen, J., Pyykkö, I. 1977. On the etiological mechanism in traumatic vasospastic disease. *Angiol* 7: 241-246.
507. Wennmo, C., Pyykkö, I. 1980. Velocity pattern of eye movement in brain stem lesions. In: *Differential Diagnosis of Vertigo*. C.F. Claussen (ed.). Walter de Gruyter, Berlin-New York, 219-233.
508. Pyykkö, I., Henriksson, N.G., Schalén, L., Dahlen, A.I., Novotny, M. 1980. Velocity of saccades and fast phases of vestibular and optokinetic nystagmus. In: *Differential Diagnosis of Vertigo*. C.F. Claussen (ed.). Walter de Gruyter, Berlin-New York, 75-92.
509. Wennmo, C., Henriksson, N.G., Pyykkö, I. 1981. Oculomotor abnormalities in patients with brain stem lesions. In: *Equilibrimetry and Occupational Medicine*. C.F. Claussen (ed.), Werner Rudat & Co., Hamburg, 395-402.
510. Wennmo, C., Pyykkö, I. 1981. Cellaktivitet i flocculus hos katt relaterad till visuella, vestibulära och proprioceptiva stimuli. *Svensk Otolaryngologisk Förening*, 25-27.
511. Wennmo, C., Henriksson, N.G., Pyykkö, I. 1981. Vestibularis neuronitis - en sjukdom på central eller perifer nivå. *Svensk Otolaryngologisk Förening*, 37-39.
512. Wennmo, C., Henriksson, N.G., Hindfelt, B., Pyykkö, I., Schalén, L. 1982. Rapid eye movements in patients with posterior fossa disorders. In: *Functional Basis of Ocular Motility Disorders*. G. Lennerstrand (ed.). Pergamon Press, Oxford and New York, 537-540.
513. Pyykkö, I., Starck, J., Korhonen, O., Färkkilä, M., Aatola, S. 1982. Link between noise-induced hearing loss and the vasospastic component in the vibration syndrome. In *Vibration Effects on the Hand and Arm in Industry*. A.J. Brammer and W. Taylor (eds.). John Wiley and Sons, Inc., New York. p. 51-57.
514. Dahlen, A.I., Henriksson, N.G., Hindfelt, B., Pyykkö, I., Schalén, L., Wennmo, C. 1982. Sackader, följareörelser och vestibulär nystagmus hos patienter med skador inom vänster frontallob. *Svensk otolaryngologisk föreningen* 1, 46-48.
515. Pyykkö, I., Starck, J., Färkkilä, M., Korhonen, O. 1982. Melun vaikutukset elimistöön. Melun haitallisuuden arviointi ja melun eräitä muita kuin kuuloaikutuksia. Työterveyslaitoksen katsauksia 45. Työterveyslaitos, Helsinki. 57 s.
516. Pyykkö, I., Starck, J. 1982. Fysikaaliset tekijät. Työterveyshuolto. J. Rantanen, M. Ylikoski (toim.). Gummerus OY. pp 166-186 and 190-196.
517. Pyykkö, I., Starck, J., Korhonen, O., Färkkilä, M. 1982. An association between vibration-induced white finger and noise-induced permanent threshold shift. In *proceeding for Congress of Nordiskt akustiskt Sällskap, Stockholm 16-18 August, 1982*, 399-402.
518. Pyykkö, I., Hyvärinen, J., Färkkilä, M. 1982. Studies on the etiological mechanism of vasospastic component in vibration syndrome. In *Vibration Effects on the Hand and Arm in Industry*. A.J. Brammer and W. Taylor (eds.). John Wiley and Sons, New York. p. 13-22.
519. Starck, J., Aatola, S., Hoikkala, M., Färkkilä, M., Pyykkö, I. 1982. Chain saw vibration: effects of age and repeatability of the measurements. In *Vibration Effects on the Hand and Arm in Industry*. A.J. Brammer and W. Taylor (eds.). John Wiley and Sons Inc., New York. p. 197-202.
520. Färkkilä, M., Pyykkö, I., Starck, J., Korhonen, O. 1982. Hand-grip force and muscle fatigue in the etiology of vibration syndrome. In *Vibration Effects on the Hand and Arm in Industry*. A.J. Brammer and W. Taylor (eds.). John Wiley and Sons, Inc., New York. p. 45-50.
521. Pyykkö, I., Korhonen, O., Färkkilä, M., Starck, J. 1982. A longitudinal study of the vibration syndrome among forest workers in Finland. In *Vibration Effects on the Hand and Arm in Industry*. Ed by A.J. Brammer and W. Taylor. John Wiley and Sons, Inc., New York. p. 157-167.
522. Starck, J., Färkkilä, M., Aatola, S., Pyykkö, I., Korhonen, O. 1982. Vibration syndrome in pedestal grinding. In *Proceeding for Congress of Nordiskt Akustiskt Sällskap, Stockholm 16-18 August, 1982*, 229-232.
523. Aatola, S., Starck, J., Pyykkö, I., Färkkilä, M., Korhonen, O. 1982. Vibration detection thresholds of lumberjacks. In *Proceeding for Congress of Nordiskt Akustiskt Sällskap, Stockholm 16-18 August, 1982*, 237-239.

524. Pyykkö, I., Aatola, S., Färkkilä, M., Starck, J., Korhonen, O. 1982. The relationship between muscle tension, vibration syndrome and transmission of vibration in the hand-arm system. In Proceeding for Congress of Nordiskt Akustiskt Sällskap, Stockholm 16-18 August, 1982, 233-236.
525. Pyykkö, I., Futatsuka, M., Färkkilä, M., Korhonen, O., Starck, J., Aatola, S. 1982. Studies on the pathophysiology of the vascular component in the vibration syndrome. In Proceeding for International Symposium on the Protection of Workers against Vibration. Nis, Yugoslavia, September 21-24, 1982. 102-110.
526. Pyykkö, I., Korhonen, O., Starck, J., Färkkilä, M. 1982. Cold provocation test and TVD index determining severity of vibration-induced white finger. In Proceeding for International Symposium of the Protection of Workers against Vibration. Nis, Yugoslavia, September 21-24, 1982. 147-159.
527. Pyykkö, I., Färkkilä, M. 1982. Clonidine in the treatment of vibration-induced white finger. In Proceeding for International Symposium on the Protection of Workers against Vibration. Nis, Yugoslavia, September 21-24, 1982. 138-145.
528. Färkkilä, M., Starck, J., Aatola, S., Pyykkö, I., Korhonen, O. 1982. Vibration-induced neuropathy. In Proceeding for International Symposium on the Protection of Workers against Vibration. Nis, Yugoslavia, September 21-24, 1982. 119-123
529. Starck, J., Färkkilä, M., Aatola, S., Pyykkö, I., Korhonen, O. 1982. Vibration and vibration syndrome in pedestal grinding. In Proceeding for International Symposium on the Protection of Workers against Vibration. Nis, Yugoslavia, September 21-24, 1982. 313-321.
530. Aatola, S., Starck, J., Pyykkö, I., Färkkilä, M., Korhonen, O. 1982. Vibration detection threshold of lumberjacks. In Proceeding for International Symposium on the Protection of Workers against Vibration. Nis, Yugoslavia, September 21-24, 1982. 347-351.
531. Pyykkö, I. 1983. Digitalt blodtryck, blodflöde och perifert motstånd hos personer med vibrationinducerade vita fingrar. I: Handöverförda vibrationer. Arbetskyddsfonden, Göteborg December 1982. p. 111-124.
532. Starck, J., Färkkilä, M., Aatola, S., Pyykkö, I. and Korhonen, O. 1983. Vibration and vibration syndrome in pedestal grinding. In Proceeding of 11th International Conference of Acoustics, Paris.
533. Pyykkö, I. 1983. Future research on vibration in Finland. *J. low frequency sound and vibration*, 1, 192.
534. Pyykkö, I. 1983. Långitudinell studie om vibrationssjukdomen bland skogsarbetare i Finland. I: Handöverförda vibrationer. Göteborg December 1982. p. 151-179. Pyykkö, I., Jäntti, V., Schalen, L., Hansson, G.-Å., Magnusson, M. and Henriksson, N.G. 1983. Mekanismerna bakom rörelsesjuka samt effekt av transdermalt applicerat skopolamin. *Svensk otolaryngologisk förening* 1., 64-67.
535. Magnusson, M., Hansson, G.-Å., Pyykkö, I., Schalen, L. and Henriksson, N.G. 1983. Datoranalys av optokinetisk nystagmus. *Svensk otolaryngologisk förening* 1., 73-75.
536. Pyykkö, I., Schalen, L., Magnusson, M. 1984. Convergence of different sensory modalities in a single cell of flocculus in alert cat. In *Theoretical and Applied Aspects of Eye Movements*. A.G. Gale and C.W. Johnson (eds.). North-Holland Publishing Company, Amsterdam. 409-419.
537. Pyykkö, I., Schalen, L., Magnusson, M., Matsuoka, I. 1984. An oculomotor model for the interpretation of nystagmus. In *Theoretical and Applied Aspects of the Eye Movements*. A.G. Gale and C.W. Johnson (eds.). North-Holland Publishing Company, Amsterdam. 385-395.
538. Pyykkö, I., Schalen, L., Magnusson, M., Matsuoka, I. 1984. Reduction of nystagmus as a predictor of efficacy of motion sickness remedies, In *Theoretical and Applied Aspects of Eye movements*. A.G. Gale and C.W. Johnson (eds.). North-Holland Publishing Company, Amsterdam. 421-427.
539. Sholtz, H.J., Pyykkö, I., Henriksson, N.G., Wennmo, C. 1984. Die Prüfung der vertikalen Sakkaden bei der Diagnostik von Hirnstammprozessen. *Neuro-Otology, Research and Praxis*, (H.J. Scholtz and D. Kleinfeldt eds.) Rostoc 46-50.
540. Schalén, L., Sahlen, B., Pyykkö, I., Magnusson, M., Kronvall, P., Nevander, L. 1984. Control of eye movements and speech in children with minimal brain dysfunction. In the *Proceedings of Firsts International Aphasia Rehabilitation Congress*.
541. Pyykkö, I., Starck, J., Aatola, S. 1984. Effect of low-frequency vibration on the posture and locomotor mechanism. In *whole body vibration. Influence the human organism and hygienic assessment*. N.F. Izmerov and G.A. Suvorov (eds.). Institute of Industrial Hygiene and Occupational Diseases of the USSR AMS, Moscow 1985, 42-51.
542. Pyykkö, I., Starck, J. Combined effects of noise, vibration and visual field stimulation on electrical brain activity and optomotor responses. A link between hippocampal theta activity and visual orientation reflex. In *Combined effects of environmental factors*. O. Manninen (ed.). Keskuspaino Central Printing House Tampere, 1984. 199-216.
543. Starck, J., Pyykkö, I. 1984. Combined effects of noise and vibration on the hearing threshold. In *Combined effects of environmental factors*. O. Manninen (ed.). Keskuspaino Central Printing House Tampere. 373-384.

544. Schalén, L., Pyykkö, I., Magnusson, M., Hansson, G.-Å. 1985. How is the end point of nystagmus determined. In vestibular and visual control on Posture and Equilibrium. M. Igarashi & F.O. Black (eds.) Karger, Basel. 262-265. In print.
545. Pyykkö, I., Schalen, L., Magnusson, M., Hansson, G.-Å. 1985. Changes in the strategy to determine end point of nystagmus in lesions affecting various sites of the vestibular system. In Visual Control on Posture and Equilibrium. M. Igarashi & F.O. Black (eds.) Karger, Basel. 257-261.
546. Pyykkö, I., Padoan, S., Schalen, L., Lyttkens, L. 1985. The effects of TTS-scopolamine and dimenhydrinate differ from lidocaine and tocainide in motion sickness and nystagmus. In Aktuelle Beiträge zur Oto-Rhino-Laryngologie. H.-J. Scholtz and D. Kleinfeldt (eds.) Abt. Wissenschat publizistik der Wilhelm-Pieck-Universität Rostock. 72-75.
547. Pyykkö, I., Henriksson, N.G., Jäntti, V. 1985. Nystagmus, silmän tahdonalaiset liikkeet ja niiden tulkinta nystagmografiassa. I. Nystagmuksen hidas ja nopea komponentti. Audiologi-ginen diagnostiikka ja kuntoutus. T. Jauhiainen, H. Linkola, T. Marttila ja H. Seitsonen (eds.). Picaset Oy, Espoo, 11-26.
548. Pyykkö, I., Henriksson, N.G., Jäntti, V. 1985. Nystagmus, silmän tahdonalaiset liikkeet ja niiden tulkinta nystagmografiassa II. Sakadit ja silmien seurantalikkeet. Audiologinen diagnostiikka ja kuntoutus. T. Jauhiainen, H. Linkola, T. Marttila ja H. Seitsonen (eds.). Picaset Oy, Espoo, 27-38.
549. Pyykkö, I., Magnusson, M. 1985. Vestibular lesion causes a sensory deprivation syndrome? In The vegetative nervous system and the vestibular, visual and cochlear functions. G., Bodo, J. Lang, and S., Spellenberg (eds.) Hungarian ORL-Society, pp.
550. Juhola, M., Pyykkö, I. 1985. Sampling frequencies and analog digital converters in computation of the saccades. In The vegetative nervous system and the vestibular, visual and cochlear functions. G., Bodo, J. Lang, and S., Spellenberg (eds.) Hungarian ORL-Society, pp.
551. Pyykkö, I., Juhola, M., Henriksson, N.G. 1985. Frontal lobe, a generator of nystagmic rhythm. In The vegetative nervous system and the vestibular, visual and cochlear functions. G., Bodo, J. Lang, and S., Spellenberg (eds.) Hungarian ORL-Society, pp.
552. Pyykkö, I., Jäntti, V., Matsuoka, I., Magnusson, M., Schalén, L., Hansson, G.-Å. 1983. On the optokinetic mechanisms in man and in rabbit; a comparison between the cortical and subcortical optokinetic nystagmus. In Computers in Neuro-Otology. C.F. Claussen, M.Kirtane (eds.). Werner Rudat & Co, Hamburg, 289-302.
553. Pyykkö, I., Hansson, G.-Å., Schalén, L., Henriksson, N.G., Magnusson, M. 1982. Vibration-induced body sway. In Computers in Neuro-Otology. C.F. Claussen (ed.). Werner Rudat & Co, Hamburg, 139-155.
554. Hansson, G.-Å., Henriksson, N.G., Pyykkö, I., Wennmo, C., Schalén, L., Magnusson, M. 1983. Computer analysis of nystagmus. An algorithm for basic analysis. In Computers in Neuro-Otology. C.F. Claussen, M. Kirtane (eds.). Werner Rudat & Co, Hamburg, 249-255.
555. Schalén, L., Pyykkö, I., Korttila, K., Hansson, G.-Å., Henriksson, N.G., Magnusson, M. 1986. Velocity of eye movements with special reference to biological rhythm. In Computers in Neuro-Otology. C.f. Claussen, M. Kirtane (eds.). Werner Rudat & Co, Hamburg, 350-361.
556. Henriksson, N.G., Hansson, G.-Å., Pyykkö, I., Wennmo, C., Schalén, L., Dahlen, A.I., Magnusson, M. 1983. Computer display of intrabeat nystagmus relations. In Computers in Neuro-Otology. C.F. Claussen, M. Kirtane (eds.). Werner Rudat & Co, Hamburg, 86-90.
557. Wennmo, C., Hansson, G.-Å., Henriksson, N.G., Magnusson, M., Pyykkö, I. and Schalen, L. 1983. Visually evoked slow eye movements in Wallenberg syndrome and in cerebellar diseases. In Computers in Neuro-Otology. C.F. Claussen, M. Kirtane (eds.) Werner Rudat & Co. Hamburg, 362-366.
558. Pyykkö, I., Magnusson, M., Schalen, L., Jäntti, V., Matsuoka, I. 1984. Effects of noise and vibration on neural activity and visual orientation in intact and labyrinth - defective rabbit. In Proceedings of the Ergophthalmological symposium. H.-J. Merthe (ed.) S. Karger Basel. In print.
559. Jäntti, V., Juhola, M., Pyykkö, I., Magnusson, M., Schalen, L. 1984. Quantitative automatic analysis system for horizontal saccadic eye movements. In Proceedings of the Ergophthalmological Society. H.-H. Merte (ed.). S. Karger, Basel. In print.
560. Pyykkö, I., Toppila, E., Starck, J., Aalto, H., Enebon, H., Seidel, H. 1986. Computerized posturography: Development of stimulation and analysis methods. In Vertigo, Tinnitus and Hearing Loss in Cardiovascular Diseases. C.F. Claussen, M. Kirtane (eds.) Elsevier Science Publishers B.V. North Holland, 353-362.
561. Pyykkö, I., Starck, J., Sholtz, H.-J., Meyer, E., Aalto, H., Enebon, H. 1986. Evaluation of vestibular deficiency using posturography. In Vertigo, Tinnitus and Hearing loss in Cardiovascular Diseases. C.-F. Claussen, M. Kirtane (eds.) Elsevier Science Publishers B.V., North Holland, 363-370.
562. Borenius, J., Jauhiainen, T., Lampio, E., Nuotio, J., Pesonen, K., Pyykkö, I. 1981. Akustiikan perusteet. Insinööritieto Oy, Helsinki. 176 s.
563. Henriksson, N.G., Pyykkö, I. 1984. Om yrsel. Forskning och praktik. Sandoz. 64 p.
564. Pyykkö, I., Schalén, L. 1982. Evaluation of tests for the detection of central vestibular lesions. In Otoneurology. W.J. Osterwald (ed.). John Wiley and Sons, Inc., New York, 157-194.
565. Starck, J., Aatola, S., Pyykkö, I. 1985. Procedure for whole-body vibration measurements in forest tractors. In Whole body vibration. Influence on the human organism and hygienic assessment. N.F. Izmerov



- and G.A. Suvorov (eds.). Institute of Industrial Hygiene and Occupational Diseases of the USSR AMS, Moscow 1985, 78-82.
566. Pyykkö, I. Clinical aspects of vibration syndrome. Twelfth International Congress on Acoustics, Toronto 1986, section F 2-3, p.
567. Pyykkö, I., Pekkarinen, J., Starck, J. 1986. Sensory neural hearing loss during combined noise and vibration exposure: An analysis of risk factors. In: Recent advantages in research of the combined effects of environmental factors. A. Okada & O.Manninen (eds) Kyoei CO., Ltd., Kanazawa, Japan 131-156.
568. Pyykkö, I., Korpi, E.R., Kaheinen, P., Mäntysalo, S., Ignatius, J., Magnusson, M. 1987. Hippocampal activity during single and combined action of noise, vibration and ethanol in the rat. Development of a model for studying responses in alcohol-insensitive and alcohol sensitive lines. In: Recent advantages in research of the combined effects of environmental factors. A. Okada & O.Manninen (eds) Kyoei CO., Ltd., Kanazawa, Japan 157-176
569. Pyykkö, I., Magnusson, M. 1987. Effect of sound and local vibration on visual attention. In: Recent advantages in research of the combined effects of environmental factors. A. Okada & O.Manninen (eds) Kyoei CO., Ltd., Kanazawa, Japan 177-192.
570. Pyykkö I., Jäntti V., Juhola M., Aalto H. 1987. Eri-laisten artefactojen tunnistaminen ja esiintyminen silmänliikeanalyysissä. T.Rahko & M.Leino (eds). Suomen Audiologian Yhdistys. 100-110.
571. Pyykkö, I., Juhola, M., Schalen, L., Magnusson, M., Henriksson, N.G. 1987. Sequential variability of nystagmus during post-rotation nystagmus response. In: The vestibular system. Neurophysiological and clinical research. M.Graham & J.L.Kemnick (eds), Raven Press, New York. pp. 341-
572. Pyykkö, I., Magnusson, M., Jäntti, V., Schalen, L. 1987. Reduction of electrical brain activity in the central nervous system after unilateral vestibular lesion. In: The vestibular system. Neurophysiological and clinical research. M.Graham & J.L.Kemnick (eds), Raven Press, New York. pp. 87-93.
573. Pyykkö, I., Padoan, S. 1987. Effect of lidocaine and tocainide on vertigo, nausea, nystagmus and voluntary eye movements. In: The vestibular system. Neurophysiological and clinical research. M.Graham & J.L.Kemnick (eds), Raven Press, New York. pp. 235-
574. Magnusson, M., Pyykkö, I., Jäntti, V., Schalen, L. 1987. Effect of alerting stimulaiton on visual attention and OKN in man. In: The vestibular system. Neurophysiological and clinical research. M.Graham & J.L.Kemnick (eds), Raven Press, New York. 450-453.
575. Magnusson, M., Pyykkö, I., Norrving, B., Schalen, L. 1987. The relationship between optokinetic nystagmus and pursuit, vestibular nystagmus and saccades in peripheral vestibular and infratentorial lesions. In: The vestibular system. Neurophysiological and clinical research. M.Graham & J.L.Kemnick (eds), Raven Press, New York.
576. Wennmo, C., Bergenius, J., Henriksson, N.G., Hyden, D., Enbom, H. Magnusson, M., Ödkvist, L.M., Pyykkö, I., Rosenhall, U., Schalen, L., Siegborn, J. Transdermal scopolamine and vertigo of peripheral vestibular origin. 1987. In: The vestibular system. Neurophysiological and clinical research. M.Graham & J.L.Kemnick (eds), Raven Press, New York. 607-611.
577. Pyykkö, I., Padoan, S. 1988. Effects of tocainide and lidocaine on postural responses. In: Basics of Neurootology and Applied Neurootological diagnostics of Presbyvertigo, Presbyataxia and Presbytinnitus. CF Claussen, MV Kirtane (eds), Werner Rudat, Hamburg, 455-462.
578. Starck, J., Pyykkö, I., Aalto, H., Scholtz, H.-J., Siewert, U. 1988. Postural control of deaf children with vestibular function loss. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 477-480.
579. Pyykkö, I., Aalto, H., Starck, J., Meyer, E., Magnusson, M. 1988. Postural control in bilateral vestibular disease. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 473-476.
580. Pyykkö, I., Starck, J., Pekkarinen, J., Färkkilä, M. 1988. Serum cholesterol and triglyceride in the etiology on sensorineural hearing loss. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 335-338.
581. Starck, J., Pyykkö, I., Pekkarinen, J. 1988. Effect of smoking on sensory neural hearing loss. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen (ed), MV Kirtane, K Schlitter. Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 347-350.
582. Hytönen, M., Pyykkö, I., Aalto, H., Juhola, M., Ramsay, H. 1988. Evaluation of vestibulo-ocular and vestibulo-spinal reflexes in detection of vestibular lesions. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 407-410.
583. Aalto, H., Pyykkö, I., Ilmarinen, R., Kähkönen, E., Starck, J. 1988. Postural control in medal winning shooters. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 469-472.

584. Schalén, L., Magnusson, M., Pyykkö, I., Padoan, S., Brantberg, K. 1988. The effect of intravenously given barbiturates and diazepam on the vestibulo-ocular reflex in man. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 167-170.
585. Brantberg, K., Magnusson, M., Pyykkö, I., Schalén, L. 1988. Reduction of alertness as a protective mechanism in acute vertigo. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 31-34.
586. Ramsay H., Pyykkö I. 1988. Endolymphatic sac surgery in Meniere's disease. A clinical study with long term follow-up. In: Vertigo, nausea, tinnitus and hypoacusia in metabolic disorders. C.F. Claussen, MV Kirtane, K Schlitter (ed). Elsevier Publishing Co., Biomedical Division. Amsterdam 1988. 623-626.
587. Aalto H., Pyykkö I. 1988. Median filtering of stabilometric data. *Adv. oto-rhino-laryngol.*, 42, 50-54.
588. Juhola M., Pyykkö I. 1988. Computer analysis of nystagmus using a syntactic pattern recognition. *Adv. oto-rhino-laryngol.*, 42, 55-58.
589. Magnusson M. Pyykkö I., Schalen L. Enbom H. 1988. The effect of alertness on the velocity storage mechanism. *Adv. oto-rhino-laryngol.*, 41, 53-57.
590. Pyykkö I., Juhola M. 1988. Beat-to-beat variability of nystagmus. *Adv. oto-rhino-laryngol.*, 41, 196-200.
591. Pyykkö I., Jäntti P., Aalto H. 1988. Postural control in the oldest olds. *Adv. oto-rhino-laryngol.*, 41, 146-151.
592. Schalen L., Pyykkö I., Korttila K., Magnusson M., Enbom H. 1988. Effects of intravenously given barbiturate and diazepam on eye motor performance in man. *Adv. oto-rhino-laryngol.*, 42, 260-264.
593. Pekkarinen J., Starck J., Pyykkö I. 1988. Effect of risk factors on hearing loss. *Proceeding of Nordic Acoustical Meeting, Tampere.* 305-308.
594. Brantberg K., Magnusson M., Schalen L., Pyykkö I. 1988. Skyddsmekanismer vid akut yrsel. *Svensk otol. förenig meddelande.*
595. Pekkarinen J., Starck J., Pyykkö I. Additional effect of high level shooting impulses to the genesis of sensory neural hearing loss. 1988. In: *Recent Advantages in the Researches on the Combined Effects of Environmental Factors.* O. Manninen (ed.), 183-198.
596. Starck J., Pekkarinen J., Pyykkö I. 1988. Smoking as a risk factor in sensory neural hearing loss. 1988. In: *Recent Advantages in the Researches on the Combined Effects of Environmental Factors.* O. Manninen (ed.), 199-208.
597. Pyykkö I., Aalto H., Hytönen M., Starck J., Jäntti P., Ramsay H. 1988. Effect of age on postural control. In *Posture and Gait.* B. Amblard A. Berthoz, F. Clarac (eds). *Exerpta Medica. International congress Series* 812. Amsterdam, 95-104.
598. Pyykkö I., Juhola M. 1988. Dysrhythmia of nystagmus. *Adv. audiol.* 5, 149-163.
599. Gemne G., Pyykkö I. 1988. Finger blood flow and pressure in chain-sawyers with a past history of vibration-induced Raynaud's phenomenon. In *Proceedings of joint meeting of U.K. and France hand-arm vibration committees.* Marseilles, August 1988. In print.
600. Starck J., Pekkarinen J., Pyykkö I. 1988. Physical characteristics of vibration and vibration-induced white finger. *Proceedings of Nordic Acoustical Meeting. Tampere June 1988,* 269-272.
601. Pekkarinen J, Starck J, Pyykkö I. 1989. High speed digital method to measure impulsive hand-arm vibration. In *Vibration at Work. Proceedings fo 3rd International Symposium of the ISSA.* Wien, 47-50. Pyykkö I. 1989. Huimaus kliinisenä ongelmana. *Lääkeuutiset* 3, 130-135
602. Pyykkö I, Toppila E, Aalto H., Starck J., Jäntti P., Ishizaki H. 1989. Position, velocity and acceleration in determining the postural strategy. In *Diagnostic procedures and imaging techniques in neurootology.* CF Claussen, MV Kirtane & D Schneider (eds). *Werner Rudat & Co, Hamburg.* 147-152.
603. Pekkarinen J, Starck J, Pyykkö I. Exposure to industrial impulse noise and sensory neural hearing loss. In *Procieedings of GERA, Germany 1990.*
604. Pyykkö, I., Enebom, H. 1988. Proprioceptive reflexes in the control of postural stability among vertiginous patients. In: *Basics of Neurootology and Applied Neurootological diagnostics of Presbyvertigo, Presbyataxia and Presbytinnitus.* CF Claussen, MV Kirtane (eds), *Werner Rudat, Hamburg.* 463-480.
605. Pyykkö I. 1990. Melun ja muiden altisteiden yhteisvaikutus. *Lääkäripäivät 7-12.1.1990.*
606. Pyykkö I, Toppila E, Meyer E, Aalto H, Starck J, Ishizaki H. 1990. Postural instability after bilateral vestibular lesion -an error in sway velocity estimation. *Disorders of Posture and Gait.* Ed. by Th. Brandt et al. *Thieme Press., Stuttgart.* 136-139.
607. Pyykkö I, Aalto H, Ilmarinen R, Kähkönen E, Starck J. 1990. Postural stability during race in medal winning shooters. *Disorders of Posture and Gait.* Ed. by Th. Brandt et al. *Thieme Press., Stuttgart.* 321-324.
608. Magnusson M, Enbom H, Johansson R, Pyykkö I. 1990. The importance of somatosensory information from the feet in postural control of man. *Disorders of Posture and Gait.* Ed. by Th. Brandt et al. *Thieme Press., Stuttgart.* 190-244.

609. Pyykkö I. 1991. Huimauspotilaan kuntoutuksen patofysiologiset perusteet. Kuulon ja tasapainon kuntoutus. Suomen Audiologian yhdistys. Ed. Laitakari K, Sorri M ja Väyrynen M. 5-15.
610. Starck J, Pekkarinen J, Pyykkö I. 1990. Vibration as a contributing factor for the sensory-neural hearing loss. In Proceedings of the 5th International Congress for Hand-Arm Vibration. 23-27.
611. Starck J, Pekkarinen J, Pyykkö I. 1990. Characteristics of vibration exposure important in prevention of vibration syndrome. In Proceedings of the 5th International Congress for Hand-Arm Vibration. 325-329.
612. Färkkilä M, Koskimies K, Pyykkö I, Jäntti V, Starck J, Aatola S, Korhonen O. 1990. Carpal tunnel syndrome among forest workers. In Proceedings of the 5th International Congress for Hand-Arm Vibration. 263-265.
613. Pyykkö I, Brammer AJ, Starck J, Färkkilä M. Vibration-induced neuropathy. In Proceedings of the 5th International Congress for Hand-Arm Vibration. Kyoei Press Co, pp. 93-96. Pyykkö I. 1991. Korvatautien oppikirja. Kappaleet jotka käsittelevät huimausta.
614. Aalto H, Pyykkö I, Starck. 1991. Alustan värähtelyn vaikutus tasapainoon. Akustiikkapäivät 10.10.91, Akustinen Seura. 5p.
615. Starck J., Pyykkö I., Aalto H., Pekkarinen J. Postural synergies during high frequency force platform perturbations. In Diagnostic procedures and imaging techniques in neurootology. CF Claussen, MV Kirtane & D Schneider (eds). Werner Rudat & Co, Hamburg. 1992, 137-142.
616. Pyykkö I, Starck J, Aalto H, Seidel H, Pekkarinen J, Ishizaki H. Postural stability and muscle activity during high frequency body perturbation. Disorders of Posture and Gait. Ed. by Th. Brandt et al. Thieme Press., Stuttgart. 1992, 181-184.
617. Pyykkö I., Starck J., Seidel H., Pekkarinen J., Aalto H., Ishizaki H. Muscle activity during high frequency force platform oscillation. In Diagnostic procedures and imaging techniques in neurootology. CF Claussen, MV Kirtane & D Schneider (eds). Werner Rudat & Co, Hamburg. 1992, 131-136.
618. Ishizaki H., Pyykkö I., Aalto H., Starck J. Tullio phenomenon in Meniere's disease. In Diagnostic procedures and imaging techniques in neurootology. CF Claussen, MV Kirtane & D Schneider (eds). Werner Rudat & Co, Hamburg. 1992, 285-288.
619. Pyykkö I., Juhola M., Ishizaki H., Magnusson M. Dysrhythmia of caloric nystagmus, fact or fiction? In Diagnostic procedures and imaging techniques in neurootology. CF Claussen, MV Kirtane & D Schneider (eds). Werner Rudat & Co, Hamburg. 1992, 51-56.
620. Starck J., Pyykkö I., Aalto H., Pekkarinen J., Ishizaki H. Postural instability during support surface vibration is frequency dependent? In Diagnostic procedures and imaging techniques in neurootology. CF Claussen, MV Kirtane & D Schneider (eds). Werner Rudat & Co, Hamburg. 1992, 137-142.
621. Blomstedt G, Jääskeläinen J, Pyykkö I, Sankila RJ. Recurrence of acoustic neurinomas after subtotal removal. A comparison of the observed and the expected survival rates of 139 patients operated on from 1962 to 1973. In Acoustic neurinoma. Ed by M.Tos & J.Thomsen. Kugler Publications Amsterdam/New York, 1992, 709-712
622. Pyykkö I, Jääskeläinen J, Blomstedt G, Palva T, Troupp H. Results of facial nerve suture in acoustic neurinoma surgery with special reference to neurofibromatosis 2 (NF 2). Acoustic neurinoma. Ed by M.Tos & J.Thomsen. Kugler Publications Amsterdam/New York, 1992, 777-780.
623. Jääskeläinen J, Hovi M, Pyykkö I, Blomstedt G, Kallio M, Palva T, Troupp H. A video analysis of the recovery of 134 anatomically intact facial nerves after removal of an acoustic neurinoma: a proposal for extended grading system of the facial nerve function. In Acoustic neurinoma. Ed by M.Tos & J.Thomsen. Kugler Publications Amsterdam/New York, 1992, 785-788.
624. Pyykkö I, Hovi M, Blomstedt G, Jääskeläinen J, Aalto H. Postural stability after acoustic neurinoma removal through the retrosigmoid approach. In Acoustic neurinoma. Ed by M.Tos & J.Thomsen. Kugler Publications Amsterdam/New York, 1992, 925-929.
625. Pyykkö I. Huimaus ja korvan soiminen kliinisenä ongelmana. Kunnallislääkärilehti. 1992, 8 (1), 17-24.
626. Ishizaki H, Pyykkö I, Hiller A, Saarnivaara L. Effect of general anesthesia on stability in children. In Posture and Gait: Control mechanisms. Vol. II, Portland, (ed. M.Woollacott & F.Horak), University of Oregon Books, 1992, 267-270.
627. Iki M, Ishizaki H, Pyykkö I, Aalto H, Starck J. Smoking habit and postural instability. In Posture and Gait: Control mechanisms. Vol. II, Portland, (ed. M.Woollacott & F.Horak), University of Oregon Books, 1992, 75-78.
628. Ishizaki H, Pyykkö I, Hovi M, Jääskeläinen J, Blomstedt G, Aalto H. Postural stability after acoustic neurinoma removal. In Posture and Gait: Control mechanisms. Vol. I, Portland, (ed. M.Woollacott & F.Horak), University of Oregon Books, 1992, 256-259.
629. Auramo Y, Juhola M, Pyykkö I. An otoneurological expert system for diagnosis of dizziness and vertigo. In Hyvönen E, Seppänen J, Syrjänen M. (eds), New Directions of Artificial Intelligence. Finnish Artificial Intelligence Conference. Otaniemi 9-11, 6, 1992, Helsinki 1992, 80-89.

630. Jäntti P, Pyykkö I, Aalto H. Postural control of 'habitual fallers'-the role of vision on postural stabilization. In *Posture and Gait: Control mechanisms*. Vol. II, Portland, (ed. M.Woollacott & F.Horak), University of Oregon Books, 1992, 271-274.
631. Pyykkö I. 1992. Huimaus ja sen habitaatio. Fysikaalisen hoidon päivät, 1992, 59-68.
632. Pyykkö I, Rimpiläinen I, Blomstedt G. 1992. Magnetic and electrical stimulation of facial nerve in neurosurgery. In *Electrical and magnetic stimulation of motor nervous system*. (V.Suihko & H.Eskola eds.), Tampere University of Technology, Report No. 3 vol 6. 85-88.
633. Virokannas H, Pyykkö I. 1993. Association of vascular and nerve disorders in vibration exposed workers. In *proceedings of VIth International Congress of Hand-Arm Vibration. Proceedings 6th International Conference on Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 143-150.
634. Starck J, Koskimies K, Pyykkö I, Pekkarinen J, Toppila E, Inaba R. 1993. Chain saw vibration and changes in the prevalence of vibration syndrome during a follow-up 1972-1990. *Proceedings of VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 339-345.
635. Pyykkö I, Inaba R, Koskimies K, Starck J, Färkkilä M, Aatola S. 1993. Vibration-induced muscle fatigue among forest workers. *Proceedings of VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 261-266.
636. Koskimies K, Pyykkö I, Starck J, Pekkarinen J, Inaba R. 1993. Maximal voluntary compression of hand grip in vibration exposed workers. *Proceedings of VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 151-156.
637. Sakakibara H, Brammer AJ, Pyykkö I, Starck J. 1993. Vibrotactile evoked responses - a new method for evaluating vibration induced nerve damage. *VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 499-506. 237-244.
638. Brammer AJ, Koskimies K, Rajamäki M, Sakakibara H, Pyykkö I, Starck J. 1993. Peripheral sensory potentials in the hands of forest workers. *VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 499-506. 285-290.
639. Gemne G, Pyykkö I, Inaba R. 1993. Finger blood flow reaction to iontophoresis of metacholine and nitroprusside in chain-sawyers with and without white fingers. *VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 499-506. 115-123.
640. Smolander J, Korhonen O, Pyykkö I. 1992. Finger circulation in younger and older men during prolonged exercise in different thermal condition. In *Proceedings of Environmental Ergonomics*. (ed. WA.Lotens & G.Havenith), ISBN 90-6743-227, Maastricht, The Netherlands, November 2-6, 1992, 122-123.
641. Smolander J, Korhonen O, Pyykkö I. 1993. Finger Circulation in younger and older men during prolonged exercise in different thermal conditions. In *Physical Activity, Ageing and Sports - Volume III. Physical Activity and Sports for Healthy Ageing*. 1993.
642. Starck, J., Pyykkö, I., Toppila, E., Pekkarinen, J., Koskimies, K. Forest worker's exposure to hand-arm vibration and noise and prevention of health hazards during 1972-1990. In *proceedings of Hearing Conservation Conference III/20*. National Hearing Conservation Association..Pyykkö I. *Neuromonitoring in otologic surgery*. IV Kliinisen Neurofysiologian päivät, Tampere 1992. p.27-28.
643. Pyykkö I, Ishizaki H, Aalto H. 1993. Pitfalls in treatment of Meniere's disease with gentamicin. In *Proceedings of XVIIth Barany society Meeting*, H. Krejcova & J.Jerabek (eds). Prag. 420-422.
644. Isotalo E, Pyykkö I, Juhola M. 1993. Eye tracking during random pursuit test. In *Proceedings of XVIIth Barany society Meeting*, H. Krejcova & J.Jerabek (eds). Prag. 114-116.
645. Pyykkö I, Juhola M, Isotalo E, Aalto H. 1993. Predictive and random saccades in the evaluation of the saccadic eye movement system in man. In *Proceedings of XVIIth Barany society Meeting*, H. Krejcova & J.Jerabek (eds). Prag. 117-119.
646. Juhola M, Pyykkö I, Aalto H. 1993. Computer analysis of vestibulo-ocular reflex. In *Proceedings of XVIIth Barany society Meeting*, H. Krejcova & J.Jerabek (eds). Prag. 79-81.
647. Pyykkö I, Vesänen M, Asikainen K, Koskiniemi ML, Vaheri A. 1993. Human spumaretrovirus is often causing sudden hearing loss with or without vertigo. In *Proceedings of XVIIth Barany society Meeting*, H. Krejcova & J.Jerabek (eds). Prag. 271-273.
648. Sainio M, Pyykkö I, Jääskeläinen J, Blomstedt G. 1993. Screening on markers signifying neurofibromatosis 2. *Otolaryngol. head neck surg.* 109, 229.
649. Pyykkö I, Koskiniemi ML, Vaheri A, Vesänen M. Human spumaretrovirus- a new pathogen causing sudden deafness and vertigo. *Otolaryngol. head neck surg.* 109, 229.
650. Ylikoski J, Pirvola U, Mäkitie A, Riihimäki V, Pyykkö I, Starck J. 1993. Synergistic effect of noise and styrene on hearing. *Joint Russian-Finland Symposium, Moscau 1993*, p.
651. Starck J, Toppila E, Pyykkö I, Nieminen O, Iki M. Action program on the prevention of noise induced health hazards in Finland. *Joint Russian-Finland Symposium, Moscau 1993*, p.
652. Iki M, Ishizaki H, Pyykkö I, Aalto H, Stack J. Effect of chain saw noise and vibration on postural stability. *VIth International Congress of Hand-Arm Vibration*. Druckzentrum Sutter & Partner GmbH, Essen 499-506.

653. Auramo Y, Juhola M, Pyykkö I. 1993. Otoneurological expert system ONE for vertigo and dizziness. Proceedings of International Seminar on Diagnostics and Control through Neural Interpretations of Fuzzy Sets. Mariehamn, June 1993. 1-9.
654. Pyykkö I. Le controle postural des sujets ages strategie des recepteurs, chutes accidentelles. Critique de la posturologie, no 53, 1-10.
655. Pyykkö I. 1993. Lihas, näkö ja vestibulaariaistin osuus tasapainon säätelyssä. Tasapaino-, koordinaatio- ja motorinen taitoseminaari 15-16.11.1993, Orton, Helsinki, 4 pp.
656. Jäntti V, Yli-Hankala A, Hartikainen K, Pyykkö I. 1993. EEG-suppression - the importance of the brain mechanism? XXXII Congress of the International Union of Physiological Sciences. Glasgow, p. 179.
657. Pyykkö I. Vincent ja soiva korva. 1993. Yliopisto. 24, 44-45.
658. Pyykkö I. 1993. Apua korvatulehduskierteeseen. Terveysviesti. 3, 21-22.
659. Pyykkö I. 1993. Menieren taudin tutkimus ja hoito Suomessa. Menieren tauti. Meniereyhdistys ry. Helsinki. 13-29.
660. Auramo Y, Juhola M, Pyykkö I. 1994. Classification experiments for vertigo diagnoses with a neural network. Proceedings of International Seminar on Diagnostics and Control through Neural Interpretations of Fuzzy Sets. Mariehamn, June 18-21, 1994.
661. Starck J, Pekkarinen J, Pyykkö I, Suvarov G, Zuravlew A. 1991. Pilot study on the modelling of hearing loss at noisy occupations. Occupational Health 91.
662. Pyykkö I, Ishizaki H, Aalto H, Kaasinen S. 1994. Postural compensation after gentamicin treatment of Meniere's disease. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 2878-290.
663. Jäntti P, Jäntti V, Pyykkö I. 1994. Orthostatic reactions in the oldest olds. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 417-420.
664. Pyykkö I, Aalto H, Starck J. 1994. Visual control of posture in Meniere's disease when studied on moving platform. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 505-508.
665. Pyykkö I, Selmani Z, Ramsay H. 1994. Further studies on the Tullio phenomenon when revealed on posturography. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 111-114.
666. Jäntti P, Pyykkö I. 1994. Autonomic nervous system and other effects on posture and locomotion. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 391-400.
667. Pyykkö I, Ishizaki H, Blomstedt G, Jääskeläinen J, Levo H. 1994. Further studies on postural stability in patients with removed acoustic neurinoma. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 291-294.
668. Pyykkö I, Aalto H, Starck J. 1994. Postural control on moving platform. Effect of low-frequency perturbation in normal postural control. Vestibular and Neural Fronts. Taguchi K, Igarashi M, Mori S. (eds) Excerpta Medica. International Congress Series 1070. Elsevier, Amsterdam. 115-118.
669. Pyykkö, I. 1994. Oikukas ja arvoituksellinen Menieren tauti. Hyvä terveys 1. 56-58
670. Jäntti V, Lang H, Pyykkö I, Nuotio K. 1994. Silmän liikkeet ja niiden mittaaminen. Kirjassa Sähköiset aivomme. Toim: Lang H, Häkkinen V, Larsen A, Partanen J, Tolonen U. Painokiila, Turku. p. 643-653.
671. Smolander, J., Korhonen, O., Pyykkö, I. 1994. Finger Circulation in younger and older men during prolonged exercise in different thermal condition. Physical activity, aging and sports, Wol III, part 1, 93-100
672. Pyykkö, I., Starck, J., Juhola, M., Auramo, Y., Toppila, E., Nieminen, O. 1995. Data base for risk assessment of noise-induced hearing loss. In Proceedings of VIth International Symposium of Combined Effects of Environmental Factors, Japan. 111-120.
673. Starck, J., Pyykkö, I., Toppila, E., Pekkarinen, J. 1995. Do the models assess noise-induced hearing loss correctly? In Proceedings of VIth International symposium of Combined Effects of Environmental Factors, Japan. pp 1-7.
674. Pyykkö, I. 1995. Kuulo ja tasapaino lapsilla. Lastenneurologia (ed. by Sillanpää, M., Airaksinen, E., Koivikko, M., Saukkonen, A-L.) Kustannus Oy Duodecim. In print.
675. Starck J, Pyykkö I, Toppila E. 1996. Noise and other risk factors in the development of hearing loss. (In Finnish). Työ ja Ihminen. 1, 5-113.
676. Pyykkö I, Starck J, Juhola M, Auramo Y, Toppila E. 1996. Can noise induced hearing loss be prevented with a computer-based program. Työ ja ihminen. 1, 15-29.
677. Toppila E, Starck J, Pyykkö I. Evaluation of life time noise exposure. Työ ja ihminen. 1, 31-42.
678. Karhuketo TS, Puhakka HJ, Pyykkö I, Suonpää JTK, Laitakari KT, Ylikoski JS. Glomus jugulare tumors in Finland. In Acoustic Neurinoma and Skull Base Surgery. JM Sterkers, R Charachon & O Sterkers (eds). Kugler Publications, Amsterdam. 485-488.

679. Starck J, Pyykkö I, Toppila E. Expert program for the prediction of hearing loss 3rd Seminar on the Personal Protective Equipment in Europe. Saariselkä, Finland 24-26 April, 1996. Seminar report, ed. H. Jurvelius. 48-49.1996
680. Pyykkö I, Starck J, Toppila E. Miksi kuulo heikkenee melussa? Työterveiset, Työterveyslaitoksen tiedotuslehti 1996; 1; 7-10.
681. Starck J, Pyykkö I, Toppila E. Kuulovamma on monen tekijän summa. Työterveiset, Työterveyslaitoksen tiedotuslehti 1996; 1; 4-6.
682. Toppila E, Pyykkö I, Starck J. Asiantuntijaohjelma arvioi kuulovammariskin. Työterveiset, Työterveyslaitoksen tiedotuslehti 1996; 1; 15-17.
683. Pyykkö I, Äärimaa T. 1996. Korvan, kuulon ja tasapainon häiriöt. Kirjassa: Lastenneurologia. Toim: Sillanpää M, Airaksinen E, Iivanainen M. Duodecimin julkaisuja. Gummerrus OY, p. 439-445.
684. Smolander J, Korhonen O, Ilmarinen R, Kuoppasalmi K, Härkönen M, Pyykkö I. Effect of dry and humid heat on plasma catecholamines during prolonged light exercise. In: Physiology and pathophysiology of exercise tolerance. JM Steinacker & SA Ward (eds) Plenum press, New York. 1996. 135-138.
685. Pyykkö I, Kaksonen R, Toppila E, Auramo Y, Starck J, Juhola M. Development of a sophisticated hearing conservation programme. Protection Against Noise D. Prashner, L. Luxon I. Pyykkö (eds.) Whurrs Publishers, London 1998, 217-227.
686. Pyykkö I, Toppila E, Starck J, Kaksonen R. Ageing as a major confounding factor in noise-induced hearing loss. Biological effects of noise. D. Prashner and L. Luxon (eds.) Whurrs Publishers, London 1998, 163-169.
687. Pyykkö I, Starck J, Toppila E, Juhola M, Auramo Y, Ishizaki H. 1998. Motivation for the hearing conservation program explaining the variability in hearing loss. Protection Against Noise D. Prashner, L. Luxon I. Pyykkö (eds.) Whurrs Publishers, London 1998,
688. Toppila E, Starck J, Pyykkö I. 1998. Evaluation of the use of hearing protectors for hearing conservation purposes. Protection Against Noise D. Prashner, L. Luxon I. Pyykkö (eds.) Whurrs Publishers, London 1998,
689. Kaksonen R, Pyykkö I, Rosenhall U, Starck J, Toppila E, Kila S, Kere J. Is genetic hearing loss interactive with noise-induced hearing loss? Biological effects of noise. Biological effects of noise. D. Prashner and L. Luxon (eds.) Whurrs Publishers, London 1998, 142-146.
690. Starck J, Pihlström A, Toppila E, Auramo Y, Juhola M, Pyykkö I. Database and model: NoiseScan. Protection Against Noise D. Prashner, L. Luxon I. Pyykkö (eds.) Whurrs Publishers, London 1998, 131-140.
691. Pyykkö I, Jäntti V. 1998. Vestibular tract function and anatomy (in Finnish). In Vaikean kuulovian diagnostiikka ja kuntoutus.. Ed. Johansson R, Karjalainen S, Laurikainen E. Kirjapaino Pika, Turku 1998. 64-66.
692. Kentala E, Pyykkö I, Auramo Y, Laurikkala J, Juhola M. 1998. Diagnosing Vertigo with computer. (in Finnish). In Vaikean kuulovian diagnostiikka ja kuntoutus.. Ed. Johansson R, Karjalainen S, Laurikainen E. Kirjapaino Pika, Turku 1998. 83-87.
693. Pyykkö I, Jäntti P. 1998. Postural stability and falls in elderly persons. (in Finnish). In Vaikean kuulovian diagnostiikka ja kuntoutus.. Ed. Johansson R, Karjalainen S, Laurikainen E. Kirjapaino Pika, Turku 1998. 88-92.
694. Juhola M, Laurikkala J, Viikki K, Auramo Y, Kentala E, Pyykkö I. 1999. Neural network recognition of otoneurological diseases with comparison of some other classification methods. W. Horn et al (eds) AIDM\*99, Springer, Berlin, p 217-226.
695. Pyykkö I. 1999. Vestibulaarijärjestelmä ja huimaus. Kirjassa. Korva-, nenä- ja kurkkutaudit sekä foniatrian perusteet. Ramsay H (ed). Yliopistopaino, Helsinki.
696. Ramsay H, Pyykkö I, Puhakka H, Airaksinen L. 2000. Diagnosis and treatment of sudden deafness in Finland: Consensus statement for further research. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.41-45.
697. Nieminen O, Starck J, Toppila E, Pekkarinen J, Pyykkö I. 2000. Protection efficiency of hearing protectors among workers in a paper mill. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.51-53.
698. Nieminen O, Pyykkö I, Starck J, Toppila E, Iki M. 2000. Serum cholesterol and blood pressure in the genesis of noise induced hearing loss. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.48-50.
699. Peltomaa M, Pyykkö I. 2000. Lyme disease in patients with facial palsy, vertigo and sudden deafness. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.100-104.
700. Pyykkö I, Aalto H, Airaksinen L, Starck J, Ishizaki H. 2000. Visual control is not enhanced in Meniere's disease when studied on moving platform. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.93-95.

701. Sainio M, Pyykkö I, Blomstedt G, Jääskeläinen J, Salonen O, Setälä K. 2000. Neurofibromatosis type 2. Clinical and genetic aspects. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.130-133.
702. Pyykkö I, Kaasinen S, Ishizaki H, Aalto H. 2000. Postural compensation after intratympanic gentamicin treatment of Meniere's disease. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.105-107.
703. Pyykkö I, Blomstedt G, Jääskeläinen J, Troupp H, Palva T. 2000. Neuromonitoring and operative technique in hearing preservation of acoustic neurinoma. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.73-76.
704. Airaksinen L, Pyykkö I. 2000. Etiological and therapeutic aspects of sudden hearing loss. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.37-40.
705. Kentala A, Pyykkö I, Auramo Y, Juhola M. 2000. An expert system ONE for general practitioner to guide him in diagnosing vertigo. Transactions of the XXV Congress of the Scandinavian Oto-Laryngological Society, J. Olofsson (ed.), Daves Tryckeri, Bergen, Norway, p.88-90.
706. Hirvonen TP, Aalto H, Pyykkö I, Isotalo E, Juhola M. 2000. Quantification of retinal velocity with the head rotation test. In: Equilibrium research, clinical equilibrium and modern treatment. C-F.Claussen, C-T. Heid & B. Hofferberth (eds.), Excerpta Medica, International Congress Series 1201, Elsevier, 187-190.
707. Kentala E, Kaasinen S, Pyykkö I. Vertigo in patients with vestibular schwannoma. In: Equilibrium research, clinical equilibrium and modern treatment. C-F.Claussen, C-T. Heid & B. Hofferberth (eds.), Excerpta Medica, International Congress Series 1201, Elsevier, 411-414.
708. Kaasinen S, Pyykkö I, Blomstedt G, Salonen E-M. 2000. Plasminogen activators and PAI-1 are associated with primary cultures of human vestibular schwannoma cells. In: Equilibrium research, clinical equilibrium and modern treatment. C-F.Claussen, C-T. Heid & B. Hofferberth (eds.), Excerpta Medica, International Congress Series 1201, Elsevier, 663-668.
709. Kentala E, Laurikkala J, Juhola M, Pyykkö I. 2000. Comparison of diagnostic accuracy between genetic algorithm and discriminant analysis. In: Equilibrium research, clinical equilibrium and modern treatment. C-F.Claussen, C-T. Heid & B. Hofferberth (eds.), Excerpta Medica, International Congress Series 1201, Elsevier, 669-673.
710. Juhola M, Laurikkala M, Viikki K, Kentala E, Pyykkö I. 2000. Neural network classification of otoneurological vertigo diseases. Medical Informatics Europe 2000. CD-Rom
711. Viikki K, Juhola M, Kentala E, Pyykkö I. 2000. Building data for decision tree induction in the subspecialty of otoneurology. Medical Informatics Europe 2000. CD-Rom
712. Viikki K, Kentala E, Juhola M, Pyykkö I. 2000. Confounding values in decision trees constructed for six otoneurological diseases. In: Intelligent Data Analysis in Medicine and Pharmacology, IDAMAP-200, Berlin. 58-60
713. Pyykkö I. 2000. Yrsel. I boken Öron-, näs- och halssjukdomar. Anniko M. (ed).
714. Starck J, Toppila A, Pyykkö I. 2001. Do we have unnecessary hearing loss- can we improve the efficacy of hearing conservation programs? In: Noise Induced Hearing Loss: basic mechanisms, Prevention and Control. Henderson D, Prasher D. Kopke R, Salvi R and Hamernik R. (eds.), Noise Research Network Publication, London, 387-400.
715. Pyykkö I, Starck J, Toppila E, Johnsson A.-C. 2001. Methodology and value of databases. In: Noise Induced Hearing Loss: basic mechanisms, Prevention and Control. Henderson D, Prasher D. Kopke R, Salvi R and Hamernik R. (eds.), Noise Research Network Publication, London, 197-202.
716. Karlsson KK, Pyykkö I. 2002. Hörselskadan i arbetsskadeförsäkringen. Arbetsjukdom-skadlig inverkan-samband med arbete. P. Westerholm (red) Arbete och Hälsa 15, 211-244.
717. Grönfors T, Juhola M, Pyykkö I. 2002. Chapter 8. Auditory brainstem responses: their computer analysis for otology. In Computational Methods in Biophysics, Biomaterials, Biotechnology and Medical Systems. Leonder CT (ed.). Vol IV: Diagnostic methods. Kluwer Academic Publishers. 2002, pp 161-187.
718. Pyykkö I, Starck J, Toppila E, Ulfendahl M. 2003. Chapter 28. Noise-induced hearing loss. In Textbook of Audiological Medicine. Luxon et al. (eds), Martin Dunitz, London, 477-495.
719. Toppila E, Laitinen H, Starck J, Pyykkö I. 2004 Klassinen musiikki ja kuulonsuojelu. Työympäristön raporttisarja 10, Työterveyslaitos 2004, 32 pp
720. Pyykkö I, Zou J, Toppila E. 2005. Possible role of TNF- $\alpha$  and p53 and p75 receptors in inner ear diseases with specific reference to Meniere's disease. Proceedings of the 5th International Symposium Meniere's disease & Inner Ear Homeostasis Disorders. April 2-5, 2005, D. Lim ed. House Ear Institute, Los Angeles, CAPublishers ISBN 0-9776204-0-9.
721. Jääskeläinen S, Oja S, Partanen J, Pyykkö I, Sainio K. Leikkauksenaikainen neurofysiologinen monitorointi. Kirjassa: Partanen J, Falck B, Hasan J, Jäntti V, Salmi T, Tolonen U, toim. Kliininen neurofysiologia, s. 729-745. Duodecim, 2006.

722. Pyykkö. Uusia lääkkeitä kehitteillä sisäkorvaperäiseen kuulonalennukseen. *Meniere-posti* 9:2, 12-13, 2006.
723. Pyykkö, E. Kentala. Koherenssi ja Menieren tauti. *Meniere-posti*. 9:3, 6-7, 2006
724. I, Pyykkö, Menieren tauti ja elämänlaatu. *NMeniere-posti*, 9:1, 6-8, 2006
725. Pyykkö Kuulolaitesovitus ja kuulolaitteen käyttöaste tarkastelussa. *Meniere-posti* 9:1, 13, 2006
726. I, Pyykkö. När kommer vi alla höra. Vi hörs. 1, 20-22, 2006
727. Pyykkö, E Kentala. Onko saccusleikkauksta hyötyä Menierepotilaille. *Meniereposti* 9:4, 2006
728. Pyykkö I, Kentala E. Menieren tauti-ympäristössä vai perintötekijöissä? *Meniere-posti*, 12, 1, 6-8. 2006.
729. Toppila E, Pyykkö I, Starck J, Johsson A-C, Juhola M. 2007. Methodology and value of databases: individual hearing protection program. Chapter 15. In *Noises and its effects*. Ed. By L.Luxon and D.Prasher. John Wiley & Sons, Ltd. pp 312- 344.
730. Starck J, Toppila E, Pyykkö I. 2007. Hearing protectors. Chapter 30. In *Noises and its effects*. Ed. By L.Luxon and D.Prasher. John Wiley & Sons, Ltd. pp 667- 680.
731. E. Toppila, I. Pyykkö et R. Pääkkönen, Practical evaluation of the combined effect of noise and chemicals to hearing and accident risk Evaluation pratique des effets combinés du bruit et des produits chimiques sur l'audition et sur les risques d'accident, pp. 841-850. Proceedings of the First European Forum for Managing Occupational Noise, Lille, 2-5.7.2007.
732. E. Toppila, I. Pyykkö et R. Pääkkönen, Evaluation of increased accident risk by noise at workplaces. Evaluation du risque d'augmentation d'accidents dus au bruit en milieu de travail, pp. 857-864. Proceedings of the First European Forum for Managing Occupational Noise, Lille, 2-5.7.2007
733. Brammer AJ, Sutinen P, Diva UA, Piercy JE, Pyykkö I, Toppila E, Starck J. Assessing neurological changes in the hands using vibrotactile perception thresholds. Proceeding of 15th conference on Human Response to Vibration; Kobe, Aug. 1-3, 2007,
734. Pyykkö I, Zou J, Toppila E, Kentala E. 2007. Pharmacotherapy of the Inner ear. In *Genes, Hearing and Deafness*, ed. By A. Martini, D. Stephens and A. Reed. Informa Healthcare, London, pp 219-238
735. Pyykkö I, Zou J, Toppila E, Jacobs H.T., Kentala E. 2007. Noise-Related hearing Impairment. In *Genes, Hearing and Deafness*, ed. By A. Martini, D. Stephens and A. Reed. Informa Healthcare, London, pp 91-110
736. Pyykkö I, Kentala E, Varpa K. 2007. Positiivista huimauksessa ja tasapaino-onbelmissa. *Meniere-posti* 12, 2, 9.
737. Pyykkö I, Kentala E. 2007. Miksi huimaus aiheuttaa pahoinvointia. *Meniere-posti* 12, 2, 10-12.
738. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Suomen Meniereliiton vertaistukihanke. *Meniere-posti* 12, 3, 6-7.
739. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Vertaistukea antavan henkilön edellytykset ja oikeudet. *Meniere-posti* 12, 3, 9-10.
740. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Vertaistuen toimintarajoitukset ja odotukset. *Meniere-posti* 12, 3, 11.
741. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Vertaistuea antavan henkilön edellytykset ja oikeudet. *Meniere-posti* 12, 3, 9-10.
742. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Vertaistuen mittarit. *Meniere-posti* 12, 3, 12
743. Pyykkö I. 2007. Vertaistuen eri muotoja. *Meniere-posti* 12, 3, 8.
744. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Menieren taudin haitta; Sisäkorvan sairaus vai hyvinvointia uhkaava oireisto. *Meniere-posti* 13, 2, 6-10
745. Varpa K, Stephens D, Kentala E, Pyykkö I. 2008 Positiivisiä piirteitä Menieren taudissa ja sen oireissa. *Meniere-Posti* 13; 2, 12-15.
746. Pyykkö I, Varpa K, Stephens D, Kentala E. 2007. Muutosvastarinta ja sen voittaminen Menieren taudissa. *Meniere-posti* 13, 2, 6-9.
747. Toppila E, Pyykkö I, Pääkkönen R. 2007. Melun ja tärinän aiheuttaman tapaturmariski. *Työ ja ihminen*, 2007, 4, 429-436.
748. Pyykkö I, Varpa K, Stephens D, Kentala E. 2008. Kun huimaa ja tasapaino on huono-mikä avuksi. *Meniere-posti* 13, 4, 7-9.
749. Pyykkö I, Varpa K, Stephens D, Kentala E. 2008. Menieren tauti ja tasapaino. *Meniere-posti* 13, 4, 10.
750. Pyykkö I, Varpa K, Stephens D, Kentala E. 2008. Totutus eli habituaatiohoito. *Meniere-posti* 13, 4, 11-12.
751. Toppila Esko, Pyykkö I, Effect if noise exposure in the entertainment sector, Music safe and sound Hearing conservation for professionals in Music and Entertainment, 2009, Baua, Dortmund, Germany pp 25-29
752. Toppila E, Pääkkönen R, Pyykkö I, Lifetime effects of noise in modern society, Proceedings of Inter-noise 2009, The Institute of Noise Control Engineering of the USA, 2009 X-X (9 pages)
753. Pyykkö I, Stephens D, Poe D, Varpa K, Kentala E, Levo H. 2009. Autopiluja ja Menieren tauti – kielletty hedelmä? *Meniereposti* 1, 6-7.



754. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H. 2009. Menieren taudin muutokset ja niiden kuvantaminen MRI:llä. *Meniere-posti* 2, 8-12.
755. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H. 2009. Tasapainojärjestelmä – kannattaako harjoitella vain kunnan vuoksi. *Meniere-posti* 3, 6-7.
756. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H. 2009. Miten harjoittelu vaikuttaa tasapainoon. *Meniere-posti* 3, 8
757. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H. 2009. Yksilöllinen tasapainoharjoitusohjelma Maija ja Matti Menierikolle. 9-11.
758. Pyykkö I. 2009. Meniere's sjukdom och förändringar i innerörat. *Vi hörs* 3, 2009, 27-29
759. Pyykkö I. 2009. visualisering av Meniere's sjukdom med magnetkamera. *Vi hörs* 3, 2009, 31-32
760. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. 2010. MeniTuki-vertaistukiohjelma koekäytössä. *Meniere-posti*, 2, 8-12.
761. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. Tinnitus Meniere Töve puhul. *Meniere-posti* 15, 4, 2010, 6-7.
762. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. Tinnitus och meniere's sjukdom. *Meniere-posti* 15, 4, 2010, 8-9, 2010.
763. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. Miten selviän tinnituksesta, kuulovaikeuksista, huimaukskohtauksista ja tasapainovaikeuksista. *Meniere-posti* 15, 4, 2010, 14-20.
764. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H. Voiko nanoteknologiaa hyödyntää Menieren taudissa. *Meniere-posti* 15, 1, 2010, 6-12.
765. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. Tinnitus Menieren taudissa. *Meniere-posti* 15,3, 2010, 6-11.
766. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. meditaatio tinnituksen. *Meniere-posti* 15, 3, 2010, 9-11.
767. Pyykkö I, Stephens D, Poe D, Kentala E, Levo H, Auramo Y. Ylemmän kaarikäytävän puutos-huimaus, kuulonalennus ja tinnitusoireyhtymäl. *Meniere-posti* 15, 3, 2010, 16
768. **Not updated since 2010**

## 769. ABSTRACTS

770. Pyykkö, I., Hyvärinen, J. 1973. Studies on Finnish lumber-jacks about the physiological mechanism that leads to traumatic vasospastic disease (TVD). Abstract for XIV Scandinavian Congress of Physiology and Pharmacology. *Acta physiol scand. Suppl* 396., p. 95.
771. Pyykkö, I. 1974. The effects of noise and vibration on lumber-jacks in Finland. Abstract for Congress of Nordiskt Akustiskt Sällskapet, Lund 1974. p. 50.
772. Pyykkö, I., Färkkilä, M., Toivanen, J. 1974. The effect of spectral content of vibration on occupational vascular disease, TVD. Abstract for congress of Nordiskt Akustiskt Sällskapet, Lund 1974. p. 52.
773. Toivanen, J., Pyykkö, I., Färkkilä, M. 1974. The propagation of vibration in hand, experimental study. Abstract for Congress of Nordiskt Akustiskt Sällskapet, Lund 1974.
774. Toivanen, J., Pyykkö, I., Färkkilä, M., Korhonen, O. 1976. Den longitudinala vibrationens transmissionsförhållanden i armen. *Läkartidningen* 73, 2270-2271.
775. Hyvärinen, J., Pyykkö, I. 1976. Studier av uppkomstmekanismen för traumatisk vasospasm. *Läkartidningen* 73, 2272.
776. Pyykkö, I., Henriksson, N.G., Schalén, L., Dahlen, A.I., Novotny, M. 1978. Velocity of the saccade and of the fast phase of optokinetic and of vestibular nystagmus. Abstract for Barany Society, Ordinary Meeting in Uppsala, June 1-3, 1978, p. 64.
777. Pyykkö, I., Matsuoka, I., Hinoki, M. Effects of alerting stimulation on neural activity and eye movement of intact and hemilabyrinthomized rabbit. Abstract. Academy for Otolaryngology, Anaheim 1980.
778. Schalén, L., Henriksson, N.G., Pyykkö, I. 1981. Slow eye movements in patients with neurological disorders. In: *Equilibrimetry and Occupational Medicine*. C.F. Claussen (ed.). Werner Rudat & Co., Hamburg. p. 443.
779. Henriksson, N.G., Pyykkö, I., Wennmo, C., Schalén, L. 1981. Dizziness of central origin. Abstract for XII World Congress of Otolaryngology, Budapest 1981.
780. Pyykkö, I., Färkkilä, M., Starck, J., Korhonen, O. 1981. Melun ja tärinän yhteisvaikutus. Poster for the Annual Meeting of Occupational Safety and Health, Helsinki Nov. 1981.

781. Pyykkö, I., Starck, J., Korhonen, O., Färkkilä, M. 1982. An association of noise-induced hearing loss with vibration-induced white finger. XVI International Congress of Audiology, Helsinki 23-27 of May, 1982.
782. Henriksson, N.G., Pyykkö, I. 1982. Electro-oculography in retrocochlear lesions. XVI International Congress of Audiology. Helsinki 23-27 of May, 1982.
783. Starck, J., Färkkilä, M., Aatola, S., Pyykkö, I., Korhonen, O. 1982. Vibration och vibrations-skador hos slipare. Abstract for Congress of Nordiskt Akustiskt Sällskapet, Stockholm 16-18 August 1982.
784. Aatola, S., Starck, J., Pyykkö, I., Färkkilä, M., Korhonen, O. 1982. Vibration thresholds of lumberjacks. Abstract for Congress of Nordiskt Akustiskt Sällskapet, Stockholm 16-18 August 1982.
785. Pyykkö, I., Starck, J., Korhonen, O., Färkkilä, M. 1982. Vibration som orsak till hörselnedsättning bland skogs- arbetare. Abstract for Congress of Nordiskt Akustiskt Sällskapet, Stockholm 16-18 August 1982.
786. Pyykkö, I., Aatola, S., Färkkilä, M., Starck, J., Korhonen, O. 1982. Transmission av longitudinal vibration in hand-arm systemet: muskelspänningens roll i vibrationsjukdomen. Abstract for Congress of Nordiskt Akustiskt Sällskapet, Stockholm 16-18 August 1982.
787. Pyykkö, I., Matsuoka, I., Ito, S., Hinoki, M. 1982. On the optokinetic mechanisms of peripheral retinal type. 8th Extraordinary Meeting of Barany Society, Basle, June 22-25, 1982.
788. Schalén, L., Pyykkö, I., Henriksson, N.G., Hindfelt, B., Wennmo, c. 1982. Quantitative analysis of tracking eye movements in otoneurological diagnosis. 8th Extraordinary Meeting of Barany Society, Basle, June 22-25, 1982.
789. Pyykkö, I., Futatsuka, M., Färkkilä, M., Korhonen, O., Starck, J., Aatola, S. 1982. Studies on the pathophysiology of the vascular component in vibration syndrome. Abstract for International Symposium on Protection of Workers against Vibration, Nis, Yugoslavia 1982.
790. Pyykkö, I., Korhonen, O., Starck, J., Färkkilä, M. 1982. Cold provocation test as a factor determining severity of vibration-induced white fingers. Abstract for International Symposium of Protection of Workers against Vibration, Nis, Yugoslavia 1982.
791. Pyykkö, I., Färkkilä, M. 1982. Clonidine in the treatment of vibration-induced white finger. Abstract for International Symposium on Protection of Workers against Vibration, Nis, Yugoslavia 1982.
792. Färkkilä, M., Starck, J., Aatola, S., Pyykkö, I., Korhonen, O. 1982. Vibration-induced neuropathy. Abstract for International Symposium on the Protection of Workers against Vibration, Nis, Yugoslavia 1982.
793. Starck, J., Färkkilä, M., Aatola, S., Pyykkö, I., Korhonen, O. 1982. Vibration and vibration syndrome in pedestal grinding. Abstract for International Symposium on the Protection of Workers against Vibration, Nis, Yugoslavia 1982.
794. Aatola, S., Starck, J., Pyykkö, I., Färkkilä, M., Korhonen, O. 1982. Vibration threshold of lumberjacks. Abstract for International Symposium on the Protection of workers against Vibration, Nis, Yugoslavia 1982.
795. Pyykkö, I., Jäntti, V., Schalén, L., Magnusson, M., Henriksson, N.G. (1982). Effekt av transkutan applicerat(TTS) på illamående och nystagmus. XXXIX Läkarsällskapets Riksstämman, Stockholm 1-3 December 1982.
796. Magnusson, M., Pyykkö, I., Schalén, L., Hansson, G.Å., Henriksson, N.G. 1982. Datoranalys av optokinetisk nystagmus. XXXIX Läkarsällskapets Riksstämman, Stockholm 1-3 December 1982.
797. 28. Hansson, G.Å., Henriksson, N.G., Magnusson, M., Pyykkö, I., Schalén, L., Wennmo, C. 1982. Datoranalys av optokinetisk nystagmus. XXXIX Läkarsällskapets Riksstämman. Stockholm 1-3 December 1982.
798. Henriksson, N.G., Pyykkö, I. 1983. Interpreting eye motor disturbances - and eye motor model. Second European Conference on Eye movement Nottingham 18th - 23rd September 1983.
799. Pyykkö, I., Schalen, L. 1983. A convergence of different sensory modalities in a single unit of the alert cat. Second European Conference on eye movement. Nottingham 19th - 23rd September 1983.
800. Pyykkö, I., Schalen, L. 1983. Transdermally administered scopolamine versus dimenhydrinate: Effect on different type of nystagmus. Second European Conference on eye movement. Nottingham 19th - 23rd September 1983.
801. Pyykkö, I., Schalen, L., Magnusson, M. 1983. Vibration-induced postural disorientation. VII International Symposium on Vestibular and visual Control on Posture and Locomotor Equilibrium. Houston Nov. 30 - Dec. 2. 1983.
802. Schalen, L., Pyykkö, I., Magnusson, M., Salen, B. 1983. Eye motor and postural control in children with minimal brain dysfunction. VII International Symposium on Vestibular and Visual Control on Posture and Locomotor Equilibrium. Houston No. 30 - Dec. 2. 1983.
803. Pyykkö, I., Schalen, L., Magnusson, M., Hansson, G.-Å. 1983. Changes in the strategy to determine end point of nystagmus in disturbances affecting the vestibulo-ocular reflex. VII International Symposium: Vestibular and Visual Control on Posture and Locomotor Equilibrium. Houston, Nov 30 - Dec 2. 1983.

804. Schalen, L., Pyykkö, I., Magnusson, M., Hansson, G.-Å. 1983. How is the end point determined in nystagnus beat. VII International Symposium: Vestibular and Visual Control on Posture and Locomotor Equilibrium. Houston, Nov. 30 - Dec. 2. 1983.
805. Pyykkö, I., Juhola, M., Schalen, L., Magnusson, M. 1984. Interbeat relationship of postrotatory nystagmus. 55th Annual Scientific Meeting of Aerospace Medical Association, San Diego, 5-9. May 1984.
806. Pyykkö, I., Padoan, S., Schalen, L., Lyttkens, K., Magnusson, M., Larsson, B. Different effects of antimotion sickness drugs and intravenously administered local anesthetics on motion sickness and nystagmus. 55th Annual Scientific Meeting of Aerospace Medical Association. San Diego 5-9. May 1984.
807. Pyykkö, I. 1985. Health effects and evaluation of the hand arm vibration. IVth International Symposium on Hand Arm-Vibration. May 6-8. 1985, Helsinki.
808. Pyykkö, I., Gemne, G., Starck, J., Ilmarinen, R. 1985. Vasomotor oscillation in normal subjects and in vibration induced white finger. IVth International Symposium onn Hand-Arm Vibration. May 6-8. 1985, Helsinki.
809. Pyykkö, I., Korhonen, O., Färkkilä, M., Starck, J., Aatola, S. 1985. Strain gauge plethysmography in evaluation of vibration-induced white finger. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
810. Pyykkö, I., Korhonen, O., Färkkilä, M., Starck, J., Aatola, S. 1985. Arterial pressure, flow and peripheral resistance in vasospastic diseases. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
811. Starck, J., Pyykkö, I., Färkkilä, M., Aatola, S., Korhonen, O. 1985. A relation between noise induced permanent threshold shift and vibration induced white finger. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
812. Korhonen, O., Pyykkö, I., Färkkilä, M., Starck, J., Aatola, S. 1985. Vibration syndrome among forest workers in Finland. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
813. Aatola, S., Färkkilä, M., Korhonen, O., Pyykkö, I., Starck, J. 1985. Vibration detection threshold of lumberjacks. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
814. Gemne, G., Pyykkö, I., Starck, J., Ilmarinen, R. 1985. Sympathetic tone and circulatory reaction to cold in the vibration-induced white finger. An experimental study. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
815. Starck, J., Pyykkö, I. 1985. Impulsiveness of vibration as an additional factor in the hazards associated with hand-arm vibration. IVth International Symposium in Hand-Arm Vibration. May 6-8. 1985, Helsinki.
816. Pyykkö, I., Schalen, L., Magnusson, M., Starck, J., Henriksson, N.G., Enebom, H. 1985. Proprioceptive reflexes in the control of postural stability among vertiginous patients. Neurootological and Equilibrimetric Society New Orleans, Louisiana, May 19-21. 1985.
817. Pyykkö, I., Padoan, S. 1985. The effects of tocinide and lidocaine on postural responses, Neurootological and Equilibrimetric Society New Orleans, Louisiana, May 19-21. 1985.
818. Magnusson, M., Pyykkö, I., Norving, B., Schalen, L., Henriksson, N.G. 1985. A model of the optokinetic mechanisms; A reduction of optokinetic nystagmus in posterior fossa lesions. Neurootological and Equilibrimetric Society New Orleans, Louisiana, May 19-21. 1985.
819. Magnusson, M., Pyykkö, I., Jäntti, V., Schalen, L., Henriksson, N.G. 1985. Effects of alertness and visual attention on optokinetic nystagmus in man. Barany Society, Ann Arbor, Michigan, May 21-24. 1985.
820. Pyykkö, I., Padoan, S., Lyttkens, L., Magnusson, M., Schalen, L. 1985. Alleviation of experimentally induced vertigo and motion sickness with lidocaine and tocinide. Barany Society, Ann Arbor, Michigan, May 21-24. 1985.
821. Magnusson, M., Pyykkö, I., Norving, B., Schalen, L., Henriksson, N.G. 1985. A model of the optokinetic mechanisms in man. Barany Society, Ann Arbor, Michigan, May 21-24. 1985.
822. Pyykkö, I., Magnusson, M., Jäntti, V. and Schalen, L. 1985. Reduction of electrical brain activity in the central nervous system after unilateral vestibular lesion. Barany Society, Ann Arbor, Michigan, May 21-24. 1985.
823. Henriksson, N.G., Pyykkö, I. 1985. Clinical relevance of dysrhythmia of postrotatory nystagmus. Barany Society, Ann Arbor, Michigan, May 21-24. 1985.
824. Jäntti, V., Pyykkö, I., Färkkilä, M. Electrophysiological diagnosis of vibration induced neuropathy. International Conference on Occupational Health Problems in Aerospace industry. Abstract for International Conference on Occupational Health Problems in Aerospace Industry. Linköping. Sweden, June 11-14. 1984.
825. Pyykkö, I. Vibration syndrome - definition and evaluation. Abstracts for International Conference on Occupational Health Problems in Aerospace Industry. Linköping. Sweden, June 11-14. 1985.
826. Pyykkö, I., Färkkilä, M., Hyvärinen, J. Studies on the etiological mechanism of vasospastic components in vibration syndrome. Abstract for Third International Symposium on Hand- grip Vibration. Ottawa, Canada, May 18-20, 1981.

827. Starck, J., Aatola, S., Hoikkala, M., Färkkilä, M., Pyykkö, I. Chain saw vibration: Effects of age and repeatability of the measurements. Abstract for Third International Symposium on Hand-grip Vibration. Ottawa, Canada, May 18-20, 1981.
828. Färkkilä, M., Pyykkö, I., Starck, J. Hand-grip force and muscle fatigue in the etiology of vibration syndrome. Abstract for Third International Symposium on Hand-grip Vibration. Ottawa, Canada, May 18-20, 1981.
829. Pyykkö, I., Korhonen, O., Sairanen, E., Färkkilä, M., Starck, J. Vibration syndrome among forest workers in Finland - a longitudinal study. Abstract for Third International Symposium on Hand-grip Vibration. Ottawa, Canada, May 18-20, 1981.
830. Starck, J., Pyykkö, I., Korhonen, O., Färkkilä, M., Väyrynen, S. Vibration-induced white fingers in the etiology of noise-induced permanent hearing loss in lumberjacks. Abstract for Third International Symposium on Hand-Arm Vibration. Ottawa, Canada, May 18-20, 1981.
831. Jäntti, V., Pyykkö, I., Juhola, M., Ignatius, J., Hansson, G-Å., Henriksson, N.G. Effect of filtering in the computer analysis of saccades. Abstract for Barany Society Meeting. In Uppsala, June 1-3, 1983.
832. Schälén, L., Pyykkö, I., Magnusson, M., Henriksson, N-G. Influence of vigilance and circadian rhythm on oculometer functions in man. Abstract for Barany Society Meeting. Uppsala, June 1-3, 1983.
833. Pyykkö, I., Schälén, L., Magnusson, M., Henriksson, N.G. A reduction of vestibulo-visual integration during transdermally applied Scopolamine and Dimenhydrinate. A presentation of gain control theory in motion sickness. Abstract for Barany Society Meeting. Uppsala, June 1-3, 1983.
834. Starck, J., Aatola, S., Pyykkö, I. Impulsiveness of vibration as an additional hazardous factor of occupational exposure to vibration. Abstract for XXI International Congress on Occupational Health. Dublin, Ireland, September 9-14, 1984.
835. Korhonen, O., Pyykkö, I., Färkkilä, M., Starck, J., Aatola, S. Vibration syndrome among forest workers in Finland. Abstract for XXI International Congress on Occupational Health. Dublin, Ireland, September 9-14, 1984.
836. Pyykkö, I., Färkkilä, M., Korhonen, O., Starck, J., Aatola, S. Validity of cold provocation test in the detection of vibration-induced white fingers. Abstract for XXI International Congress on Occupational Health. Dublin, Ireland, September 9-14, 1984.
837. Pyykkö, I., Korhonen, O., Färkkilä, M., Starck, J., Aatola, S. Arterial pressure, flow, and peripheral resistance in vasospastic diseases. 1985. Abstract for IV International Symposium on Hand Arm Vibration. Helsinki, May 6-8, 1985.
838. Pyykkö, I., Gemne, G., Starck, J., Ilmarinen, R. 1985. Vasomotor oscillation in normal subjects, in vibration-induced white fingers and in subjects with primary Raynaud's disease. Abstract for IV International Symposium on Hand Arm Vibration. Helsinki, May 6-8, 1985.
839. Pyykkö, I., Korhonen, O., Färkkilä, M., Starck, J., Aatola, S. 1985. Strain gauge plethysmography in evaluation of vibration-induced white finger. Abstract for IV International Symposium on Hand Arm Vibration. Helsinki, May 6-8, 1985.
840. Smolander, J., Ilmarinen, R., Pyykkö, I., Korhonen, O.: Central circulatory responses to prolonged mild exercise in dry heat. Fed. Proc. 44(1985) 1361 (Abstract).
841. Aatola, S., Färkkilä, M., Korhonen, O., Pyykkö, I. & Starck J. Vibration detection threshold of lumberjacks. In Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 63.
842. Färkkilä, M., Pyykkö, I., Heinonen, E., Jäntti, V. Autonomic and sensorimotor neuropathy among vibration exposed workers. In: Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 59.
843. Gemne, G., Pyykkö, I., Starck, J., Ilmarinen, R.: Sympathetic tone and circulatory reaction to cold in the vibration-induced white finger. - An experimental study. In Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 40.
844. Heinonen, E., Färkkilä, M., Korhonen, O., Pyykkö, I. The effects of vibration on the functions of the autonomic nervous system. In Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 40.
845. Henriksson, N.G., Pyykkö, I. Clinical relevance of dysthymia of postrotatory nystagmus. Meeting of Barany Society. Ann Arbor 21.-25.5.1985.
846. Magnusson, M., Pyykkö, I., Jäntti, V., Schälén, L. & Henriksson, N.G. Effects of alertness and visual attention of optokinetic nystagmus in man. Meeting of Barany Society. Ann Arbor 21.-25.5.1985.
847. Magnusson, M., Pyykkö, I., Norrving, B., Schälén, L., Henriksson, N.G. The model of the optokinetic mechanism. A reduction of optokinetic nystagmus in posterior fossa lesions. Meeting of Barany Society. Ann Arbor 21.-25.5.1985.
848. Magnusson, M., Pyykkö, I., Norrving, B., Schälén, Henriksson, N.G. The model of the optokinetic mechanism, a reduction of optokinetic nystagmus in posterior fossa lesions. Meeting of Neuro-otological and Equilibriometric Society, New Orleans 19.-21.5.1985.

849. Pyykkö, I.: Health effects and evaluation of the hand- arm vibration. In Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 1.
850. Pyykkö, I., Kuoppasalmi, K., Härkönen, M., Ilmarinen R, Smolander, J., Korhonen, O., Salonen, S. Plasma growth hormone prolactin cortisol and physical work in various environmental conditions. Biochemistry of Exercise , 6th Int. Symp. Kööpenhamina 12.-15.6.1985. Clin. Physiol. 5(1985) suppl. 4, abstr. 97.
851. Pyykkö, I., Magnusson, M., Jäntti, V., Schalen, L. Reduction of electrical brain activity in the central nervous systems after unilateral vestibular lesion. Meeting of Barany Society. Ann Arbor 21.-25.5.1985.
852. Pyykkö, I., Padoan, S., Lyttkens, L., Magnusson, M., Schalen, L. Alleviation of experimentally induced vertigo an motion sickness with lidocaine and tocaïne. Meeting of Barany Society. Ann Arbor 21.-25.5.1985.
853. Starck, J. & Pyykkö, I. Impulsiveness of vibration as an additional factor in the hazards associated with hand-arm vibration. In Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 22.
854. Starck, J., Pyykkö, I., Färkkilä, M., Aatola, S., Korhonen, O. A relation between noise induced permanent threshold shift and vibration induced white fingers. In Fourth International Symposium on Hand-Arm Vibration. Abstracts. Helsinki 1985, Institute of Occupational Health, Helsinki 1985, pp. 85.
855. Pyykkö, I., Schalen, Magnusson, M., Starck, J. Proprioceptive reflexes in the control of postural stability among vertiginous patients. Meeting of Neuro-otological and Equilibrimetric Society, New Orleans, 19.-21.5.1985.
856. Pyykkö, I., Padoan, S. The effects of tocaïnide and lidocaine of postural responses. Meeting of Neuro-otological and Equilibrimetric Society, New Orleans, 19.-21.5.1985.
857. Pyykkö, I., Starck, J., Aalto, H., Enbom, H. 1986. Postural work after selective disturbance of different receptor systems during upright stance. Eight International Symposium on Posturography. Disorders of posturo and gait. 12-15 May 1986 Amsterdam. Abstract.
858. Enbom, H., Pyykkö, I. 1986. Body sway in children with cochlear deficit. Eight International Symposium on Posturography. Disorder of Posture and Gait. 12-15 May 1986, Amsterdam. Abstract.
859. Starck, J., Pyykkö, I., Pekkarinen, J. 1986. Further studies on the relative risk for sensory neural hearing loss during exposure to combined noise and vibration. Second International Conference on the Combined Effects of Environmental Factors. Kanazawa, Japan 28 September - 1 October 1986. Abstract p. 9.
860. Pyykkö, I., Korpi, E., Kaheinen, P., Mäntysalo, S. 1986. Neural activity of rat during combined noise and vibration exposure. Development of method for studying responses in alcohol insensitive and sensitive strains. Second International Conference on the Combined Effects of Environmental Factors. Kanazawa, Japan 28 September - 1 October 1986. Abstract p. 10.
861. Pyykkö, I., Magnusson, M. 1986. Effect of sound and vibration on alertness and optokinetic nystagmus in man. Second International Conference on the Combined Effects of Environmental Factors. Kanazawa, Japan 28 September - 1 October 1986. Abstract p. 11.
862. Pyykkö, I. 1986. Clinical aspects of vibration syndrome. International Congress on Acoustic, Toronto July 1986. Abstract.
863. Brammer, A.J., Pyykkö, I., Kolari, P. and Starck, J. 1986. Compound sensory nerve potentials generated by vibro-tactile stimulation Symptomatology and Diagnostic Methods in the Hand Arm Vibration Syndrome Stockholm, May 21-23 1986. Abstract.
864. Pyykkö, I. 1986. Physiological aspects ou peripheral circulatory disorders. - An overview. Symptomatology and Diagnostic Methods in the Hand-Arm Vibration Syndrome. Stockholm, May 21-23 1986. Abstract.
865. Brammer, A.S., Pyykkö, I., Kolari, P., Starck, J. 1986. Detection of whole-nerve sensory action potentials generated by vibro-factile stimulation of a fingertip. Acoustic Society of America, Anaheim, November 1986, Abstract.
866. Aalto H., Pyykkö I. 1987. Median filtering of stabilometric data. Barany Society meeting, Bologna 1987.
867. Enbom H., Pyykkö I. Behrent E., Magnusson M., Schalen L., Henriksson N.G. 1987. Postural control in children with congenital deafness. Barany Society meeting. Bologna 1987.
868. Enbom H., Pyykkö I., Leissner P. Philipsson L. Magnusson M. Proprioceptionens betydelse för balanskontrol. Nordisk Otologisk konferens. Uppsala 1987.
869. Gemme G., Pyykkö I. Finger blood flow and pressure in chainsawyers with past history of vibration-induced Raynaud's phenomenon. XII International Congress on Occupational Health. Sydney, Australia 1987.
870. Juhola M., Pyykkö I. 1987. Computer analysis of nystagmus using a syntactic pattern recognition. Barany Society meeting, Bologna 1987.
871. Jäntti P., Jäntti V., Kalli S., Pyykkö I., Hervonen H. 1987. A new method to measure heart rate variability and its application in geriatric medicine. Heart and Brain - Brain and Heart. Tromsö, Norway 1987.

872. Magnusson M. Brantberg K., Schalen L. Pyykkö I. Enbom H. 1987. Ändringar av tidskonstant i postrotatorisk nystagmus hos patienter med vestibularis neuronit. En långtidsstudie. Medicinskt Riksstämman, Stockholm, Sverige, 1987.
873. Magnusson M. Pyykkö I., Schalen L. Enbom H., Henriksson N.G. 1987. The effect of alertness on vestibular and optokinetic nystagmus in rabbit. Barany Society meeting, Bologna, Italy, 1987.
874. Pyykkö I., Aalto H., Starck J., Enbom H. 1987. Computerized posturography. A development of measuring system. Nordisk Otologisk Konferens, Uppsala, Sweden, 1987.
875. Pyykkö I., Juhola M., Henriksson N.G. Clinical evaluation of segmental variability of postrotatory nystagmus. Barany Society meeting, Bologna, Italy, 1987.
876. Pyykkö I., Jäntti P., Aalto H. 1987. Postural stability in elderly subjects. Barany Society Meeting, Bologna, Italy, 1987.
877. Pyykkö I., Starck J., Pekkarinen J. 1987. Evaluation of individual risk factors affecting noise-induced sensory neural hearing loss. XII International Congress on Occupational Health. Sydney, Australia, 1987.
878. Pyykkö I., Starck J., Pekkarinen J. 1987. Evaluation of individual risk factors affecting noise-induced sensory neural hearing loss. Nordisk Otologisk Konferens. Uppsala, Sweden. 1987.
879. Schalen L., Pyykkö I., Magnusson M., Korttila K., Enbom H., Henriksson N.G. 1987. Residual effects of drugs as revealed on eye motor tests. Barany Society Meeting. Bologna, Italy. 1987.
880. Starck J., Pyykkö I., Pekkarinen J. 1987. Hand-arm vibration and impulse noise in genesis of hearing loss. XII International Congress on Occupational Health. Sydney, Australia, 1987.
881. Starck, J., Pyykkö, I., Aalto, H., Scholtz, H.-J., Siewert, U. 1988. Postural control of deaf children with vestibular function loss. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
882. Pyykkö, I., Aalto, H., Starck, J., Meyer, E., Magnusson, M. 1988. Postural control in bilateral vestibular disease. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
883. Pyykkö, I., Starck, J., Pekkarinen, J., Färkkilä, M. 1988. Serum cholesterol and triglyceride in the etiology of sensorineural hearing loss. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
884. Starck, J., Pyykkö, I., Pekkarinen, J. 1988. Effect of smoking on sensory neural hearing loss. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
885. Hytönen, M., Pyykkö, I., Aalto, H., Juhola, M., Ramsay, H. 1988. Evaluation of vestibulo-ocular and vestibulo-spinal reflexes in detection of vestibular lesions. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
886. Aalto, H., Pyykkö, I., Ilmarinen, R., Kähkönen, E., Starck, J. 1988. Postural control in medal winning shooters. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
887. Schalén, L., Magnusson, M., Pyykkö, I., Padoan, S., Brantberg, K. 1988. The effect of intravenously given barbiturates and diazepam on the vestibulo-ocular reflex in man. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
888. Brantberg, K., Magnusson, M., Pyykkö, I., Schalén, L. 1988. Reduction of alertness as a protective mechanism in acute vertigo. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
889. Ramsay H., Pyykkö I. 1988. Endolymphatic sac surgery in Meniere's disease. A clinical study with long term follow-up. 15th NES Meeting, Bad Kissingen, West Germany. 1988.
890. Aalto H., Pyykkö I. 1988. Median filtering of stabilometric data. Barany Society Meeting, Bologna, June 1-4, 1987.
891. Juhola M., Pyykkö I. 1988. Computer analysis of nystagmus using a syntactic pattern recognition. Barany Society Meeting, Bologna, June 1-4, 1987.
892. Magnusson M. Pyykkö I., Schalen L. Enbom H. 1988. The effect of alertness and optokinetic nystagmus in rabbit. Barany Society Meeting, Bologna, June 1-4, 1987.
893. Pyykkö I., Juhola M. 1988. Clinical evaluation of segmental variability of postrotatory nystagmus. Barany Society Meeting, Bologna, June 1-4, 1987.
894. Pyykkö I., Jäntti P., Aalto H. Postural control in the oldest olds. Barany Society Meeting, Bologna, June 1-4, 1987.
895. Schalen L., Pyykkö I., Korttila K., Magnusson M., Enbom H. Effects of intravenously given barbiturate and diazepam on eye motor performance in man. Barany Society Meeting, Bologna, June 1-4, 1987.
896. Pyykkö I., Aalto H., Hytönen M., Starck J., Jäntti P., Ramsay H. 1988. Effect of age on postural control. In International Posturographic Society Meeting, Marseilles May 1988.
897. Aalto, H., Pyykkö, I., Ilmarinen, R., Kähkönen, E., Starck, J. 1988. Postural control in medal winning shooters. In International Posturographic Society Meeting, Marseilles May 1988.
898. Pyykkö I., Vesikivi M., Aalto H., Hyvärinen Lea. 1989. Postural control in blinds and in Usher's syndrome. In International Posturographic Society Meeting, Marseilles May 1988.
899. Magnusson M., Brantberg K., Pyykkö I., Schalen L. 1989. Reduction of the time constant in the VOR as a protective mechanism in acute vestibular lesion. Barany Society Meeting, Uppsala, June 13-15, 1988.
900. Pyykkö I., Aalto H., Ylikoski J. 1989. Does impulse noise induce vestibular disturbance. Barany Society Meeting, Uppsala, June 13-15, 1988.

901. Pyykkö I., Aalto H., Seidel H. Starck J. 1989. Hierarchy of different muscles in postural control. Barany Society Meeting, Uppsala, June 13-15, 1988.
902. Hytönen M., Pyykkö I., Aalto H., Juhola M., Ramsay H. 1989. Vestibulo-ocular and vestibulo-spinal reflexes in evaluation of vestibular lesions. Barany Society Meeting, Uppsala, June 13-15, 1988.
903. Schalen L., Korttila K., Magnusson M., Padoan S., Pyykkö I. 1989. Effects of intravenous diazepam and thiopental on the vestibulo-ocular reflex in man. Barany Society Meeting, Uppsala, June 13-15, 1988.
904. Ishizaki H., Pyykkö I., Toppila E., Aalto H., Starck J., Jäntti P. 1989. Postural synergy-velocity or acceleration dependent ? Abstract for XXXI International Congress of Physiology, Helsinki, June 1989. p. 553.
905. Jääskeläinen J, Blomstedt G, Troupp H, Pyykkö I, Plava T. 1989. Suture of the facial nerve in connection with removal of acoustic neurinoma. 9th International Congress of Neurological Surgery, New Delhi, India October 8-13, 1989.
906. Ishizaki H, Pyykkö I, Starck J, Pekkarinen J, Seidel H, Aalto H. 1989. Muscle activity to high frequency body perturbation. Abstract for XXXI International Congress of Physiology, Helsinki, June 1989. p. 553.
907. Smolander, Korhonen O, Miettinen M, Ilmarinen R, Seppälä T, Pyykkö I. 1989. Finger circulation during prolonged work-heat stress in younger and older men. Thermal physiology-IUPS satellite Symposium, Tromsø, Norway, 16-21.7. 1989.
908. Nygård H, Pyykkö I, Aalto H, Ilmarinen J. 1989. Postural control related to work demands among elderly workers. Abstract for XXXI International Congress of Physiology, Helsinki, June 1989.
909. Pyykkö I. 1989. Etiological aspects of vibration neuropathy. 5th International Congress for Hand-Arm Vibration. Kanazawa Japan, May 23-26, 1989.
910. Pyykkö I. 1989. Individual susceptibility concerning prevention of vibration syndrome. 5th International Congress for Hand-Arm Vibration. Kanazawa Japan, May 23-26, 1989.
911. Autonomic nervous activity in vibration disease. In Vibration Stress and the Autonomic Nervous System. Kurume University Symposium. Kurume, Japan, May 20-22, 1989. XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
912. Starck J., Pyykkö I., Aalto H., Pekkarinen J., Ishizaki H. 1989. Postural instability during support surface vibration is frequency dependent? XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
913. Starck J., Pyykkö I., Aalto H., Pekkarinen J. 1989. Postural synergies during high frequency force platform perturbations. XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
914. Pyykkö I., Starck J., Seidel H., Pekkarinen J., Aalto H., Ishizaki H. 1989. Stretch reflexes during high frequency force platform oscillation. XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
915. Pyykkö I, Toppila E, Aalto H., Starck J., Jäntti P., Ishizaki H. 1989. Position, velocity and acceleration in determining the postural strategy. XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
916. Ishizaki H., Pyykkö I., Aalto H., Starck J. 1989. Tullio phenomenon in Meniere's disease. XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
917. Pyykkö I., Juhola M., Ishizaki H., Magnusson M. 1989. Dysrhythmia of caloric nystagmus, fact or fiction? XVI Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
918. Pyykkö I. 1989. Etiological aspects of vibration neuropathy. 5th International Congress for Hand-Arm Vibration. Kanazawa Japan, May 23-26, 1989.
919. Autonomic nervous activity in vibration disease. In Vibration Stress and the Autonomic Nervous System. Kurume University Symposium. Kurume, Japan, May 20-22, 1989.
920. Pyykkö I. 1989. Individual susceptibility concerning prevention of vibration syndrome. 5th International Congress for Hand-Arm Vibration. Kanazawa Japan, May 23-26, 1989.
921. Jääskeläinen J, Blomstedt G, Troupp H, Pyykkö I, Plava T. 1989. Suture of the facial nerve in connection with removal of acoustic neurinoma. 9th International Congress of Neurological Surgery, New Delhi, India October 8-13, 1989.
922. Smolander, Korhonen O, Miettinen M, Ilmarinen R, Seppälä T, Pyykkö I. 1989. Finger circulation during prolonged work-heat stress in younger and older men. Thermal physiology-IUPS satellite Symposium, Tromsø, Norway, 16-21.7. 1989.
923. Starck J., Pyykkö I., Aalto H., Pekkarinen J., Ishizaki H. 1989. Postural instability during support surface vibration is frequency dependent? XVIth Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.
924. Starck J., Pyykkö I., Aalto H., Pekkarinen J. 1989. Postural synergies during high frequency force platform perturbations. XVIth Neurootologic and Equilibiometric Society Meeting, Crete, Greece, April 17-22. 1989.

925. Pyykkö I., Starck J., Seidel H., Pekkarinen J., Aalto H., Ishizaki H. 1989. Stretch reflexes during high frequency force platform oscillation. XVIth Neurootologic and Equilibrimetric Society Meeting, Crete, Greece, April 17-22. 1989.
926. Pyykkö I., Toppila E., Aalto H., Starck J., Jäntti P., Ishizaki H. 1989. Position, velocity and acceleration in determining the postural strategy. XVIth Neurootologic and Equilibrimetric Society Meeting, Crete, Greece, April 17-22. 1989.
927. Ishizaki H., Pyykkö I., Aalto H., Starck J. 1989. Tullio phenomenon in Meniere's disease. XVIth Neurootologic and Equilibrimetric Society Meeting, Crete, Greece, April 17-22. 1989.
928. Pyykkö I., Juhola M., Ishizaki H., Magnusson M. 1989. Dysrhythmia of caloric nystagmus, fact or fiction? XVIth Neurootologic and Equilibrimetric Society Meeting, Crete, Greece, April 17-22. 1989.
929. Ishizaki H., Pyykkö I., Toppila E., Aalto H., Starck J., Jäntti P. 1989. Postural synergy-velocity or acceleration dependent ? XXXI International Congress of Physiology, Helsinki, June 1989.
930. Ishizaki H., Pyykkö I., Starck J., Pekkarinen J., Seidel H., Aalto H. 1989. Muscle activity to high frequency body perturbation. Abstract for XXXI International Congress of Physiology, Helsinki, June 1989.
931. Nygård H., Pyykkö I., Aalto H., Ilmarinen J. 1989. Postural control related to work demands among elderly workers. XXXI International Congress of Physiology, Helsinki, June 1989.
932. Ishizaki H., Pyykkö I., Aalto H., Starck J. 1990. The Tullio phenomenon in patients with Meniere's disease as evaluated in posturography. The sixteenth Barany Society Meeting. Tokyo, Japan May 28-30, 1990
933. Ishizaki H., Pyykkö I., Aalto H., Starck J. 1990. Repeatability and effect of instruction on body sway. The Sixteenth Barany Society Meeting. Tokyo, Japan May 28-30, 1990
934. Pyykkö I., Aalto H., Starck J., Ishizaki H. 1990. Postural stability on moving platform oscillating at high frequencies. Effect of vestibular lesion. The Sixteenth Barany Society Meeting. Tokyo, Japan May 28-30, 1990
935. Magnusson M., Enbom H., Pyykkö I. 1990. Postural compensation of congenital or early acquired vestibular loss in hearing disabled children. The Sixteenth Barany Society Meeting. Tokyo, Japan May 28-30, 1990
936. Pyykkö I., Ishizaki H., Magnusson M. 1990. Postural control in blinds and in Usher's syndrome. The Sixteenth Barany Society Meeting. Tokyo, Japan May 28-30, 1990
937. Juhola M., Pyykkö I., Aalto H. 1990. Computer analysis of sinusoidal eye movements using pattern recognition. The Sixteenth Barany Society Meeting. Tokyo, Japan May 28-30, 1990
938. Pyykkö. Results of facial nerve suturing in acoustic neurinoma surgery. Invited lecture, Hamamatsu University, Hamamatsu Japan May 30 1990.
939. Pyykkö, H. Ishizaki. Treatment of Meniere's disease with intratympanic gentamicin application. Invited lecture, Hamamatsu University, Hamamatsu Japan May 30 1990.
940. Pyykkö I., Ishizaki H. When not to treat patients with Meniere's disease with intratympanic gentamicin application. In Barany Society Satellite meeting on Meniere's Disease and Other Vestibular Disorders. Kyoto, Japan June 1 1990.
941. Pyykkö I., Ishizaki H., Starck J., Aalto H. The relevance of the Tullio phenomenon in evaluation of the perilymphatic fistula. Invited lecture. In Perilymph fistula-a common cause of dizziness and dysequilibrium. September 6-8, Portland Oregon.
942. Pyykkö I. Melun ja muiden altisteiden yhteisvaikutus. Lääkäripäivät 7-12.1.1990.
943. Pyykkö I., Starck J., Aalto H., Seidel H., Pekkarinen J., Ishizaki H. 1990. Postural stability and muscle activity during high frequency body perturbation. X th International Symposium on Disorders of Posture and Gait, Munich, September 2-6, 1990.
944. Pyykkö I., Toppila E., Meyer E., Aalto H., Starck J., Ishizaki H. 1990. Postural instability after bilateral vestibular lesion -an error in sway velocity estimation. X th International Symposium on Disorders of Posture and Gait, Munich, September 2-6, 1990.
945. Pyykkö I., Aalto H., Ilmarinen R., Kähkönen E., Starck J. 1990. Postural stability during race in medal winning shooters. X th International Symposium on Disorders of Posture and Gait, Munich, September 2-6, 1990.
946. Magnusson M., Enbom H., Johansson R., Pyykkö I. The importance of somatosensory information from the feet in postural control of man. X th International Symposium on Disorders of Posture and Gait, Munich, September 2-6, 1990.
947. Ishizaki H., Pyykkö I., Nozue M. 1991. Neuroborreliosis in the etiology of vestibular neuritis. International Symposium on vestibular ganglia and vestibular neuronitis. Ube 1991.
948. Pyykkö I., Ishizaki H., Aalto H. Postural compensation after gentamicin treatment of Meniere's disease. 95th Annual Meeting of American Academy of Otolaryngology-Head and Neck Surgery. Kansas City 22-26 September 1991.
949. Pyykkö I., Hovi M., Jääskeläinen J., Blomstedt G. 1991. Postural stability after acoustic neurinoma removal. 95th Annual Meeting of American Academy of Otolaryngology-Head and Neck Surgery. Kansas City 22-26 September 1991.



950. Ishizaki H, Pyykkö I. 1991. Neuroborreliosis in the etiology of Meniere's disease. 95th Annual Meeting of American Academy of Otolaryngology-Head and Neck Surgery. Kansas City 22-26 September 1991.
951. Blomstedt G, Jääskeläinen J, Pyykkö I, Sankila RJ. 1991. Recurrence of acoustic neurinomas after subtotal removal. A comparison of the observed and the expected survival rates of 139 patients operated on from 1962 to 1973. In the Copenhagen Acoustic Neurinoma Conference. August 25-29, 1991.
952. Pyykkö I, Jääskeläinen J, Blomstedt G, Palva T, Troupp H. 1991. Results of facial nerve suture in acoustic neurinoma surgery with special reference to neurofibromatosis 2 (NF 2). In the Copenhagen Acoustic Neurinoma Conference. August 25-29, 1991.
953. Jääskeläinen J, Hovi M, Pyykkö I, Blomstedt G, Kallio M, Palva T, Troupp H. A video analysis of the recovery of 134 anatomically intact facial nerves after removal of an acoustic neurinoma: a proposal for extended grading system of the facial nerve function. In the Copenhagen Acoustic Neurinoma Conference. August 25-29, 1991.
954. Pyykkö I, Hovi M, Blomstedt G, Jääskeläinen J, Aalto H. 1991. Postural stability after acoustic neurinoma removal through the retrosigmoid approach. In the Copenhagen Acoustic Neurinoma Conference. August 25-29, 1991.
955. Pyykkö I, Ishizaki H. 1991. Complications in treatment of Meniere's disease with Gentamicin. 18th Congress of the International neurootological and Equilibriometric Society. Hungary, Budapest, April 4-7, 1991.
956. Pyykkö I, Jääskeläinen J, Blomstedt G, Palva T, Troupp H. 1991. Postural stability after vestibular nerve section in acoustic neurinoma surgery. 18th Congress of the International neurootological and Equilibriometric Society. Hungary, Budapest, April 4-7, 1991.
957. Starck J, Pyykkö I, Aalto H, Pekkarinen J. 1991. Development of a force platform and some excitation systems for the measurement of postural control. 18th Congress of the International neurootological and Equilibriometric Society. Hungary, Budapest, April 4-7, 1991.
958. Ishizaki H, Pyykkö I, Hiller A, Saarnivaara L. Effect of general anesthesia on stability in children. International posturography Congress. Portland, Oregon may 1992.
959. Iki M, Ishizaki H, Pyykkö I, Aalto H, Starck J. Smoking habit and postural instability. International posturography Congress. Portland, Oregon may 1992.
960. Ishizaki H, Pyykkö I, Hovi M, Jääskeläinen J, Blomstedt G, Aalto H. Postural stability after acoustic neurinoma removal. International posturography Congress. Portland, Oregon may 1992.
961. Auramo Y, Juhola M, Pyykkö I. An otoneurological expert system for diagnosis of dizziness and vertigo. Artificial Intelligence and Its Application. Hanasaari May 1992, Helsinki.
962. Jäntti P, Pyykkö I, Aalto H. Postural control of 'habitual fallers'-the role of vision on postural stabilization. International posturography Congress. Portland, Oregon may 1992.
963. Virokannas H, Pyykkö I. Association of vascular and nerve disorders in vibration exposed workers. VIth International Congress of Hand-Arm Vibration.
964. Starck J, Koskimies K, Pyykkö I, Pekkarinen J, Toppila E, Inaba R. Chain saw vibration and changes in the prevalence of vibration syndrome during a follow-up 1972-1990. VIth International Congress of Hand-Arm Vibration.
965. Pyykkö I, Inaba R, Koskimies K, Starck J, Färkkilä M, Aatola S. Vibration-induced muscle fatigue among forest workers. VIth International Congress of Hand-Arm Vibration.
966. Koskimies K, Pyykkö I, Starck J, Pekkarinen J, Inaba R. Maximal voluntary compression of hand grip in vibration exposed workers. VIth International Congress of Hand-Arm Vibration.
967. Pyykkö I, Ishizaki H, Aalto H. Transtympanic gentamicin treatment in bilateral Meniere's disease. In The annual Meeting of the American Academy of Otolaryngology-Head and Neck Surgery. Washington. September 13-17.1992.
968. Pyykkö I, Blomstedt G, Jääskeläinen J, Hovi M. Recovery of facial nerve after suturing the cut facial nerve in neurolemmoma and NF2. In The annual Meeting of the American Academy of Otolaryngology-Head and Neck Surgery. Washington. September 13-17.1992.
969. Pyykkö I, Vesänen M, Asikainen K, Koskinen ML, Vaheri A. Spina virus in the etiology of sudden deafness. In XXI International Congress of Audiology. Morioka, Japan. August 31.- September 4, 1992.
970. Pyykkö I, Ishizaki H. Effect of intratympanic administered gentamicin on hearing and tinnitus in Meniere's disease. In XXI International Congress of Audiology. Morioka, Japan. August 31.- September 4, 1992.
971. Pyykkö I, Juhola M, Isotalo E, Aalto H. Predictive and random saccades in the evaluation of the saccadic eye movement system in man. In XVIIth Barany Society Meeting, Prag, Czechoslovakia, June 1-5.1992.
972. Pyykkö I, Ishizaki H, Aalto H. Pitfalls in the treatment of Menieres disease with gentamicin. In XVIIth Barany Society Meeting, Prag, Czechoslovakia, June 1-5.1992.
973. Isotalo A, Pyykkö I, Humola M, Aalto H. Eye tracking during random pursuit test. In XVIIth Barany Society Meeting, Prag, Czechoslovakia, June 1-5.1992.

974. Pyykkö I, Vesanen M, Asikainen K, Koskiniemi ML, Vaheri A. Sudden sensorineural hearing loss with or without vertigo is often caused by spuma virus infection. In XVIIth Barany Society Meeting, Prag, Czechoslovakia, June 1-5. 1992.
975. Gemne G, Pyykkö I, Inaba R. Finger blood flow reaction to iontophoresis of metacholine and nitroprusside in chain-sawers with and without white fingers. VIth International Congress of Hand-Arm Vibration. Bonn, Germany, May 19-22, 1992.
976. Sakakibara H, Brammer AJ, Pyykkö I, Starck J. Vibrotactile evoked responses - a new method for evaluating of vibration -induced nerve damage. VIth International Congress of Hand-Arm Vibration. Bonn, Germany, May 19-22, 1992.
977. Brammer AJ, Koskimies K, Rajamäki M, Sakakibara H, Pyykkö I, Starck J. Peripheral sensory nerve potentials in the hands of forest workers. VIth International Congress of Hand-Arm Vibration. Bonn, Germany, May 19-22, 1992.
978. Iki M, Ishizaki H, Pyykkö I, Aalto H, Stack J. Effect of chain saw noise and vibration on postural stability. VIth International Congress of Hand-Arm Vibration. Bonn, Germany, May 19-22, 1992.
979. Pyykkö I. 1992. Huimaus ja sen habitaatio. Fysikaalisen hoidon päivät 4.10.1992.
980. Pyykkö I, Rimpiläinen I, Blomstedt G. 1992. Magnetic and electrical stimulation of facial nerve in neurosurgery. In Electrical and magnetic stimulation of motor nervous system. (V.Suihko & H.Eskola eds.), Tampere University of Technology,
981. Pyykkö I. Neuromonitoring in otologic surgery. IV Kliinisen Neurofysiologian päivät, Tampere.
982. Pyykkö I. 1993. Le controle postural des sujets ages strategie des recepteurs, chutes accidentelles. Association de la Posturologie, 30.1.1993, Paris.
983. Pyykkö I. 1993. Lihas, näkö ja vestibulaariainstin osuus tasapainon säätelyssä. Tasapaino-, koordinaatio- ja motorinen taitoseminaari 15-16.11.1993, Orton, Helsinki,
984. Jäntti V, Yli-hankala A, Hartikainen K, Pyykkö I. 1993. EEG-suppression - the importance of the brain mechanism ? XXXII Congress of the International Union of Physiological Sciences. Glasgow, p. 179.
985. Sainio M, Pyykkö I, Jääskeläinen J, Blomstedt G. 1993. Screening on markers signifying neurofibromatosis 2. Otolaryngol. head neck surg. 109, 229.
986. Pyykkö I, Koskiniemi ML, Vaheri A, Vesanen M. 1993. Human spumaretrovirus- a new pathogen causing sudden deafness and vertigo. Otolaryngol. head neck surg. 109, 229.
987. Pyykkö I. Imaging methods in neurootological diagnosis. 1993. 7th International Symposium on Audiological Medicine. 19-22 September 1993, Cardiff, Wales.
988. Pyykkö I. 1993. Possible role of human spumaretrovirus in the etiology of Meniere's disease. Annual Winter Meeting of Prosper Meniere Society. 21-28. February 1993, Aspen Colorado.
989. Pyykkö I. 1993. Gentamicin in the treatment of Meniere's disease. Annual Winter Meeting of Prosper Meniere Society. 21-28. February 1993, Aspen Colorado.
990. Pyykkö I. 1993. Effect of hand-arm vibration on parts distant from the finger. Nagoya International Symposium on Human Responses to Hand-Arm Vibration. 5-10. November 1993. Nagoya, Japan.
991. Ramsay H, Pyykkö I, Puhakka H, Airaksinen L. 1993. Diagnosis and treatment of sudden deafness in Finland: Consensus statement for further research. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
992. Nieminen O, Starck J, Toppila E, Pekkarinen J, Pyykkö I. 1993. Protection efficiency of hearing protectors among workers in a paper mill. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
993. Nieminen O, Pyykkö I, Starck J, Toppila E, Iki M. 1993. Serum cholesterol and blood pressure in the genesis of noise induced hearing loss. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
994. Peltomaa M, Pyykkö I. 1993. Lyme disease in patients with facial palsy, vertigo and sudden deafness. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
995. Pyykkö I, Aalto H, Airaksinen L, Starck J, Ishizaki H. 1993. Visual control is not enhanced in Meniere's disease when studied on moving platform. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
996. Sainio M, Pyykkö I, Blomstedt G, Jääskeläinen J, Salonen O, Setälä K. 1993. Neurofibromatosis type 2. Clinical and genetic aspects. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
997. Pyykkö I, Kaasinen S, Ishizaki H, Aalto H. 1993. Postural compensation after intratympanic gentamicin treatment of Meniere's disease. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
998. Pyykkö I, Blomstedt G, Jääskeläinen J, Troupp H, Palva T. 1993. Neuromonitoring and operative technique in hearing preservation of acoustic neurinoma. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.

999. Airaksinen L, Pyykkö I. 1993. Etiological and therapeutic aspects of sudden hearing loss. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
1000. Kentala A, Pyykkö I, Auramo Y, Juhola M. 1993. An expert system ONE for general practitioner to guide him in diagnosing vertigo. XXV Kongress, Nordisk Otolaryngologisk Förening, Bergen, 12-15 August, 1993.
1001. Sainio M, Blomstedt G, Jääskeläinen J, Ertama L, Salonen O, Palotie A, Pyykkö I, Palo J, Peltonen L. 1993. Genetic analysis in a large neurofibromatosis type 2 kindred. XVth World congress of Neurology, Toronto, Canada 1993.
1002. Kaasinen S, Pyykkö I, Ishizaki H, Aalto H. 1994. Effect of intratympanically administered gentamicin on hearing and tinnitus in Meniere's disease. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1003. Kaasinen S, Pyykkö I, Koskiniemi ML, Vaheri A. 1994. Culturing methods of acoustic neurinoma - methodological aspects. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1004. Isotalo E, Pyykkö I, Juhola M, Aalto H. 1994. Random pursuit test in patients with acoustic neurinoma. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1005. Isotalo E, Pyykkö I, Juhola M, Aalto H. 1994. Predictive and random saccades in patients with acoustic neurinoma. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1006. Pyykkö I, Aalto H, Grönfors T, Starck J, Ishizaki H. 1994. Vestibular evoked responses in man. Methodological aspects. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1007. Kentala E, Auramo Y, Juhola M, Pyykkö I. 1994. Database for vertigo. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1008. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1994. Reasoning process in expert system one for vertigo work-up. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1009. Pyykkö I, Selmani Z, Ramsay H. 1994. Middle ear imaging in neurotological work-up. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1010. Juhola M, Pyykkö I, Aalto H. 1994. Using magnetic coil signals with EOG signals in computer analysis of vestibulo-ocular reflex. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1011. Pyykkö I, Sainio M, Jääskeläinen J, Blomstedt G, Setälä K, Salonen O. Neurofibromatosis type 2. Clinical and genetic aspects. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1012. Hirvonen T, Pyykkö I, Aalto H, Juhola M. 1994. High-frequency deficit of vestibular system after acoustic neurinoma surgery. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1013. Pyykkö I, Aalto H, Starck J. 1994. Postural control in Meniere's disease and acoustic neurinoma when studied on linearly oscillating platform. 18th Barany Society Meeting, Uppsala, June 6-8, 1994.
1014. Starck J, Pyykkö I, Pekkarinen J, Ylikoski J, Riihimäki V. 1994. Role of risk factors in the development of sensorineural hearing loss. International Symposium of New Epidemics in Occupational health. Helsinki May 1994.
1015. Vasama JP, Mäkelä JP, Pyykkö I, Hari R. 1994. Auditory cortical responses with unilateral permanent deafness due to acoustic neurinoma removal. Auditory Plasticity & Regeneration Scientific & clinical Implications, Trento, Italy May 4-8, 1994.
1016. Pyykkö I, Levo H, Vasama JP, Blomstedt G, Jääskeläinen J. 1994. Changes in hearing of contralateral ear after removal of acoustic neurinoma. Auditory Plasticity & Regeneration Scientific & clinical Implications, Trento, Italy May 4-8, 1994.
1017. Nieminen O, Pyykkö I, Starck J, Toppila E. 1994. Serum cholesterol and blood pressure in the genesis of noise-induced hearing loss. Auditory Plasticity & Regeneration Scientific & clinical Implications, Trento, Italy May 4-8, 1994.
1018. Pyykkö I, Selmani Z, Ramsay H. 1994. Middle ear imaging in vertigo and hearing loss. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Diego, California, September 18-21, 1994.
1019. Pyykkö I, Kentala E, Auramo Y, Juhola M. 1994. Database for vertigo. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Diego, California, September 18-21, 1994.
1020. Jäntti P, Jäntti V, Pyykkö I. 1994. Orthostatic responses in elderly. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.
1021. Pyykkö I, Jäntti P, Jäntti V. 1994. Accidental falls in elderly - role of selected risk factors linked to autonomic neuropathy. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.
1022. Pyykkö I, Ishizaki H, Levo H, Blomstedt G, Jääskeläinen J. 1994. Further studies on postural stability in patients with removed acoustic neurinoma. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.
1023. Pyykkö I, Kaasinen S, Ishizaki H, Aalto H. 1994. Postural compensation in gentamicin treatment of Meniere's disease. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.

1024. Pyykkö I, Aalto H, Starck J, Ishizaki H. 1994. Visual control of posture in Meniere's disease and acoustic neurinoma during sinusoidal perturbation of posture. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.
1025. Pyykkö I, Aalto H, Starck J, Ishizaki H. 1994. Postural control on moving platform. Effect of low frequency perturbation in normal postural control. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.
1026. Pyykkö I, Selmani Z, Ramsay H. 1994. Further studies on the Tullio phenomenon when revealed on posturography. XIIth International Symposium on Posture and Gait. Matsumoto, Japan, October 3-10, 1994.
1027. Pyykkö I, Setälä K, Sainio M, Blomstedt G, Salonen O. 1996. Glomus jugulare tumor, vestibular schwannoma and Lish nodulus in a patient with neurofibromatosis 2. *J. Vestibular Research* 6; 33.
1028. Pyykkö I, Kaasinen S, Ishizaki H, Aalto H. Postural compensation after intratympanic gentamicin treatment in Meniere's disease. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 56.
1029. Pyykkö I, Levo H, Blomstedt G, Vasama JP. changes in hearing of contralateral ear after removal of acoustic neurinoma. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 34.
1030. Juhola M, Pyykkö I, Hirvonen T, Aalto H. 1996. Notes on parameter accuracy of vestibulo-ocular signals. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 39.
1031. Kaksonen R, Pyykkö I, Sankila E-M, Kere J, Starck J, Toppila E. Hereditary hearing loss in a large pedigree in Finland. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 31.
1032. Kaksonen R, Pyykkö I. Endothelin-1 and endothelin ET A receptor antagonist BQ 610: Roles in cochlear blood flow and noise induced hearing loss in quinea pigs. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 9.
1033. Isotalo E, Pyykkö I, Aalto H, Setälä K, Juhola M. Pseudorandom smooth pursuit test and predictable and pseudorandom saccades with EOG- and MOG-methods. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 54.
1034. Isotalo E, Pyykkö I, Levo H, Juhola M. Smooth pursuit deficit after cerebello-pontine angle tumor removal. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 54.
1035. Kaasinen S, Salonen A-M, Pyykkö I. The regulation of the proteolysis in human vestibular schwannoma cells. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 11.
1036. Kaasinen S, Pyykkö I. Headache in Meniere's disease. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 45.
1037. Levo H, Pyykkö I, Blomstedt G. Postoperative headache in vestibular schwannoma surgery. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 33.
1038. Levo H, Pyykkö I, Blomstedt G. Vestibular responses in vestibular schwannoma patients after local anesthesia to the neck muscle insertions. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 33.
1039. Hirvonen TP, Pyykkö I, Aalto H, Juhola M. A comparison between two head autorotation tests in healthy subjects. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 36
1040. Hirvonen TP, Pyykkö I, Aalto H, Juhola M. The effect of age in vestibulo-ocular reflex measured with head autorotation test. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 39
1041. Kentala A, Pyykkö I. Relevance of clinical picture in Meniere's disease. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 45.
1042. Kentala E, Pyykkö I, Auramo Y, Juhola M. State of the art of the neurotologic expert system for vertigo. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 38
1043. Juhola M, Pyykkö I, Aalto H, Hirvonen T. 1996. Computation of calibration of vestibulo-ocular reflex signals. Abstract for Barany Society 19th Meeting, Sydney Australia 12-14 August 1996. *J. Vestibular Research* 6; 38
1044. Pyykkö I, Starck J, Toppila E. Riskitekijät meluna aiheuttamalle kuulonalennukselle. Suomen Otolaryngologiyhdistys ry. Jatko- ja täydennyskoulutuspäivät Helsingissä 9-10.2.96. s. 15.
1045. Toppila E, Starck J, Pyykkö I. Altistuksen mittauksen vaikeudet. Suomen Otolaryngologiyhdistys ry. Jatko- ja täydennyskoulutuspäivät Helsingissä 9-10.2.96. s. 17.
1046. Toppila E, Starck J, Pyykkö I. Kuulonsuojauksen vaikutus kuuloon Melu ja sisäkorva. Suomen Otolaryngologiyhdistys. Jatko- ja täydennyskoulutuspäivät 9-10.2.1996. s. 19.

1047. Toppila E, Starck J, Pyykkö I. Vapaa-ajan meluallistuksen vaikutus vamman arvioinnissa. Melu ja sisäkorva. Suomen otolaryngologiyhdistys. Jatko- ja täydennyskoulutuspäivät Helsingissä 9-10.2.1996. s. 27.
1048. Pyykkö I, Ishizaki H, Kaasinen S. 1996. Hörsel och tinnitus efter gentamycin i Menieres sjukdom. Svenska Läkaresällskapets Riksstämman, 27-29 november 1996, s. 139.
1049. Pyykkö I, Blomstedt G, Levo H. 1996. Vestibular schwannoma - when not to operate. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.15.
1050. Pyykkö I, Levo H, Blomstedt G, Rosenhall U. 1996. Sympathetic cochleolabyrinthitis. An occult disease. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.76.
1051. Kaksonen R, Pyykkö I, Sankila E-M, Kere J, Starck J, Toppila E. 1996. Genetically induced hearing loss mimicking presbycusis. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.78.
1052. Kaksonen R, Juhola M, Toppila E, Starck J, Pyykkö I. 1996. Data base for noise induced hearing loss. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.80.
1053. Isotalo E, Niemelä M, Pyykkö I, Summanen P. 1996. Hemangioblastoma and oculomotor pathology. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.89.
1054. Levo H, Pyykkö I, Blomstedt G. 1996. Non-surgical treatment of vestibular schwannoma patients. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.90.
1055. Isotalo E, Pyykkö I. 1996. Oculomotor pathology in Meniere's disease. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.92.
1056. Pyykkö I. 1996. Azathioprine and cortisone in the treatment of bilateral Meniere's disease. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.94.
1057. Koskimies K, Sutinen P, Aalto H, Starck J, Toppila E, Hirvonen T, Kaksonen R, Ishizaki H, Alaranta H, Pyykkö I. 1996. Postural stability, neck proprioception and tension neck. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.102.
1058. Hirvonen T, Aalto H, Pyykkö I, Juhola M, Jäntti P. 1996. changes in vestibulo-ocular reflex among elderly people. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.103.
1059. Kentala E, Pyykkö I. 1996. Benign recurrent vertigo-true disease or artificial trash can? Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.104.
1060. Hirvonen T, Aalto H, Pyykkö I. 1996. Stability limits for visual feedback posturography on vestibular rehabilitation. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.105.
1061. Kentala E, Pyykkö I, Auramo Y, Juhola M. 1996. Neural networks in neurotologic expert systems. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.106.
1062. Hirvonen T, Aalto H, Pyykkö I, Juhola M. 1996. Phase difference of vestibulo-ocular reflex in head autorotation test. Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.107.
1063. Peltomaa M, Pyykkö I, Viljanen M. 1996. Sudden deafness - a spirochetal infection caused by *Borrelia burgdorferi*? Nordisk Oto-Laryngologisk Förening XXVI Kongress, 8-11 august 1996. Abstract. p.168.
1064. Pyykkö I, Toppila E, Starck J, Pihlström A, Juhola M, Auramo Y. Hearing conservation program for noise-induced hearing loss. Current status. Protection against Noise. London 16-19.4.1997. Abstract.
1065. Starck J, Pyykkö I, Toppila E, Juhola M, Pihlström A, Auramo Y. Data base and model for hearing conservation program. Protection against Noise. London 16-19.4.1997. Abstract.
1066. Isotalo E, Pyykkö I. Postural and oculomotor dysfunction in Meniere's disease, a loss of timing. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Francisco 7-10. September 1997.
1067. Pyykkö I, Selmani Z, Ishizaki H, Ramsay H. 1997. Middle ear imaging in neurootological work-up. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Francisco 7-10. September 1997.
1068. Ishizaki H, Pyykkö I, Selmani Z. 1997. ECoG for the patients with sudden deafness and Meniere's disease. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Francisco 7-10. September 1997.
1069. Ishizaki H, Pyykkö I, Van setten G. 1997. Basic fibroblast growth factor in human saliva: detection and physiological implications. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Francisco 7-10. September 1997.
1070. Isotalo E, Pyykkö I. Anatomical Lesions and eye movement deficit in posterior fossa lesions. Annual Meeting of American Academy of Otolaryngology, Head & Neck Surgery, San Francisco 7-10. September 1997.
1071. Pyykkö I, Honkavaara P, Hiller A, Toppila E. 1998. Recovery of posture after anesthesia in children can be explained with chaotic model. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,
1072. Levo H, Pyykkö I, Blomstedt G. 1998. Unilateral and bilateral vestibular schwannomas in children. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,

1073. Kentala E, Pyykkö I. 1998. Childhood events causing Meniere's disease. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,
1074. Isotalo E, Pyykkö I. 1998. Can children pursue moving objects with eyes accurately. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,
1075. Havia M, Kentala E, Pyykkö I. 1998. The prevalence of vertigo in childhood. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,
1076. Ishizaki H, van Setten G, Pyykkö I, Westermark A. 1998. Fibroblast basic growth factor in children's saliva. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,
1077. Pyykkö I, Toppila E, Kaksonen R, Starck J. 1998. Biological confounders and noise-induced hearing loss. In 5<sup>th</sup> international Congress on health effects of noise on man. Sydney November 22-25.1998.
1078. Peltomaa M, Saxen H, Seppälä I, Viljanen M, Pyykkö I. 1998. Bilateral facial paralysis in children: a prospective and retrospective analysis in children. 7<sup>th</sup> International Congress on Pediatric Otorhinolaryngology. Helsinki, June 7-10, 1998,
1079. Pyykkö I, Toppila E, Kaksonen R, Starck J. 1998. Biological confounders and noise-induced hearing loss. In 5<sup>th</sup> international Congress on health effects of noise on man. Sydney November 22-25.1998.
1080. Pyykkö I, Levo H, Blomstedt G, Ishizaki H. Contralateral hearing loss after removal of vestibular schwannoma. . Annual meeting of American Academy of Otolaryngology, Head & Neck Surgery, Washington 12-16. September 1998.
1081. Pyykkö I, Ishizaki H, Selmani Z. 1998. Meniere's disease: an autoimmune mediated disease caused by viral infection. Annual meeting of American Academy of Otolaryngology, Head & Neck Surgery, Washington 12-16. September 1998.
1082. Pyykkö I, Ishizaki H, van Setten G, Norrlander T. 1998 Expression of basic growth factor in nasal polyps. . Annual meeting of American Academy of Otolaryngology, Head & Neck Surgery, Washington 12-16. September 1998.
1083. Levo H, Pyykkö I, Blomstedt G. 1998. Postoperative headache after surgery of vestibular schwannoma. . Annual meeting of American Academy of Otolaryngology, Head & Neck Surgery, Washington 12-16. September 1998.
1084. Ishizaki H, Pyykkö I, Kaksonen J, Starck J. 1998. OAE in the forest workers. Nordic Noise PAN, Stockholm, 13-15.3.1998.
1085. Pyykkö I, Toppila E, Starck J, Kaksonen R. 1998. Ageing as a major confounding factor in noise-induced hearing loss. OAE in the forest workers. Nordic Noise PAN, Stockholm, 13-15.3.1998.
1086. Starck J, Toppila E, Pyykkö I. 1998. Management of a sophisticated hearing conservation program. 7<sup>th</sup> Joint Science Symposium on Occupational Safety and Health, Hidden Valley PA, USA, 26-29 October 1998.
1087. Starck J, Toppila E, Pyykkö I. 1998. Elements of establishing individual hearing conservation program. 8<sup>th</sup> International Conference on Combined Effects on Environmental Factors. Finland. September 1998.
1088. Starck J, Toppila E, Pyykkö I, Kaksonen R, Ishizaki H. 1998. Individual risk factors in the development of noise-induced hearing loss; the application of data-base and expert program NoiseScan. American Industrial Hygienic Conference. Washington 1998.
1089. Starck J, Toppila E, Pyykkö I, Juhola M, Auramo Y. 1998. Database and expert program for hearing conservation. International Conference Occupational Health in the Third Millennium. Moscow, 23-25, June, 1998.
1090. Toppila E, Pyykkö I, Starck J. 1998. Ageing as confounding factor in noise-induced hearing loss. 8<sup>th</sup> International conference on Combined Environmental Factors. Vienna, Austria, 1998.
1091. Toppila E, Pyykkö I, Starck J. 1998. NoiseScan 2.0- An improved hearing conservation program. . Nordic Noise PAN, Stockholm, 13-15.3.1998
1092. Toppila E, Starck J, Pyykkö I. 1998. A model for individual noise-induced hearing loss. American Industrial Hygienic Conference. Washington 1998.
1093. Toppila E, Starck J, Pyykkö I. 1998. Evaluation of noise exposure. . 8<sup>th</sup> International conference on Combined Environmental Factors. Vienna, Austria, 1998.
1094. Poe D, Pyykkö I, Siulvola J, Hannu. 1999. Eustachian Tube function in chronic middle ear disease. Combined Otologic Spring Meeting. Palm Springs. 24-29. April. 1999.
1095. Pyykkö I. Design of individual hearing conservation program. In 4<sup>th</sup> European Conference on Audiology. Satellite meeting Individual hearing conservation against noise. Oulu, 5-6 June 1999. P.2.
1096. Johnson A-C, Pyykkö I, Toppila E. 1999. Use of Individual hearing conservation programme in occupational health care units in Sweden. In 4<sup>th</sup> European Conference on Audiology. Satellite meeting Individual hearing conservation against noise. Oulu, 5-6 June 1999. P.3.
1097. Starck J, Toppila E, Pyykkö I. 1999. Smoking as a risk factor in sensory neural hearing loss among workers exposed to occupational noise. In 4<sup>th</sup> European Conference on Audiology. Satellite meeting Individual hearing conservation against noise. Oulu, 5-6 June 1999. P.17.

1098. Pyykkö I, Starck J, Toppila E. 1999. Effect of medication on noise-induced hearing loss. In 4<sup>th</sup> European Conference on Audiology. Satellite meeting Individual hearing conservation against noise. Oulu, 5-6 June 1999. P.20.
1099. Laurikkala J, Kentala E, Juhola M, Pyykkö I. 1999. A novel machine learning program applied to discover otologic diagnoses. In 4<sup>th</sup> European Conference on Audiology. Oulu, 6-10 June 1999. P.70.
1100. Kaksonen R, Widen E, Toppila E, Starck J, Pyykkö I, Kere J. 1999. Autosomal dominant midfrequency hearing impairment. In 4<sup>th</sup> European Conference on Audiology. Oulu, 6-10 June 1999. P.48.
1101. Kaksonen R, Ishizaki H, Pyykkö I, Starck J, Toppila E. Otoacoustic emissions reflecting noise-induced hearing loss. In 4<sup>th</sup> European Conference on Audiology. Oulu, 6-10 June 1999. P.49.
1102. Juhola M, Viikki K, Laurikkala J, Auramo Y, Kentala E, Pyykkö I. 1999. Application of artificial intelligence in audiology. In 4<sup>th</sup> European Conference on Audiology. Oulu, 6-10 June 1999. P.45.
1103. Pyykkö I. 1999. Expert systems in audiology. In 4<sup>th</sup> European Conference on Audiology. Oulu, 6-10 June 1999. P.113.
1104. Viikki K, Isotalo E, Juhola M, Pyykkö I. 1999. Using decision tree induction to model oculomotor data. In 4<sup>th</sup> European Conference on Audiology. Oulu, 6-10 June 1999. P.159.
1105. Ishizaki H, Westermark A, Pyykkö I, van Setten G. Basic fibroblast growth factor (bFGF) in saliva: Physiological and clinical implications. Scandinavian Förening af Oral og Maxillofaciale Kirurger. 28<sup>th</sup> Annual Meeting June 4<sup>th</sup>-June 7<sup>th</sup> 1998. Abstract p.13.
1106. Ishizaki H, Pyykkö I, Selmani A. 1999. Transtympanic electrocochleography in patients with Meniere's disease. 4<sup>th</sup> International symposium on Meniere's disease, Paris 1999, Abstract, p. 81.
1107. Pyykkö I, Ishizaki H, Selmani A. 1999. Meniere's disease: an autoimmune mediated disease caused by viral infection?. 4<sup>th</sup> International symposium on Meniere's disease, Paris 1999, Abstract, p. 77.
1108. Kentala E, Pyykkö I. 1999. Tinnitus in Meniere's disease. 4<sup>th</sup> International symposium on Meniere's disease, Paris 1999, Abstract, p. 73.
1109. Pyykkö I. 1999. Long term results of intratympanic gentamicin. 4<sup>th</sup> International symposium on Meniere's disease, Paris 1999, Abstract, p. 51.
1110. Pyykkö I, Poe D, Valtonen H, Silvola J. Imaging of Eustachian tube function in middle ear disease. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999, Abstract p. 25.
1111. Levo H, Blomstedt G, Pyykkö I. 1999. Vestibular schwannoma surgery and headache. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999, Abstract p. 5.
1112. Pyykkö I, Poe D, Ishizaki H. 1999. Laser assisted myringoplasty. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999, Abstract p. 65.
1113. Pyykkö I, Ishizaki H, van Setten G, Westermark U, Nilsson U. 1999. Fibroblast growth factor basic in children's saliva. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999, Abstract p. 67.
1114. Pyykkö I. 1999. Hereditary hearing loss- the role of environmental factors. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999, Abstract p. 83.
1115. Kentala E, Pyykkö I. 1999. Vertigo in Patients with benign paroxysmal positional vertigo. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999, Abstract.
1116. Levo H, Blomstedt G, Pyykkö I. 1999. Is hearing preservation worthwhile in vestibular schwannoma surgery?. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999,
1117. Levo H, Blomstedt G, Pyykkö I. 1999. Tinnitus and vestibular schwannoma surgery. In Nordisk Otolaryngologisk Förenings XXVII Kokngress, Odense, Danmark, 12-15. August, 1999.
1118. Zou J, Bretlau P, Pyykkö I, Starck J, Toppila E. 2000. Sensorineural hearing loss after vibration. A new animal model for evaluating damage of the inner ear. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.
1119. Zou J, Pyykkö I, Bjelke B, Bretlau P, Tayamaga T. 2000. Endolymphatic hydrops is caused by increased porosity of stria vascularis. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract 022. Department of Otolaryngology, Uppsala University Hospital.
1120. Zou J, Bretlau P, Pyykkö I, Beck O, Stephanson N. 2000. Do antioxidants and other small molecules enter the inner ear? Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.
1121. Levo H, Pyykkö I. 2000. Sympathetic cochleolabyrinthitis after vestibular schwannoma surgery. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.
1122. Tossavainen T, Juhola M, Aalto H, Toppila E, Pyykkö I, Honkavaara P. 2000. Postural stability as assessed with virtual reality. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.
1123. Juhola M, Laurikkala J, Viikki K, Kentala E, Pyykkö I. 2000. Classification of patients on the basis of otoneurological data using Kohonen networks. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.
1124. Kentala E, Pyykkö I, 2000. Different diagnostic aspects with vestibular schwannoma. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.

1125. Pyykkö I, Selmani A, Ishizaki H. 2000. Cochlear blood flow in Meniere's disease. Barany Society Meeting. Uppsala 5-8. June 2000. Abstract.
1126. Pyykkö I, Zou J, Song W, Ishizaki H. Endoscopy-assisted obliteration of patulous Eustachian tube. Methodological aspects. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 54
1127. Zou J, Pyykkö I, Klasson T, Counter A, Bjelke B. In vivo visualization of the inner ear blood flow and dynamics of perilymph in guinea pigs. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 42
1128. Havia M, Kentala E, Pyykkö I. Prevalence of Meniere's disease in normal population. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 43
1129. Selmani A, Pyykkö I, Ishizaki H, Marttila T. Clinical use of electrocochleography in evaluation of sensorineural hearing loss. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 43
1130. Bretlau P, Zou J, Bjelke B, Toppila E, Sutinen P, Miller J, Pyykkö I. Pathophysiological aspects of temporal bone drilling-induced hearing loss. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 44.
1131. Toppila E, Starck J, Pyykkö I, Miller J. Protection against acute environmental noise with antioxidants. Is it effective?. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 46
1132. Levo H, Zou J, Bretlau P, Pyykkö I. Possible role of P55 and P75 receptors in inner ear diseases. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 52
1133. Pyykkö I, Zou J, Selmani Z, Bjelke B. Assessment of perilymphatic fistulae. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 53
1134. Pyykkö I, Zou J, Bretlau P, Bjelke B. In vivo visualization of endolymphatic hydrops in guinea pig. Nordisk Oto-Laryngologis Förenings XXVIII Kongress 6-9. July 2002, Stockholm, Sweden. Abstract, p. 53.
1135. Pyykkö I. Smoking and serum lipids as a risk factor for NIHL. In: Individual Susceptibility to Noise Damage - 19-20 July 2002, London. Abstract.
1136. Pyykkö I. Treatment strategies to avoid secondary damage to inner ear and cochlear nerve. VII International Academic Otologic Workshop on Interaction between the Middle Ear and the Inner Ear. Umeå, Sweden August 29-31, 2002. Abstract.
1137. Pyykkö I, Levo H, Zou J, Ishizaki H. Possible role of TNF- $\alpha$  and p55 and p75 receptors in inner ear diseases especially in Menieres disease. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 243
1138. Toppila E, Pyykkö I, Starck J, Tossavainen T, Nyman P, Juhola M, Oksa P. Protection of inner ear against acute environmental noise with antioxidants. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 220.
1139. Starck J, Toppila E, Pyykkö I, Tossavainen T, Juhola M. Development of a new generation force platform for the measurement of postural stability. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 233
1140. Isotalo E, Pyykkö I. Oculomotor findings mimicking central disorders in severe Meniere's disease. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 267
1141. Laurikkala J, Juhola M, Pyykkö I. Evaluation of outliers in vertigo data set. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 273
1142. Pyykkö I, Zou J, Bjelke B. Assessment of perilymphatic fistula. An animal model with MRI. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 278
1143. Pyykkö I, Zou J, Bretlau P, Bjelke B. In Vivo visualization of endolymphatic hydrops. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 278.
1144. Tossavainen T, Juhola M, Pyykkö I, Toppila E. Effects of virtual reality stimulation on postural control. Abstract for XXII Barany Society Meeting . J. vestibular research 11; 2002, 290.
1145. Toppila E, Forsman P, Pyykkö I, Starck J. 2005. Use of mobil phones and its acute effects on postural stability and hearing. Gait & Posture 21, Suppl 1, p. 16
1146. Pyykkö I, Toppila E, Forsman P, Tossavainen T, Starck J. 2005. Effect of visual and postural perturbation in VR-posturography. Gait & Posture 21, Suppl 1, p. 19
1147. Forsman P, Häggström E, Wallin A, Toppila E, Pyykkö I. 2005. Evaluation of sleepiness using force platform posturography. Gait & Posture 21, Suppl 1, p. 1146 Starck J, Forsman P, Toppila E, Pyykkö I. 2005. Effect of Styrene on postural stability in reinforced plastic boat plants in Finland. Gait & Posture 21, Suppl 1, p. 150
1148. Petersen H, Siggeirsdóttir K, Pyykkö I, Toppila E, Eiriksdóttir G, Launer L, Haris I et al. 2005. The AGES Reykjavik study. Balance and hearing evaluation. XXIX congress of the Nordic Association of Otolaryngology, Reykjavik June 15-18. 2005. Läkarsbladet, Fylgirit 51, p 21.



1149. Pyykkö I, J Zou , P Daspidar, B Bjelke. 2005. In vivo visualization of endolymphatic hydrops in man. *Läkarblad*, XXIX congress of the Nordic Association of Otolaryngology, Reykjavik June 15-18.2005. *Fylgirit* 51, p. 22
1150. Niemensivu R, Pyykkö I, Kentala E. 2005. Value of imaging studies in vertiginous children: a retrospective study in Helsinki University ENT clinic. XXIX congress of the Nordic Association of Otolaryngology, Reykjavik June 15-18.2005. *Läkarblad*, *Fylgirit* 51, p 22.
1151. E Toppila , I Pyykkö ,P Forsman , T Tossavainen, J Starck . 2005. Effect of visual and postural perturbation in VR-posturography. XXIX congress of the Nordic Association of Otolaryngology, Reykjavik June 15-18.2005. *Läkarblad*, *Fylgirit* 51, p 23.
1152. E Toppila, J Zou, I Pyykkö. 2005. Expression of TNF-  $\alpha$  and VEGF in injured Guinea Pig Cochlea. XXIX congress of the Nordic Association of Otolaryngology, Reykjavik June 15-18.2005. *Läkarblad*, *Fylgirit* 51, p 38.
1153. Ilmari pyykkö . 2005. The role of magnetism, imaging and nanoparticle. Delivery and tnf alpha receptor blocker. Hearing pPreervation Workshop. Warsaw October 14-15. 2005, 2p.
1154. Jacobs H, Minkkinen K, Morrison K, Gillies G, Kokkonen M, Pyykkö I. 2005 Mitochondrial mutaitons and late onset of hearing impairment. In *Genes, hearing and Deafness from olecular Biology to clinical Practice*. March 17-19, 2005 Caserta Italy, p. 7
1155. Bretlau P, Zou J, Pyykkö I, Klasson T, Bjelke B. 2005 In-vivo visualization of endolymphatic hydrops. 5th International Symposium Meniere's disease & Inner Ear Homeostasis Disorders. April 2-5, 2005, Los Angeles, California. P 92.
1156. Pyykkö I, Zou J, Toppila E. 2005. Possible role of TNF-alfa and p55 and p75 receptors in inner ear diseases with specific reference to Meniere's disease. 5th International Symposium Meniere's disease & Inner Ear Homeostasis Disorders. April 2-5, 2005, Los Angeles, California. P 96.
1157. Pyykkö I.2007. Use of nanotechnology in drug/gene carrier in sensorineural hearing loss and deafness. The Nanoear project. In 4th European Research Meeting. Laps Palmas 29 Nov-2 Dec. 2007
1158. **Not updated since 2007**